1	SECTION 301 – HOT MIX ASPHALT BASE COURSE				
2 3 4	Make	the foll	following amendments to said Sections:		
5 6 7	<b>(I)</b> parag		d <b>Section 301.03(B) Compaction</b> by revising the secon om lines 84 to 87 to read as follows:	d	
8 9 10 11 12 13	"Compact mixture immediately upon completion of spreading operations to density of not less than 92.0 percent of maximum theoretica specific gravity in accordance with AASHTO T 209, modified by deletion o Supplemental Procedure for Mixtures Containing Porous Aggregate."				
13 14 15 16	(II) Amend Section 301.04 Measurement from lines 98 to 100 to read as follows:				
17	"301.0	)4	Measurement.		
18 19 20 21		<b>(A)</b> with c	The Engineer will measure HMAB course per ton in accordanc ontract documents."	æ	
22 23 24 25	(III) Amend Section 301.05 Payment, from lines 102 to 111 to read as follows:				
26 27 28 29	<b>"301.05 Payment.</b> The Engineer will pay for the accepted pay its listed below at the contract price per pay unit, as shown in the proposal sched Payment will be full compensation for the work prescribed in this section and contract documents.				
30 31 32	The Engineer will pay for one of the following pay items when included in the proposal schedule:				
33 34 25			Pay Item Pay Un	it	
35 36 37		(A)	Hot Mix Asphalt Base Course To	'n	
38 39 40 41 42			(1) 80% of the contract unit price upon completion of submittin a job-mix formula acceptable to the Engineer; preparing th surface, spreading, and finishing the mixture; and compacting th mixture by rolling;	ie	
42 43 44 45 46			(2) 20% of the contract unit price upon completion of cuttin samples from the compacted pavement for testing; placing an compacting the sampled area with new material conforming to the surrounding area; protecting the pavement; and final analysis.	nd	

The Engineer may, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMAB compacted below 92.0 percent. The Engineer will make payment for the material in that production day at a reduced price arrived at by multiplying the contract unit price by the pay factor shown in Table 301.05-1.

53

Table 301.05-1 – Sliding Scale Pay Factor					
Percent Compaction	Percent Payment				
92.0 or greater	100				
90.0 – less than 92.0	80				
<90.0	Removal				
	"				

54

- 55 56
- 57

## END OF SECTION 301