## **SECTION 602 - REINFORCING STEEL**

Make the following amendments to said Section:

(I) Amend 602.07 Method of Measurement and 602.08 Basis of Payment to read as follows:

**"602.07 Method of Measurement.** The Engineer will not measure reinforcing steel for payment.

The Engineer will base the weights calculated according to Table 602-III.

TABLE 602-III - BAR DESIGNATION, WEIGHT, AND AREA			
Bar No.	Weight Per Linear Foot (Pounds)	Area (Square Inches)	
3	0.376	0.11	
4	0.668	0.20	
5	1.043	0.31	
6	1.502	0.44	
7	2.044	0.60	
8	2.670	0.79	
9	3.400	1.00	
10	4.303	1.27	
11	5.313	1.56	
148	7.650	2.25	
18S	13.600	4.00	

The Engineer will not make allowance for clips, wire or other material used for fastening reinforcement in place.

The Engineer will not measure mesh reinforcement.

**602.08 Basis of Payment.** The Engineer will pay for reinforcing steel on a contract lump sum basis.

The price includes full compensation for furnishing and testing sample splices and completed splices cut from rebars placed in the work, including replacing or resplicing rebars to the length shown in the contract; furnishing access facilities to permit the Engineer to do the tests, and for losses or delays to the Contractor resulting from the sampling and testing specified herein; and furnishing labor, equipment, materials, tools and incidentals necessary to complete the work.

The Engineer will make payment under:

Pay Unit

Reinforcing Steel for		Lump Sum	

The Engineer will not pay for mesh reinforcement separately. The Engineer will consider the cost for mesh reinforcement as included in the bid price of the various contract items."

The Engineer will not make additional lump sum payment due to overruns or underruns in comparison with the estimated quantity shown in the proposal. The Engineer will make additional lump sum payment only if the Engineer specifies an alteration in the work."

END OF SECTION