

**STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION**

**ADDENDUM NO. 3  
for  
KUHIO HIGHWAY SHORT-TERM IMPROVEMENTS  
KUAMOO ROAD TO TEMPORARY KAPAA BYPASS ROAD  
DISTRICT OF KAWAIHAU  
ISLAND OF KAUAI**

**FEDERAL-AID PROJECT NO. NH-056-1(50)**

This Addendum shall make the following amendments to the Bid Documents:

**A. NOTICE TO BIDDERS**

Prospective bidders are hereby notified that receiving of sealed proposals will be re-scheduled for 2:00 P.M., December 5, 2019. The attached NOTICE TO BIDDERS shall be incorporated and made part of the NOTICE TO BIDDERS.

**B. SPECIFICATIONS**

1. Delete TABLE OF CONTENTS dated 06/07/19 and replace it with the attached TABLE OF CONTENTS dated r11/12/19.
2. Delete SECTION 107 – LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC dated 11/2/18 and replace it with the attached SECTION 107 – LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC dated r9/27/19.
3. Add and make a part of the SPECIFICATIONS the attached SECTION 321 – TRIAXIAL GEOGRID dated r10/18/19.
4. Delete SECTION 401 – HOT MIX ASPHALT (HMA) PAVEMENT dated 7/10/19 with the attached SECTION 401 – HOT MIX ASPHALT (HMA) PAVEMENT dated r9/27/19.
5. Delete SECTION 415 – COLD PLANING OF EXISTING PAVEMENT dated 07/01/08 and replace it with the attached SECTION 415 – COLD PLANING OF EXISTING PAVEMENT dated r06/10/19.

ADDENDUM NO. 3  
11/14/19

6. Add and make a part of the SPECIFICATIONS the attached SECTION 615 – MILLED RUMBLE STRIP dated r10/1819.
7. Delete SECTION 694 – ARCHAEOLOGICAL MONITORING dated 9/06/19 and replace it with the attached SECTION 694 – ARCHAEOLOGICAL MONITORING dated r9/19/19.

**C. PROPOSAL SCHEDULE**

1. Delete PROPOSAL SCHEDULE Pages P-8 through P-18 dated June 10, 2019 and replace them with the attached PROPOSAL SCHEDULE Pages P-8 through P-19 dated r11/12/19.

**D. PLANS**

Replace Plan Sheet Nos. ADD.2 through ADD.244 with the attached Plan Sheet Nos. ADD.2 through ADD.244. Plans are being re-issued again for better legibility.

Please note design changes on Plan Sheet Nos. ADD.5, ADD.7, ADD.15-ADD.25, ADD.30-ADD.34, ADD 38-ADD.42, ADD.46-ADD.49, ADD.75-ADD.78, ADD.85, ADD.87-ADD.89, ADD.90, ADD.95, ADD.98, ADD.101, ADD.179, ADD.183, ADD.185, ADD.224, ADD.229-ADD.230, and ADD.235-ADD.236.

The following is provided for information:

**E. PRE-BID MEETING MINUTES**

Attached are the September 20, 2019 Pre-Bid Meeting Notes and signed Attendance Sheet for your information.

**F. CONTRACTOR RFI's**

Attached are responses to Contractor RFI's for your information.

**G. DOCUMENTS**

The following documents are attached for your information:

1. Archaeological Monitoring Plan dated January 2010.
2. Geotechnical Report dated October 1, 2009.

Please acknowledge receipt of this Addendum No. 3 by recording the date of its receipt in the space provided on page P-4 of the Proposal.



---

JADE T. BUTAY  
Director of Transportation

## **NOTICE TO BIDDERS**

The receiving of sealed proposals for **KUHIO HIGHWAY SHORT-TERM IMPROVEMENTS, KUAMOO ROAD TO TEMPORARY KAPAA BYPASS ROAD, FEDERAL-AID PROJECT NO. NH-056-1(50), DISTRICT OF KAWAIHAU, ISLAND OF KAUAI**, at the Contracts Office, Department of Transportation, 869 Punchbowl Street, Honolulu, Hawaii 96813, or at the Office of the District Engineer – Kauai, 1720 Haleukana Street, Lihue, Hawaii 96766, is hereby re-scheduled for 2:00 P.M., December 5, 2019, at which time and place they will be publicly opened and read.



---

**JADE T. BUTAY**  
Director of Transportation



## **TABLE OF CONTENTS**

Notice To Bidders

Instructions for Contractor's Licensing

Notice of Requirement for Affirmative Action to Ensure  
Equal Employment Opportunity (Executive Order 11246)

Disadvantaged Business Enterprise (DBE) Requirements

Required Federal-Aid Contract Provisions

Special Provisions Title Page

Special Provisions:

<b>DIVISION 100 - GENERAL PROVISIONS</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
101	Terms, Abbreviations, and Definitions	101-1a – 101-12a
102	Bidding Requirements and Conditions	102-1a – 102-8a
103	Award And Execution of Contract	103-1a – 103-4a
104	Scope of Work	104-1a – 104-2a
105	Control of Work	105-1a – 105-3a
106	Material Restrictions and Requirements	106-1a
107	Legal Relations and Responsibility To Public	107-1a – 107-4a
108	Prosecution And Progress	108-1a – 108-24a
109	Measurement and Payment	109-1a – 109-2a

<b>DIVISION 200 - EARTHWORK</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
201	Clearing and Grubbing	201-1a
202	Removal of Structures and Obstructions	202-1a
203	Excavation And Embankment	203-1a – 203-4a
204	Excavation and Backfill for Miscellaneous Facilities	204-1a
206	Excavation and Backfill for Drainage Facilities	206-1a
209	Temporary Water Pollution, Dust, and Erosion Control	209-1a – 209-29a

<b>DIVISION 300 - BASES</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
301	Hot Mix Asphalt Base Course	301-1a – 301-2a
305	Aggregate Subbase Course	305-1a
314	Controlled Low Strength Materials (CLSM) for Utilities and Structures	314-1a
321	Triaxial Geogrid	321-1a – 321-3a

<b>DIVISION 400 - PAVEMENTS</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
401	Hot Mix Asphalt Pavement	401-1a – 401-58a
415	Cold Planing of Existing Pavement	415-1a – 415-6a

<b>DIVISION 500 - STRUCTURES</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
503	Concrete Structures	503-1a
508	Cement Rubble Masonry	508-1a

<b>DIVISION 600 - INCIDENTAL CONSTRUCTION</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
602	Reinforcing Steel	602-1a – 602-2a
603	Culverts and Storm Drains	603-1a
606	Guardrail	606-1a – 606-2a
607	Chain Link Fences and Gates	607-1a
610	Reinforced Concrete Driveways	610-1a
611	Hand-laid Riprap	611-1a
614	Street Survey Monuments	614-1a
615	Milled Rumble Strip	615-1a – 615-2a
617	Planting Soil	617-1a
619	Planting	619-1a – 619-3a
623	Traffic Signal System	623-1a – 623-7a
625	Sewer System	625-1a
626	Manholes and Valve Boxes for Water and Sewer Systems	626-1a
629	Pavement Markings	629-1a – 629-5a
630	Traffic Control Guide Sign	630-1a – 630-4a
631	Traffic Control Regulatory, Warning, and Miscellaneous Signs	631-1a – 631-2a
632	Markers	632-1a
634	Portland Cement Concrete Sidewalks	634-1a

638	Portland Cement Concrete Curb and Gutter	638-1a – 638-2a
641	Hydro-Mulch Seeding	641-1a
650	Curb Ramps	650-1a
651	Electrical Utility System	651-1a – 651-9a
652	Telecommunications Utility System	652-1a – 652-6a
656	Drilling Holes and Installing Dowel Reinforcing Bars	656-1a
671	Protection of Seabirds	671-1a – 671-3a
694	Archaeological Monitoring	694-1a – 694-4a
695	Portable Concrete Barrier and Inertial Barrier System	695-1a – 695-8a
699	Mobilization	699-1a

DIVISION 700 - MATERIALS		
Section	Description	Pages
703	Aggregates	703 -1a
706	Concrete, Clay and Plastic Pipe	706-1a
712	Miscellaneous	712.07-1a
750	Traffic Control Sign and Marker Materials	750-1a – 750-2a
755	Pavement Marking Materials	755-1a
770	Traffic Signal Materials	770-1a – 770-18a

Requirement of Chapter 104, HRS  
Wages and Hours of Employees on Public Works Law

Federal Wage Rates

Proposal Title Page

Proposal ..... P-1 – P-7  
Proposal Schedule ..... P-8 – P-19

Confirmation by DBE

Surety Bid Bond

Sample Forms

Contract

Performance Bond (Surety)

Performance Bond

Labor and Material Payment Bond (Surety)

Labor and Material Payment Bond

Disclosure of Lobbying Activities  
Standard Form - LLL and LLL-A

Statement of Compliance  
Form WH-348

Chapter 104, HRS Compliance Certificate

**END OF TABLE OF CONTENTS**

1       **SECTION 107 - LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC**

2  
3       Make the following amendments to said Section:

4  
5       **(I)**       Amend **Section 107.01 Insurance Requirements** from lines 5 to 81 to  
6       read as follows:

7  
8       **“(A) Obligation of Contractor.** Contractor shall not commence any  
9       work until it obtains, at its own expense, all required insurance described  
10      herein. Such insurance shall be provided by an insurance company  
11      authorized by the laws of the State to issue such insurance in the State of  
12      Hawaii. Coverage by a “Non-Admitted” carrier is permissible provided the  
13      carrier has a Best’s Rating of “A-VII” or better. The Contractor shall  
14      maintain and ensure all insurance policies are current for the full period of  
15      the contract until final acceptance of the work by the State.  
16

17               The Certificate of Insurance shall contain: a clause that it is agreed  
18      that any insurance maintained by the State of Hawaii will apply in excess  
19      of, and not contribute with, insurance provided by this policy; and shall be  
20      accompanied by endorsement form CG2010 or equivalent naming the  
21      State as an additional insured to the policy which status shall be  
22      maintained for the full period of the contract until final acceptance of the  
23      work by State.  
24

25               The Contractor shall obtain all required insurance as part of the  
26      contract price. Where there is a requirement for the State of Hawaii and  
27      its officers and employees to be named as additional insureds under any  
28      Contractor’s insurance policy, before the State of Hawaii issues the Notice  
29      to Proceed, the Contractor shall obtain and submit to the Engineer a  
30      Certificate of Insurance and a written policy endorsement that confirms the  
31      State of Hawaii and its officers and employees are additional insureds for  
32      the specific State project number and project title under such insurance  
33      policies. The written policy endorsement must be issued by the insurance  
34      company insuring the Contractor for the specified policy type or by an  
35      agent of such insurance company who is vested with the authority to issue  
36      a written policy endorsement. The insurer’s agent shall also submit  
37      written confirmation of such authority to bind the insurer. Any delays in  
38      the issuance of the Notice to Proceed attributed to the failure to obtain the  
39      proof of the State of Hawaii and its officers and employees’ additional  
40      insured status shall be charged to the Contractor.  
41

42               A mere Certificate of Insurance issued by a broker who represents  
43      the Contractor (but not the Contractor’s insurer), or by any other party who  
44      is not authorized to contractually name the State as an additional insured  
45      under the Contractor’s insurance policy, is not sufficient to meet the  
46      Contractor’s insurance obligations.

47  
48 Certificates shall contain a provision that coverages being certified  
49 will not be cancelled or materially changed without giving the Engineer at  
50 least thirty (30) days prior written notice. Contractor will immediately  
51 provide written notice to the Director should any of the insurance policies  
52 evidenced on its Certificate of Insurance form be cancelled, reduced in  
53 scope or coverage, or not renewed upon expiration. Should any policy be  
54 canceled before final acceptance of the work by the State, and the  
55 Contractor fails to immediately procure replacement insurance as  
56 specified, the State, in addition to all other remedies it may have for such  
57 breach, reserves the right to procure such insurance and deduct the cost  
58 thereof from any money due or to become due to the Contractor.  
59

60 Nothing contained in these insurance requirements is to be  
61 construed as limiting the extent of Contractor's responsibility for payment  
62 of damages resulting from its operations under this contract, including the  
63 Contractor's obligation to pay liquidated damages, nor shall it affect the  
64 Contractor's separate and independent duty to defend, indemnify and hold  
65 the State harmless pursuant to other provisions of this contract. In no  
66 instance will the State's exercise of an option to occupy and use  
67 completed portions of the work relieve the Contractor of its obligation to  
68 maintain the required insurance until the date of final acceptance of the  
69 work.  
70

71 All insurance described herein shall be primary and cover the  
72 insured for all work to be performed under the contract, all work performed  
73 incidental thereto or directly or indirectly connected therewith, including  
74 but not limited to traffic detour work, barricades, warnings, diversions, lane  
75 closures, and other work performed outside the work area and all change  
76 order work.  
77

78 The Contractor shall, from time to time, furnish the Engineer, when  
79 requested, satisfactory proof of coverage of each type of insurance  
80 required covering the work. Failure to comply with the Engineer's request  
81 may result in suspension of the work, and shall be sufficient grounds to  
82 withhold future payments due the Contractor and to terminate the contract  
83 for Contractor's default.  
84

85 **(B) Types of Insurance.** Contractor shall purchase and maintain  
86 insurance described below which shall provide coverage against claims  
87 arising out of the Contractor's operations under the contract, whether such  
88 operations be by the Contractor itself or by any subcontractor or by  
89 anyone directly or indirectly employed by any of them or by anyone for  
90 whose acts any of them may be liable.  
91

92           **(1) Workers' Compensation.** The Contractor shall obtain  
93 worker's compensation insurance for all persons whom they  
94 employ in carrying out the work under this contract. This insurance  
95 shall be in strict conformity with the requirements of the most  
96 current and applicable State of Hawaii Worker's Compensation  
97 Insurance laws in effect on the date of the execution of this contract  
98 and as modified during the duration of the contract.  
99

100           **(2) Auto Liability.** The Contractor shall obtain Auto Liability  
101 Insurance covering all owned, non-owned and hired autos with a  
102 Combined single Limit of not less than \$1,000,000 per occurrence  
103 for bodily injury and property damage with the State of Hawaii  
104 named as additional insured.  
105

106           **(3) General Liability.** The Contractor shall obtain General  
107 Liability insurance with a limit of not less than \$2,000,000 per  
108 occurrence and in the Aggregates for each of the following:  
109

110                   (a) Products - Completed/Operations Aggregate,

111                   (b) Personal & Advertising Injury, and  
112

113                   (c) Bodily Injury & Property Damage  
114  
115

116           The General Liability insurance shall include the State as an  
117 Additional Insured. The required limit of insurance may be provided  
118 by a single policy or with a combination of primary and excess  
119 policies.  
120

121           **(4) Builders Risk For All Work.** The Contractor shall take out  
122 a policy of builder's risk insurance for the full replacement value of  
123 the project work; from a company licensed or otherwise authorized  
124 to do business in the State of Hawaii; naming the State as an  
125 additional insured under each policy; and covering all work, labor,  
126 and materials furnished by such Contractor and all its  
127 subcontractors against loss by fire, windstorm, tsunamis,  
128 earthquakes, lightning, explosion, other perils covered by the  
129 standard Extended Coverage Endorsement, vandalism, and  
130 malicious mischief."  
131

132   **(II) Amend Subsection 107.03 – Working Hours; Night Work** by revising  
133 lines 140 to 142 to read as follows:  
134

135           "Normal working hours shall be from 8:00 p.m. to 4:30 a.m., Sunday  
136 through Thursday, excluding holidays."  
137

138 **(III) Amend Subsection 107.14 – Responsibility for Damage Claims;**  
139 **Indemnity** by revising line 396 to read as follows:

140  
141 “the State, its employees and officers, Coco Palms Ventures, LLC.,  
142 Hawaii Movie Tours, Inc., County of Kauai, Department of Land and  
143 Natural Resources, Phillip G. Harrison, Trustee, Gun Soon Lee,  
144 Korean Bar-B-Q, Kauai Water Ski, Surf and Kayak Shop, Amy E. Atry,  
145 Revocable Living Trust, Melanie Quetula, Coconut Coast Activities,  
146 JC’s Flower & Mini Mart, Michael Fuse, Wailua Shopping Plaza,  
147 Kintaro Japanese Restaurant, Café Coco, Hiep X. Hoang, Hong Kong  
148 Café, Erwin Agcaoili, John Arruda, et. al., Esther K. Medeiros, Lovelan  
149 Napoleon, Suzanne R. Larson, et. al., Mary Young, Smith Motor Boat,  
150 against any loss, demand, claim...”

151  
152 **(IV) Amend Subsection 107.14 – Responsibility for Damage Claims;**  
153 **Indemnity** by revising line 410 to read as follows:

154  
155 “fail to undertake the defense of the State, its employees and officers,  
156 Coco Palms Ventures, LLC., Hawaii Movie Tours, Inc., County of  
157 Kauai, Department of Land and Natural Resources, Phillip G. Harrison,  
158 Trustee, Gun Soon Lee, Korean Bar-B-Q, Kauai Water Ski, Surf and  
159 Kayak Shop, Amy E. Atry, Revocable Living Trust, Melanie Quetula,  
160 Coconut Coast Activities, JC’s Flower & Mini Mart, Michael Fuse,  
161 Wailua Shopping Plaza, Kintaro Japanese Restaurant, Café Coco,  
162 Hiep X. Hoang, Hong Kong Café, Erwin Agcaoili, John Arruda, et. al.,  
163 Esther K. Medeiros, Lovelan Napoleon, Suzanne R. Larson, et. al.,  
164 Mary Young, Smith Motor Boat, after a....”

165  
166 **END OF SECTION 107**



Make the following section a part of the Standard Specifications:

### "SECTION 321 - TRIAXIAL GEOGRID

**321.01 Description.** This section describes furnishing and placing geogrid on properly compacted aggregate base course.

#### **321.02 Materials.**

**(A) Materials.** Unless otherwise indicated in the contract documents, geogrid shall be manufactured from a punched and drawn polypropylene, material that has been formed by regular network of integrally connected, multi-directional tensile elements of appropriate orientation, size, and shape with apertures of appropriate size and shape to allow interlocking with the unbound aggregate or base course materials. The combination of the two materials creates an improved mechanically stabilized layer (MSL) with significantly improved properties and performance capabilities that quantifiably allows a designer to modify aggregate and/or asphalt pavement sections.

Geogrid material shall meet the Table 321.02-1 Material Requirements.

TABLE 321.02-1 - MATERIAL REQUIREMENTS					
Physical Property	Test Procedure	Longitudinal	Diagonal	General	Transverse
Rib pitch, mm (in.)	Callipered	40+/-3 (1.6+/-0.1)	40+/-3 (1.6+/-0.1)		
Aperture shape	Observation			Triangular	
Rib Shape	Observation			Rectangular	
Radial Stiffness @ 0.5% strain lbs/ft. (kN/m), Min.	ASTM D6637			20,580 (300)	
Junction Efficiency	GRI-GG2-87 & GRI-GG1-87			93	
Mid-Rib Depth, mm (in.)	Callipered		2.0 (0.08)		1.6 (0.06)
Mid-Rib Width, mm (in.)	Callipered		1.0 (0.04)		1.3 (0.05)
Resistance to UV Light and weathering	ASTM D4355			100%	
Flexural Rigidity (mg-cm)	ASTM D1388			750,000	

24 **321.03 Construction.**

25  
26 **(A) Site Preparation.** Compact base course properly.

27  
28 **(B) Installation.** Unroll geogrid smoothly on prepared surface in longitudinal  
29 direction. Do not drag geogrid. Remove wrinkles and folds by stretching and anchoring.  
30 Overlap adjacent rolls of geogrid along the sides and ends a minimum of 1 foot.

31  
32 **(C) Geogrid Placement.** Hold geogrid in place by pins, staples, or piles of  
33 aggregate base course material. On curves, cut geogrid to conform to curve, with  
34 appropriate overlap. Install overlap in direction of aggregate base course material  
35 placement.

36  
37 **(D) Aggregate Base Material.** Deposit aggregate base material over the  
38 geogrid.

39  
40 **(E) Geogrid Acceptance.** The manufacturer's certificate of compliance and  
41 certified test results on the product, tested within six months of the submittal date shall  
42 be submitted for approval. Additionally, the following shall be included in the submittal:

43  
44 **(1)** Manufacturer's name, current address, and telephone number.

45  
46 **(2)** Manufacturer's current Quality Assurance / Quality Control  
47 Manual.

48  
49 **(3)** Full product name by trademark and product number.

50  
51 **(4)** Geogrid polymer type(s).

52  
53 **(5)** Recommended overlap.

54  
55 **(6)** Six square yards of geogrid sample. Geogrid sample shall conform to  
56 requirements of Subsection 321.03(F) - Sampling.

57  
58 **(F) Sampling.** Sampling shall be in accordance with ASTM D4354.

59  
60 **(G) Physical Properties.** Physical property values in these specifications  
61 represent minimum average roll values (MARV) and are included for Quality Assurance  
62 purposes only. Average test results for any individual roll tested within a lot sampled  
63 shall meet or exceed specified values.

64  
65 **(H) Packaging.** Geogrids shall be provided in roll form of length and width to  
66 meet requirements.

67  
68 **(I) Identification.** Unless otherwise indicated in the contract documents,  
69 geogrid shall be identified in accordance with ASTM D4873 and this subsection. Include  
70 the following information:

- 71  
72 (1) Unique roll number serially designated.  
73  
74 (2) Manufacturer's lot number or control numbers.  
75  
76 (3) Name of geogrid manufacturer.  
77  
78 (4) Date of manufacture.  
79  
80 (5) Product brand name.  
81  
82 (6) Manufacturer's style or catalog designation of the geogrid.  
83  
84 (7) Roll width, in feet.  
85  
86 (8) Roll length, in feet.  
87  
88 (9) Net weight of geogrid.  
89

90 (J) **Storage and Handling.** Geogrids shall be stored and handled in  
91 accordance with ASTM D4873 and this subsection. During shipment and storage,  
92 material shall not be exposed to sunlight or other forms of light that contain ultraviolet  
93 rays for more than 6 months.  
94

95 **321.04 Measurement.** The Engineer will only measure triaxial geogrid required  
96 and requested by the Engineer on a force account basis in accordance with Subsection  
97 109.06 – Force Account Provisions and Compensation.  
98

99 **321.05 Payment.** The Engineer will pay for the accepted geogrid on a force  
100 account basis. Payment will be full compensation for the work prescribed in this section  
101 and the contract documents.  
102

103 The Engineer will pay for the following pay item when included in the proposal schedule:  
104

105 <b>Pay Item</b>	<b>Pay Unit</b>
106 Triaxial Geogrid	107 Force Account”

108  
109  
110  
111

112 **END OF SECTION 321**

Amend **Section 401 – HOT MIX ASPHALT (HMA) PAVEMENT** to read as follows:

**“SECTION 401 - HOT MIX ASPHALT (HMA) PAVEMENT**

**401.01 Description.** This section describes furnishing and placing HMA pavement on a prepared surface.

**401.02 Materials.**

Asphalt Cement (Mix IV) (PG 64-16) 702.01

Asphalt Cement (Polymer Modified Asphalt (PMA) Mix) (PG 64E-22) 702.01

Performance Graded (PG) Binder. Performance graded binder shall conform to Performance Graded Asphalt Binder Specifications, AASHTO M 332 and meet the following additional requirement:

AASHTO T 315 Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR). Phase angle on original binder shall be less than 77 degrees.

Submit, before usage, a Certificate of Compliance, accompanied by substantiating test data, showing conformance with Performance Graded Asphalt Binder Specification. The Engineer will not accept the PG binder without adequate documentation.

Grade PG binder using AASHTO MP 19 Performance Graded Asphalt Binder Using Multiple Stress Creep Recovery (MSCR) Test. Submit MSCR grading report accompanied by substantiating test data.

<b>PERFORMANCE GRADED BINDERS FOR SPECIFIC MIXES (Performance Graded Mixes)</b>	
<b>MIX</b>	<b>BINDER*</b>
Asphalt Cement for Surface Course (Mix IV)	PG 64-16
Asphalt Cement for Surface Course (PMA Mix)	PG 64E-22
*Neat asphalt with elastomer polymer modification shall be used to achieve the specified performance grading.	

Emulsified Asphalt 702.04

Warm Mix Asphalt Additive 702.06

36 Aggregate for Hot Mix Asphalt Pavement 703.09

37  
38 Filler 703.15

39  
40 Hydrated Lime 712.03

41  
42 **(A) General.** HMA pavement shall be plant mixed and shall include  
43 mixture of aggregate and asphalt cement and may include reclaimed asphalt  
44 pavement (RAP) or filler, or both.

45  
46 The manufacture of HMA may include warm mix asphalt (WMA)  
47 processes in accordance with these specifications. WMA processes include  
48 combinations of organic additives, chemical additives, and foaming.

49  
50 HMA pavement shall include surface course and may include one or  
51 more binder courses, depending on HMA pavement thickness indicated in  
52 the contract documents.

53  
54 RAP is defined as removed or reprocessed pavement materials  
55 containing asphalt and aggregates. Process RAP by crushing until 100  
56 percent of RAP passes 3/4-inch sieve. Size, grade uniformly, and combine  
57 materials such that blend of RAP and aggregate material conforms to grading  
58 requirements of Subsection 703.09 - Aggregate for Hot Mix Asphalt  
59 Pavement.

60  
61 In surface and binder courses, aggregate for HMA may include RAP  
62 quantities up to 20 percent of total mix weight. RAP shall not be used in  
63 stone matrix asphalt pavement.

64  
65 Quantity of filler material to correct deficiencies in aggregate gradation  
66 passing the No. 200 sieve shall not exceed 3 percent by weight of fine  
67 aggregates.

68  
69 **(B) Job-Mix Formula and Tests.** Design job-mix formula in accordance  
70 with procedures contained in current edition of Asphalt Institute's *Mix Design*  
71 *Methods for Asphalt Concrete and Other Hot Mix Types*, Manual Series No.  
72 2 (MS-2) for either Marshall Method or Hveem Method of Mix Design.

73  
74 Limit compacted lift thickness and asphalt content of job-mix formula  
75 as specified in Table 401.02-1 - Limits of Compacted Lift Thickness and  
76 Asphalt Content.

**TABLE 401.02-1 - LIMITS OF COMPACTED LIFT THICKNESS AND ASPHALT CONTENT**

MIX NO.	II	III	IV, PMA	V
Minimum to Maximum Compacted Thickness for Individual Lifts (Inches)	2-1/4 to 3	2 to 3	1-1/2 to 3	1-1/4 to 3
Asphalt Content Limits (Percent of Total Weight of Mix)	3.8 to 6.1	4.3 to 6.1	4.3 to 6.5	4.8 to 7.0

Asphalt content limits for porous aggregate may be exceeded only if it is requested ahead of placement and is reviewed then accepted in writing by the Engineer.

Limit the re-refined engine oil bottoms (REOB) content to a maximum of 5 percent in all asphalt binders.

Meet job-mix formula design criteria specified in Table 401.02-2 - Job-Mix Design Criteria for Performance Graded Binders or Table 401.02-2A - Job-Mix Formula Design Criteria For Non-Performance Graded Binder HMA based on the type of binder require by the Contract Documents or as directed by the Engineer and MTRB.

**TABLE 401-02 JOB-MIX DESIGN CRITERIA FOR PERFORMANCE GRADED BINDERS**

N <sub>initial</sub> , N <sub>design</sub> , N <sub>max</sub>	8,100,160
Air Voids at N <sub>design</sub>	4%
Voids in Mineral Aggregate (VMA) at N <sub>design</sub> (for 1/2 inch Nominal Maximum Particle Size)	14.0% Minimum
Voids in Coarse Aggregate (VCA)	Less than VCA <sub>DRC</sub>
Density at N <sub>initial</sub> (% of Theoretical Maximum Specific Gravity)	Not more than 89.0%
Density at N <sub>design</sub> (% of Theoretical Maximum Specific Gravity)	96.0 %
Density at N <sub>max</sub> (% of Theoretical Maximum Specific Gravity)	Not more than 98.0%
Stabilizer (by weight of total mix)	0.2 - 0.4 %

<b>TABLE 401.02-2A - JOB-MIX FORMULA DESIGN CRITERIA FOR NON-PERFORMANCE GRADED BINDER HMA</b>	
<b>Hveem Method Mix Criteria (AASHTO T 246 and AASHTO T 247)</b>	
Stability, minimum	37
Air Voids (percent) <sup>1</sup>	3 - 5
<b>Marshall Method Mix Criteria (AASHTO T 245)</b>	
Compaction (number of blows each end of specimen)	75
Stability, minimum (pounds)	1,800
Flow (x 0.01 inch)	8 - 16
Air Voids (percent) <sup>1</sup>	3 - 5
<b>Notes:</b> 1. Air Voids: AASHTO T 166 or AASHTO T 275; AASHTO T 209, AASHTO T 269.	

Minimum percent voids in mineral aggregates (VMA) of job-mix formula shall be as specified in Table 401.02-3 - Minimum Percent Voids in Mineral Aggregates (VMA).

<b>TABLE 401.02-3 - MINIMUM PERCENT VOIDS IN MINERAL AGGREGATES (VMA)</b>					
Nominal Maximum Particle Size, (Inches)	1-1/2	1	3/4	1/2	3/8
VMA, (percent) <sup>1</sup>	11.0	12.0	13.0	14.0	15.0
<b>Notes:</b> 1. VMA: See Asphalt Institute Manual MS-2, Chapter 4.					

**(C) Submittals.** Establish and submit job-mix formula for each type of HMA pavement mix indicated in the contract documents a minimum of 30 days before production. Job mix shall include the following applicable information:

- 104 (1) Design percent of aggregate passing each required sieve size.  
105  
106 (2) Design percent of asphalt content or PG binder material  
107 (type determined by type of mix) added to the aggregate  
108 (expressed as% by weight of total mix),  
109  
110 (3) Design proportion of processed RAP.  
111  
112 (4) Design temperature of mixture at point of discharge at paver or  
113 MTV.  
114  
115 (5) Source of aggregate.  
116  
117 (6) Grade of asphalt cement or PG binder.  
118  
119 (7) Type and percentage of stabilizer, or fiber  
120  
121 (8) Test data used to develop job-mix formula.  
122

123 Except for item (4) in this subsection, if design requirements are  
124 modified after the Engineer accepts job-mix formula, submit new job-mix  
125 formula before using HMA produced from modified mix design. Submit any  
126 changes to the design temperature of mixture at point of discharge for  
127 acceptance by the Engineer.  
128

129 Submit a certificate of compliance for the asphalt cement or PG binder,  
130 accompanied by substantiating test data from a certified testing laboratory.  
131

132 The Contractor may use WMA processes in the production of HMA.  
133 Submit to the Engineer for acceptance, the proposed process and how it will  
134 be used in the manufacture of HMA. The process submittal shall include the  
135 temperature range of the WMA.”  
136

137 **(D) Range of Tolerances for HMA.** Provide HMA within allowable  
138 tolerances of accepted job-mix formula as specified in Table 401.02-4 -  
139 Range of Tolerances for Performance Graded Binders and Table 401.02-4A  
140 – Range of Tolerances for Non-Performance Graded Binder HMA. These  
141 tolerances are not to be used for the design of the job mix, they are solely to  
142 be used during the testing of the production field sample of the HMA mix and  
143 its comparison with laboratory mix design.  
144



145

<b>TABLE 401-02-4 – RANGE OF TOLERANCES FOR PERFORMANCE GRADED BINDERS</b>	
Passing 3/8 inch and larger sieves	±5.0
Passing No. 4 to No. 16 sieves (inclusive)	±4.0
Passing No. 30 to No. 100 sieves (inclusive)	±3.0
Passing No. 200 sieve	±2.0
Binder Content (expressed as% by weight of total mix)	±0.4
Temperature of Mixture	± 20
Voids, total mix	± 1.0

146

<b>TABLE 401.02-4A - RANGE OF TOLERANCES FOR NON-PERFORMANCE GRADED BINDER HMA</b>	
Passing No. 4 and larger sieves (percent)	± 7.0
Passing No. 8 to No. 100 sieves (inclusive) (percent)	± 4.0
Passing No. 200 sieve (percent)	± 3.0
Asphalt Content (percent)	± 0.4
Mixture Temperature (degrees F)	± 20

147

148

### **401.03 Construction.**

149

150

151

**(A) Weather Limitations.** Placement of HMA will not be allowed under the following conditions:

152

153

154

155

156

157

158

159

160

161

**(1)** On wet surfaces, e.g., surface with ponding or running water, surface that has aggregate or surface that appears beyond surface saturated dry, as determined by the Engineer.

**(2)** When air temperature is below 50 degrees F and falling. HMA may be applied when air temperature is above 40 degrees F and rising. Air temperature will be measured in shade and away from artificial heat.

(3) When weather conditions prevent proper method of construction.

**(B) Equipment.**

**(1) Mixing Plant.** Use mixing plants that conform to AASHTO M 156, supplemented as follows:

**(a) All Plants.**

**1. Automated Controls.** Control proportioning, mixing, and mix discharging automatically. When RAP is incorporated into mixture, provide positive controls for proportioning processed RAP.

**2. Dust Collector.** AASHTO M 156, Requirements for All Plants, Emission Controls is amended as follows:

Equip plant with dust collector. Dispose of collected material. In the case of baghouse dust collectors, dispose of collected material or return collected material uniformly.

**3. Modifications for Processing RAP.** When RAP is incorporated into mixture, modify mixing plant in accordance with plant manufacturer's recommendations to process RAP.

**(b) Drum Dryer-Mixer Plants.**

**1. Bins.** Provide separate bin in cold aggregate feeder for each individual aggregate stockpile in mix. Use bins of sufficient size to keep plant in continuous operation and of proper design to prevent overflow of material from one bin to another.

**2. Stockpiling Procedures.** Separate aggregate into at least three stockpiles with different gradations as follows: coarse, intermediate, and fine. Separate aggregates for Mix V into at least two stockpiles. Stockpile RAP separately from virgin aggregates.

**3. Checking Aggregate Stockpile.** Check condition of the aggregate stockpile often enough to ensure that the aggregate is in optimal condition.

208 (c) **Batch and Continuous Mix Plants.**

209  
210 1. **Hot Aggregate Bin.** Provide bin with three or  
211 more separate compartments for storage of screened  
212 aggregate fractions to be combined for mix. Make  
213 partitions between compartments tight and of sufficient  
214 height to prevent spillage of aggregate from one  
215 compartment into another.

216  
217 2. **Load Cells.** Calibrated load cells may be used in  
218 batch plants instead of scales.

219  
220 (2) **Hauling Equipment.** Use trucks that have tight, clean, smooth  
221 metal beds for hauling HMA.

222  
223 Thinly coat truck beds with a minimum quantity of non-stripping  
224 release agent to prevent mixture from adhering to beds. Diesel or  
225 petroleum-based liquid release agents, except for paraffin oil, shall not  
226 be used. Drain excess release agent from truck bed before loading  
227 with HMA.

228  
229 Provide a designated clean up area for the haul trucks.

230  
231 Equip each truck with a tarpaulin conforming to the following:

232 (a) In good condition, without tears and holes.

233 (b) Large enough to be stretched tightly over truck bed,  
234 completely covering mix thereby aiding in keeping the mix  
235 unexposed to ambient air and aid in keeping the mix hot.

236  
237  
238 (3) **Asphalt Pavers.** Use asphalt pavers that are:

239 (a) Self-contained, power-propelled units.

240 (b) Equipped with activated screed or strike-off assembly,  
241 heated if necessary.

242 (c) Capable of spreading and finishing courses of HMA  
243 mixtures in lane widths applicable to typical section and  
244 thicknesses indicated in the Contract Documents.

245 (d) Equipped with receiving hopper having sufficient  
246 capacity for uniform spreading operation.

(e) Equipped with automatic feed controls to maintain uniform depth of material ahead of screed.

(f) Equipped with automatic screed controls with sensors capable of sensing grade from outside reference line, sensing transverse slope of screed, and providing automatic signals to control screed grade and transverse slope.

(g) Capable of operating at constant forward speeds consistent with satisfactory laying of mixture.

(h) Equipped with a means of preventing the segregation of the coarse aggregate particles from the remainder of the bituminous plant mix when that mix is carried from the paver hopper back to the paver augers. The means and methods used shall be approved by the paver manufacturer and may consist of chain curtains, deflector plates, or other such devices and any combination of these.

The following specific requirements shall apply to the identified bituminous pavers:

1. **Blaw-Knox Bituminous Pavers.** Blaw-Knox bituminous pavers shall be equipped with the Blaw-Knox Materials Management Kit (MMK).
2. **Cedarapids Bituminous Pavers.** Cedarapids bituminous pavers shall be those that were manufactured in 1989 or later.
3. **Barber-Green/Caterpillar Bituminous Pavers.** Barber-Green/Caterpillar bituminous pavers shall be equipped with deflector plates as identified in the December 2000 Service Magazine entitled "New Asphalt Deflector Kit {6630, 6631, 6640}".

Bituminous pavers not listed above shall have similar attachments or designs that shall make them equivalent to the bituminous pavers listed above. The Engineer will solely decide if it is equal to or better than the setups described for the equipment listed above.

Submit for review and acceptance, prior to the start of using the paver for the placing of plant mix, a full description in writing of the means and methods that will be used to prevent the bituminous paver from having both aggregate and temperature segregation. Use of any paver that has not been accepted is prohibited until acceptance of the paver is received from the Engineer. Any pavement placed with an unaccepted paver will be regarded as not compliant work and may not be paid for and may require removal.

Supply a Certificate of Compliance that verifies that the manufacturer's approved means and methods used to prevent bituminous paver from having both aggregate and temperature segregation have been implemented on all pavers used on the project and are working in accordance with the manufacturer's requirements and Contract Documents.

**(4) Rollers.** Rollers shall be self-propelled, steel-tired tandem, pneumatic-tired, or vibratory-type rollers capable of reversing without shoving or tearing the just placed HMA mixture. Provide sufficient number, sequencing, type, and rollers of sufficient weight to compact the mixture to required density while mixture is still in workable condition unless otherwise indicated in the Contract Documents. Equipment shall not excessively crush aggregate. Operate rollers in accordance with manufacturer's recommendations and Contract Documents. The use of intelligent compaction is encouraged and may be required elsewhere in the Contract Documents.

**(a) Steel-Tired Tandem Rollers.** Steel-tired tandem rollers used for initial breakdown or intermediate roller passes shall have minimum gross weight of 12 tons and shall provide minimum 250-pound weight per linear inch of width on drive wheel.

Steel-tired tandem rollers used for finish roller passes shall have minimum total gross weight of 3 tons.

Do not use roller with grooved or pitted rolling drum or worn scrapers or wetting pads. Replace excessively worn scrapers and wetting pads before use.

337 **(b) Pneumatic-Tired Rollers.** Pneumatic-tired rollers shall  
338 be oscillating-type, equipped with smooth-tread pneumatic tires  
339 of equal size and diameter. Maintain tire pressure within 5  
340 pounds per square inch of designated operational pressure  
341 when hot. Space tires so that gaps between adjacent tires are  
342 covered by following set of tires.

343  
344 Pneumatic-tired rollers used for breakdown or  
345 intermediate roller passes shall have a ballast capable of  
346 establishing an operating weight per tire of not less than 3,000  
347 pounds. Equip rollers with tires having minimum 20-inch wheel  
348 diameter with tires inflated to 70 to 75 pounds per square inch  
349 pressure when cold and 90 pounds per square inch when hot.  
350 Equip rollers with skirt-type devices to maintain temperature of  
351 tires during rolling operations.

352  
353 Pneumatic-tired rollers used for kneading finished  
354 asphalt surfaces shall have a ballast capable of establishing an  
355 operating weight per tire of not less than 1,500 pounds. Equip  
356 rollers with tires having minimum 15-inch wheel diameter with  
357 tires inflated to 50 to 60 pounds per square inch pressure.  
358 Equip rollers with skirt-type devices to maintain temperature of  
359 tires during rolling operations.

360  
361 Pneumatic-tired rollers and rubber-tired equipment shall  
362 not be used on stone matrix asphalt pavement.

363  
364 **(c) Vibratory Rollers.** Vibratory rollers shall be steel-tired  
365 tandem rollers having minimum total weight of 3 tons. Equip  
366 vibratory rollers with amplitude and frequency controls and  
367 speedometer. Operate vibratory roller in accordance with  
368 manufacturer's recommendations. For very thin lifts, 1 inch or  
369 less in thickness, vibratory rollers shall not be used in the  
370 vibratory mode. Instead, operate the unit in the static mode.

371  
372 **(5) Hand Tools.** Keep hand tools used in production, hauling, and  
373 placement of HMA clean and free of contaminants. Diesel or mineral  
374 spirits or other cleaning material that is potentially deleterious to HMA  
375 may be used to clean hand tools providing:

376  
377 **(a)** It does not contaminate HMA with cleaning material.

378  
379 **(b)** Clean hand tools over catch pan with capacity to hold all  
380 the cleaning material.  
381

382 (c) Remove all diesel or mineral spirits or other cleaning  
383 material that is potentially deleterious to HMA from hand tools  
384 before using with HMA.  
385

386 Hand tools used shall be in a condition such that it meets the  
387 requirements that it was manufactured for, e.g., a straightedge shall  
388 meet the straightness requirement of the manufacturer.  
389

390 **(6) Material Transfer Vehicle (MTV).**  
391

392 (a) **Usage.** MTV usage applies to surface courses of paving  
393 projects on all Islands except Lanai, unless otherwise indicated  
394 in the Contract Documents. When placing HMA surface use  
395 MTV to independently deliver mixtures from hauling equipment  
396 to paving equipment. MTV usage will not be required for the  
397 following:  
398

- 399 1. Projects with less than 1,000 tons of HMA.
- 400
- 401 2. Temporary pavements.
- 402
- 403 3. Bridge deck approaches.
- 404
- 405 4. Shoulders.
- 406
- 407 5. Tapers.
- 408
- 409 6. Turning lanes.
- 410
- 411 7. Driveways.
- 412
- 413 8. Areas with low overhead clearances.
- 414

415 (b) **Equipment.** When using MTV, install minimum 10-ton-  
416 capacity hopper insert in conventional paver hopper. Provide  
417 the following equipment:  
418

- 419 1. High-capacity truck unloading system in MTV  
420 capable of receiving HMA from hauling equipment.
- 421
- 422 2. MTV storage bin with minimum 15-ton capacity.
- 423
- 424 3. An auger mixing system in one of the following:  
425 the MTV storage bin, or paver hopper insert, or paver  
426 hopper to continuously mix HMA prior to discharging to  
427 the paver's conveyor system.

Avoid stop-and-go operations by coordinating plant production rate, number of haul units, and MTV and paver speeds to provide a continuous, uniform, segregation-free material flow and smooth HMA pavement. Maintain uniform paver speed to produce smooth pavements.

**(c) Performance Evaluation.** Evaluate the performance of MTV and mixing equipment by measuring mat temperature profile immediately behind paver screed on first day of paving and when it feels the need to do so due to perceived changes in performance or as directed by the Engineer.

Use a hand-held temperature device that has been calibrated within the past 12 months. It shall be an infrared temperature gun is capable of measuring in one degree or finer increments between the temperatures of 80 degrees to 400 degrees F with a laser to indicate where the temperature reading is being taken. Six temperature profile measurements shall be taken of mat surface using infrared temperature gun at 50-foot intervals behind paver. Each temperature profile shall consist of three surface temperature measurements taken transversely across the mat in approximately a straight line from screed while paver is operating. For each profile, temperatures shall be measured approximately 1 foot from each edge and in middle of mat. The difference between maximum and minimum temperature measurements for each temperature profile shall not exceed 10 degrees F. If any two or more temperature profiles exceeds the allowable 10-degree F temperature differential, halt paving operation and adjust MTV or mixing equipment to ensure that material placed by paver meets specified temperature requirements. Redo the measuring of mat temperature profile until adjustment of the MTV or mixing equipment is adequate. Submit all temperature profiles to the Engineer by next business day. Information on the report shall show location and temperature readings and time test was performed. Enough information shall be given, so the Engineer will be able to easily locate the test site of the individual measurement.

When requested temperature profile measurements shall be done in the presence of the Engineer.



Once adjustments are made, repeat measurement procedure for the next two placements to verify that material placed by paver meets specified temperature requirements. Terminate paving if temperature profile requirements are not met during repeated measurement procedure. If equipment fails to meet requirements after measurement procedure is repeated once, replace equipment before conducting any further temperature profile measurements

The Engineer may perform surface temperature profile measurements at any time during project. The Engineer may in lieu of a hand-held infrared temperature device use an infrared camera or device that is capable of measuring temperatures to locate cold spots. If such cold spots exist, the Engineer may require adjustments to the MTV.

If bleeding or fat spots occur in the pavement adjust means and methods to eliminate such pavement defects and perform remedial repair to pavement acceptable to the Engineer. Bleeding is defined as excess binder occurring on the surface of the pavement. It may create a shiny, glass-like, reflective appearance and may be tacky to the touch. Fat spots are localized bleeding.

**(d) Transport.**

**1. Trailered MTV.** Transport MTV by means of truck-tractor/trailer combination in accordance with Chapter 104 of Title 19, Department of Transportation, entitled "The Movement by Permit of Oversize and Overweight Vehicles on State Highways".

**2. Crossing Bridges for Self-Powered MTV.** When self-powered MTV exceeds legal axle or total weight limits for vehicles under the HRS, Chapter 291, conform to the following when crossing bridges within project limits unless otherwise indicated in the Contract Documents:

**a.** Completely remove mix from MTV.

**b.** Move MTV at relatively constant speed not exceeding 5 miles per hour. MTV will not be allowed to stop on bridge.

c. No other vehicle or equipment will be allowed on bridge.

d. The MTV shall not attempt to cross a bridge where the posted load limit is less than or equal to the weight of the MTV empty. Permission to cross the bridge shall be obtained from the Engineer and HWY-DB in writing.

**(C) Preparation of Surface.** Clean existing pavement in accordance with Section 310 - Brooming Off. Apply tack coat in accordance with Section 407 - Tack Coat.

Where indicated in the Contract Documents, bring irregular surfaces to uniform grade and cross section by furnishing and placing one or more leveling courses of HMA Mix V. Spread leveling course in variable thicknesses to eliminate irregularities in existing surface. Place leveling course such that maximum depth of each course, when thoroughly compacted to the Contract Documents' requirements, does not exceed 3 inches.

In multiple-lift leveling course construction, spread subsequent lifts beyond edges of previously spread lifts in accordance with procedures contained in current edition of the Asphalt Institute's *Construction of Hot Mix Asphalt Pavements*, Manual Series No. 22 (MS-22) for leveling wedges.

Notify the Engineer of existing surfaces that may not be in a condition that will have enough strength to be a good bonding surface or foundation and should be removed or have remedial repairs done before new pavement placement.

**(D) Plant Operation.**

**(1) Preparation of Asphalt Cement.** Uniformly heat asphalt cement and provide continuous supply of heated asphalt cement from storage to mixer. Do not heat asphalt cement above 350 degrees F.

**(2) Preparation of Aggregate.** Dry and heat aggregate material at temperature sufficient to produce design temperature of job-mix formula. Do not exceed 350 degrees F. Adjust heat source used for drying and heating to avoid damage to and contamination of aggregate. When dry, aggregate shall not contain more than 1 percent moisture by weight.

For batch plants, screen aggregates immediately after heating and drying into three or more fractions. Convey aggregates into separate compartments ready for batching and mixing with asphalt cement.

**(3) Mixing.** Measure aggregate and asphalt; or aggregate, RAP, and asphalt into mixer in accordance with accepted job-mix formula. Mix until components are completely mixed and adequately coated with asphalt in accordance with AASHTO M 156. Percent of coated particles shall be 95 percent when tested in accordance with AASHTO T 195.

**(4) Plant Inspection.** For control and acceptance testing during periods of production, provide a testing laboratory next to plant that is acceptable to the Engineer. Provide space, utilities, and equipment required by the Engineer for performing specified tests. Do not start production of the project's HMA mix until the testing laboratory is acceptable to the Engineer. If the tests the Engineer needs to perform are not able to be done the mix shall not be used on the project unless the Engineer provides a waiver to this requirement.

**(E) Spreading and Finishing.** Prior to each day's paving operation, check screed or strike-off assembly surface with straight edge to ensure straight alignment and there is no damage or wear to the machine that will affect performance. Provide screed or strike-off assembly that produces finished surface without tearing, shoving, and gouging HMA. Discontinue using spreading equipment that leaves ridges, indentations, or other marks, or combination thereof in surface that cannot be eliminated by rolling or affects the final smoothness of the pavement or be prevented by adjustment in operation.

Maintain HMA at minimum 250 degrees F temperature at discharge to paver. Measure temperature of mix in hauling vehicle just before depositing into spreader or paver or MTV.

Deposit HMA in a manner that minimizes segregation. Raise truck beds with tailgates closed before discharging HMA.

Lay, spread, and strike off HMA upon prepared surface. Use asphalt pavers to distribute mixture.

Control horizontal alignment using automatic grade and slope controls from reference line, slope control device. Existing pavements or features shall not be used for grade control alone.

Obtain sensor grade reference, horizontal alignment by using established grade and slope controls. For subsequent passes, substitution of one ski with joint-matching shoe riding on finished adjacent pavement is acceptable. Use of a comparable non-contact mobile reference system and joint matching shoe is acceptable.

Avoid stop-and-go operation. Maintain a constant forward speed of paver during paving operation and minimize other methods that impact smoothness.

Offset longitudinal joint in successive lifts by approximately 6 inches. Incorporate into paving method an overlap of material of 1-inch +/- 0.5 inches at the longitudinal joint. The HMA overlap material shall be left alone when initially placed and shall not be bumped back or pushed back with a lute or any other hand-held device. If the overlap exceeds the maximum amount, remove the excess with a flat shovel, allowing recommended amount of overlap HMA material to remain in place to be compacted. Do not throw the removed excess HMA material on to the paving mat. The longitudinal joint in a surface course when total roadway width is comprised of two lanes shall be near the centerline of pavement or near lane lines when roadway is more than two lanes in width. The longitudinal joint shall not be constructed in the wheel path. Every effort should be made to not locate the longitudinal joint under the longitudinal lane lines. Make a paving plan drawing showing how the longitudinal joint will not located in these areas.

Control the horizontal alignment of the longitudinal edge of the HMA mat being installed so that the edge is parallel to the centerline or has a uniform alignment, e.g., the edge of the mat is straight line or uniform curve, no wavy edge, etc. to have a consistent amount of HMA material at the joint.

Check the compaction of the longitudinal joint during paving often enough to ensure that it will meet the compaction requirements.

If nuclear gauges are used as the contractor's quality control method, they shall be properly calibrated and periodically checked by comparison to cores taken from the pavement. The use of sand as an aid in properly seating the gauge may also be considered for improving the accuracy of the gauge.

In areas where irregularities or unavoidable obstacles make use of mechanical spreading and finishing equipment impracticable, spread, rake, and lute mixture by hand tools. For such areas, deposit, spread evenly, and screed mixture to required compacted thickness.

Demonstrate competence of personnel operating grade and crown control device before placing surface courses. If automatic control system becomes inoperative during the day's work, the Engineer will permit the Contractor to finish day's work using manual controls. The Engineer may also allow addition HMA to be ordered and placed using manual controls if it will provide a safer work site for the public to travel through. Do not resume work until automatic control system is made operative and will reliably function during the placement of HMA and has been demonstrated as being fully operational to the Engineer. The Engineer may waive requirement for electronic screed control device when paving gores, shoulders, transitions, and miscellaneous reconstruction areas where the use of the devices is not practical.

When production of HMA can be maintained and when practicable, use pavers in echelon shall be used to place surface course in adjacent lanes.

At the end of each workday; HMA pavement that is open to traffic shall not extend beyond the panel of the adjacent new lane pavement by more than distance normally placed in one workday. At end of each day's production, construct tapered transitions along all longitudinal and transverse pavement drop-offs; this shall apply to areas where existing pavement is to meet newly placed pavement. Use slopes of 6:1 for longitudinal taper transitions and 48:1 for transverse tapered transitions. Maximum drop-off height along the joints shall be 3 inches. Also, using a 48:1 slope provide a taper around any protruding object, e.g., manholes, drain boxes, survey monuments, inlets, etc., that may be above pavement surface when opened to the public. If the object is below the surface of the pavement then fill the depression until it is level with the surrounding pavement or raise depressed objects to the finish grade of the placed pavement. Remove and dispose of all transition tapers before placing adjoining panel or next layer of HMA. Notify traveling public of pavement drop-offs or raised objects with signs placed in every direction of traffic that may use and encounter pavement drop-offs or protruding objects or holes.

Use the same taper rates for areas where there is a difference in elevation due to construction work.

At end of each workweek, complete full width of the roadway's pavement, including shoulders, to same elevation with no drop-offs.

**(F) Compaction.** Immediately after spreading and striking off HMA and adjusting surface irregularities, uniformly compact mixture by rolling.

Initiate compaction at highest mix temperature allowing compaction without excessive horizontal movement. Temperature shall not be less than 220 degrees F.

Finish rolling using tandem roller while HMA temperature is at or above 175 degrees F.

On superelevated curves, begin rolling at lower edge and progress to higher edge by overlapping of longitudinal trips parallel to centerline.

If necessary, repair damage immediately using rakes and fresh mix. Do not displace line and grade of HMA edges during rolling.

Keep roller wheels properly moistened with water or water mixed with small quantities of detergent. Use of excess liquid, diesel, and petroleum-based liquids will not be allowed on rollers.

Along forms, curbs, headers, walls and other places not accessible to rollers, compact mixture with hot hand tampers, smoothing irons, or mechanical tampers. On depressed areas, trench roller or cleated compression strips under roller may be used to transmit compression.

Before the start of compaction or during compaction or both remove pavement that is loose, broken, or contaminated, or combination thereof; pavement that shows an excess or deficiency in asphalt cement content; and pavement that is defective in any way. Replace with fresh HMA pavement of same type, and compact. Remove and replace defective pavement and compact at no increase in contract price or contract time.

Operate rollers at slow and uniform speed with no sudden stops. The drive wheels shall be nearest to the paver. Continue rolling to attain specified density and until roller marks are eliminated.

Rollers shall not be parked on the pavement place that day or shift.

**(1) HMA Pavement Courses One and a Half Inches Thick or Greater.** Where HMA pavement compacted thickness indicated in the Contract Documents is 1-1/2 inches or greater, compact to not less than 93.0 percent nor greater than 97.0 percent of the maximum specific gravity determined in accordance with AASHTO T 209, modified by deletion of Supplemental Procedure for Mixtures Containing Porous Aggregate.

Place HMA pavement in individual lifts that are within minimum and maximum allowable compacted thickness for various types of mixture as specified in Table 401.02-1 - Limits of Compacted Lift Thickness and Asphalt Content.

**(2) HMA Pavement Courses Less Than One and a Half Inches Thick.** Where HMA pavement compacted thickness indicated in the contract documents is less than 1-1/2 inches, compaction to a specified density will not be required.

Use only non-vibratory, steel-tired, tandem roller. Roll entire surface with minimum of two roller passes. A roller pass is defined as one trip of the roller in one direction over any one spot.

For intermediate rolling, roll entire surface with minimum of four passes of roller.

Finish rolling using steel-tired, tandem roller. Continue rolling until entire surface has been compacted with minimum of three passes of roller, and roller marks have been eliminated.

Do not use rollers that will excessively crush aggregate.

**(3) HMA Pavement Courses One and a Half Inches Thick or Greater In Special Areas Not Designated For Vehicular Traffic.** For areas such as bikeways that are not part of roadway and other areas not subjected to vehicular traffic, compact to not less than 90.0 percent of maximum specific gravity determined in accordance with AASHTO T 209, modified by deletion of Supplemental Procedure for Mixtures Containing Porous Aggregate. Increase asphalt content by at least 0.5 percent above that used for HMA pavements designed for vehicular traffic. Paved shoulders shall be compacted in the same manner as pavements designed for vehicular traffic.

**(G) Joints, Trimming Edges and Utility Marking.** At HMA pavement connections to existing pavements, make joints vertical to depth of new pavement. Saw cut existing pavement and cold plane in accordance with Section 415 - Cold Planing of Existing Pavement to depth equal to thickness of surface course or as indicated in the Contract Documents.

At HMA connections to previously placed lifts, form joints by cutting back on previous run to expose full depth of course. Dispose of material trimmed from edges. Protect end of freshly laid mixture from rollers.

Before and after paving, identify and mark location of existing utility manholes, valves, and handholes on finished surface. Adjust existing frames and covers and valve boxes to final pavement finish grade in accordance with Section 604 - Manholes, Inlets and Catch Basins and Section 626 - Manholes and Valve Boxes for Water and Sewer Systems.

(1) Longitudinal joints. Submit for review the means and methods that will be used to install longitudinal joints at the required compaction and density. The Engineer may allow a waiver to the Contract Documents by allowing the compaction of the HMA at the longitudinal joints to be no lower than 91.0 percent of the maximum specific gravity determined in accordance with AASHTO T 209, modified by deletion of Supplemental Procedure for Mixtures Containing Porous Aggregate. The air voids at the longitudinal joints shall not exceed 5 percent. Verify the compaction of the longitudinal joints meets the Contract Documents' requirements by using non-destructive testing methods during paving and submit the results on the daily quality control test reports.

Overband all longitudinal joints within the entire lot the non-compliant core represented with PG binder seal coat or other type of joint enrichment accepted by the Engineer when the longitudinal joints are found to have less than 93.0 percent but is no less than 90 percent of the maximum specific gravity or has an air void that exceeds 5 percent. The overband shall not decrease the skid resistance of the pavement under any ambient weather condition. Submit overband material's catalog cuts, test results and application procedure for review and acceptance by the Engineer before use. Center the overband over the longitudinal joint. The overband shall be placed in a uniform width and horizontal alignment. The overband shall have no holidays or streaking in its placement. The width of the overband shall be based on how the longitudinal joint was constructed or as directed by the Engineer. If a butt joint is used, the overband width shall be a minimum of 12-inches. For butt wedge or wedge joints the overband width shall be the width of the wedge plus an additional six-inches minimum. Replace any pavement markings damaged or soiled by the overband remedial repair process.

For longitudinal joints that have a compaction of less than 90 percent of the maximum specific gravity; removal may be required by the Engineer instead of overbanding the non-compliant joint. The Engineer will solely decide if removal or overbanding is required.

Persistent low compaction results may be cause to suspend work and remove non-conforming work. During the suspension of paving, revise means and methods used in constructing longitudinal joints and submit to the Engineer for review and acceptance. Suspension may occur when:



(1) Two or more longitudinal joints tests fail to meet the minimum compaction

(2) One sample reveals that the joint compaction is 90 percent or less.

(3) The maximum air void requirement exceeds 5 percent.

Test for compaction and density regardless of layer thickness. Compaction and density shall be determined by using six-inch diameter or larger cores instead of four-inch diameter cores. For longitudinal joints made using butt joints cores shall be taken over the joint with half of the core being on each side of the joint. For longitudinal joints using butt wedge joints, center core over the center of the wedge so that 50 percent of the material is from the most recently paved material and the remaining 50 percent of the core is from the material used to pave the previous layer. One core shall be taken at a maximum of every 250 feet of longitudinal joint and any fraction of that length for each day of paving with a minimum of three cores taken for each longitudinal joint per day. Cores taken for the testing of the longitudinal joint may be used to determine pavement thickness.

Compaction results for longitudinal joints until January 1, 2023 will not be included in any Sliding Scale Pay Factor for Compaction payment calculation. After, January 1, 2023 it will be included.

**(H) HMA Pavement Samples.** Obtain test samples from compacted HMA pavement within 72 hours of lay down. Provide minimum 4-inch diameter cores consisting of undisturbed, full-depth portion of compacted mixture taken at locations designated by the Engineer in accordance with the "Sampling and Testing Guide for Acceptance and Verification" in Hawaii DOT Highways Division, *Quality Assurance Manual for Materials*, Appendix 3. Turn cores over to Engineer immediately after cores have been taken. Before cores are taken inform Engineer so that the work may be observed by the Engineer and cores turned over to the Engineer at that time.

For pavement samples for longitudinal joints provide 6-inch diameter cores minimum. For pavement samples for other than longitudinal joints 4-inch diameter cores minimum shall be taken. All cores shall consist of undisturbed, full-depth portion of compacted mixture taken at locations designated by the Engineer in accordance with the "Sampling and Testing Guide for Acceptance and Verification" in Hawaii DOT Highways Division, *Quality Assurance Manual for Materials*, appendix 3. Coring of longitudinal joints shall use a modified HDOT Sampling and Testing Guide as required by the Contract Documents.

869 Cores that separate shall indicate to the Engineer that there is  
870 insufficient bonding of layers. Modify the previously used paving means and  
871 methods to prevent future debonding of layers. Debonding of a core sample  
872 after adjustment of the Contractor's methods will be an indication of  
873 continued non-conforming work and the Engineer may direct removal of the  
874 layer at no additional cost or contract time.

875  
876 Restore HMA pavement immediately after obtaining samples. Clean core  
877 hole and walls of all deleterious material that will prevent the complete filling  
878 of the core hole and the bonding of the new HMA to the existing. Apply  
879 pavement joint cement to vertical faces of sample holes. Fill sampled area  
880 with new HMA pavement of same type as that removed. If hand compaction  
881 is used; fill in layers not exceeding the minimum thickness stated in Table  
882 401.02-1 - Limits Of Compacted Lift Thickness And Asphalt Content and  
883 Compact. If Mechanical Compaction methods are used, then layers may be  
884 the maximum layer thickness stated in Table 401.02-1 - Limits Of Compacted  
885 Lift Thickness And Asphalt Content. Using tires or hand tamping to compact  
886 the HMA material to restore the pavement shall not be considered as  
887 mechanical compaction.

888  
889 Only sample and test leveling course if 1-1/2 inches or greater. No  
890 compaction requirements for less than 1-1/2 inches.

891  
892 **(I) HMA Pavement Thickness Tolerances.**

893  
894 The Engineer will measure thickness of pavement by cores obtained  
895 by the Contractor in accordance with HDOT TM 09-19 Field Sampling  
896 Bituminous Material after Compaction (Obtaining Cores). The Engineer will  
897 measure cores in accordance with HDOT TM 09-19, except that  
898 measurement will be taken to nearest one thousandth of an inch; and  
899 average of such measurements will be taken to nearest one hundredth of an  
900 inch.

901  
902 Thickness of finished HMA pavement shall be within 0.25 inch of  
903 thickness indicated in the Contract Documents. Pavement not meeting the  
904 thickness requirements of the Contract Documents may be required by the  
905 Engineer to be removed and replaced.

906  
907 Corrective methods taken on pavement exceeding specified  
908 tolerances, e.g., insufficient thickness by methods accepted by the Engineer,  
909 including removal and replacement, shall be at no increase in contract price  
910 or contract time.

The checking of pavement thickness shall be done after all remedial repairs, e.g., smoothness compliance repairs, compaction, have been completed, reviewed and accepted by the Engineer.

**(J) Quality Control Using New Technology.** The Engineer and MTRB reserves the right to utilize new technology and methods to improve the detection of noncompliant work on the project. The technology or method may be used to locate defects in the work, e.g., ground penetrating radar to locate delaminations, moisture damage, thin sections, voids, non-compliant compaction, other non-destructive testing to locate flaws. The defect will be verified by the methods stated in the Contract Documents or by other established conventional means. If the technology or method has already been accepted elsewhere or has standardized testing procedures the results may be judged acceptable by the Engineer and no further testing will be required. These new technologies and methods may be used for the selection of sampling locations.

**(K) Protection of HMA Pavement.** Except for construction equipment directly connected with paving operations, keep traffic off HMA pavement.

Protect HMA pavement from damage until it has cooled and set.

Do not refuel equipment or clean equipment or hand tools over paved surfaces unless catch pan or device that will contain spilled fuel and other products is provided. After completion of refueling or cleaning, remove catch pan or device without spilling any of the collected content.

**(L) Pavement Joint Adhesive**

**(1) Pavement Joint Adhesive on Joints.** Use on all asphalt pavement construction where joints are formed at such locations but not limited to the following:

**(a)** Adjacent asphalt pavements, e.g., trafficked lanes, shoulders, etc.

**(b)** Asphalt pavement and adjacent concrete pavement or curb and gutter or any other surface where the bonding of the asphalt pavement and concrete surface is desired,

952 (c) Transverse joints between asphalt pavements not  
953 placed at the same time or if the pavement's temperature on  
954 one side of the joint is below the minimum temperature the mix  
955 can be at, during asphalt pavement compaction or installation.

956  
957 (d) Entire wall and bottom of sample core holes in HMA  
958 pavement.

959  
960 (e) Cut face of an existing pavement where it will have new  
961 HMA pavement placed against it, e.g., utility trenches, partial or  
962 full depth repairs, etc.

963  
964 (f) Entire frame or face of a utility facility or similar feature  
965 that is to be imbedded in the asphalt pavement, e.g., manholes,  
966 pullboxes, handholes, survey monuments, valve boxes, etc.

967  
968 Pavement joint adhesive is not required on a longitudinal  
969 construction joint between adjacent hot mix asphalt pavements  
970 formed by echelon paving. Echelon paving is defined as: paving  
971 multiple lanes side-by-side with adjacent pavers slightly offset at the  
972 same time.

973  
974 A longitudinal construction joint between one shift's work and  
975 another shall have pavement joint adhesive applied at the joint. Any  
976 longitudinal construction joint formed with the temperature on one side  
977 of the joint that is below the minimum temperature, the mix can be,  
978 when compacted to contract requirements during asphalt pavement  
979 installation shall have pavement joint adhesive applied at the joint.

980  
981 (2) **Material requirements.** Asphalt joint adhesive shall meet  
982 requirements as specified in Table 401.03-1 - Asphalt Joint Adhesive  
983 Specifications.  
984

<b>TABLE 401.03-1 – ASPHALT JOINT ADHESIVE SPECIFICATIONS</b>		
<b>TEST</b>		<b>SPECIFICATION</b>
Brookfield Viscosity, 204 °C [400 °F]	ASTM D 3236	4,000-10,000 cp
Cone Penetration, 25 °C [77 °F]	ASTM D 5329	60-100 dmm
Resilience, 25 °C [77 °F]	ASTM D 5329	30% minimum
Ductility, 25 °C [77 °F]	ASTM D 113	30 cm minimum
Ductility, 4 °C [39.2 °F]	ASTM D 113	30 cm minimum
Tensile Adhesion, 25 °C [77 °F]	ASTM D 5329	500% minimum
Softening Point	ASTM D 36	77 °C [170 °F] min.
Asphalt Compatibility	ASTM D 5329	Pass

### (3) Construction Requirements for Asphalt Joint Adhesive

(a) **Equipment Requirements.** Use a jacketed double boiler type melting unit, with both agitation and recirculation systems. Provide a pressure feed wand application system.

(b) **Material Handling.** Submit a copy of the manufacturer's recommendations for heating, re-heating, and applying the joint adhesive material. Follow manufacturer's recommendations. Do not remove the joint adhesive from the package until immediately before it is placed in the melter. Joint adhesive boxes must be clearly marked with the name of the manufacturer, the trade name of the adhesive, the manufacturer's batch and lot number, the application/pour temperature, and the safe heating temperature. Feed additional material into the melter at a rate equal to the rate of material used.

Verify the pouring temperature of the joint adhesive at least once per hour at the point of discharge. Stop production if the adhesive falls below the recommended application/pour temperature. When the temperature of the adhesive exceeds the maximum safe heating temperature, stop production, empty the melter, and dispose of that adhesive in an environmentally safe method. No payment will be made for this material or its disposal.

Do not blend or mix different manufacturer's brands or different types of adhesives.

**(c) Joint Adhesive Application:** The face of the joint that the new asphalt pavement will bind to shall be clean and dry before the joint adhesive is applied. Apply the pavement joint adhesive material to the entire face of the surface where HMA pavement shall be installed. The thickness of the asphalt adhesive application shall be approximately 1/8 inch. Use an application shoe attached to the end of application wand. Do not overlap the joint by greater than 1/2-inch at the top of the joint or two-inches at the bottom of the joint. Apply the joint adhesive immediately in front of the paving operation. If the adhesive is tracked by construction vehicles, repair the damaged area and restrict traffic from driving on the adhesive.

**(d) Field Sampling.** Take a sample during each shift from the application wand during the first 20 minutes of placing sealant from each melter on the Project in the presence of the Engineer.

Each sample shall consist of two aluminum or steel sample containers with the capacity to hold five pounds of sealant each. The two sampling containers shall be labeled with Contractor's name; project name and number; date and time sample taken; location of where material was used at, e.g., from where to where it was used at in stations; manufacturer and lot number of the sealant. Each container shall be numbered one of two, or two of two. Turn over samples to Engineer without Engineer losing sight of the sample. The Engineer reserves the right to conduct supplementary sampling and testing of the sealant material.

1. Document the locations where the material came from, each lot number of sealant that is placed and submit the document to the Engineer within 2 working days of placement.

2. If a field sample fails to meet any of the requirements in Table 401.03-1 - Asphalt Joint Adhesive Specifications; the work completed using the material from the lot that the field sample represents, shall be subject to a five percent reduction in the contract price of the lift of the HMA pavement it was used on; for example, if two lanes are paved and the longitudinal joint between the two lanes uses material not meeting the

contract requirements both of the lanes' asphalt pavement used for both lanes will be subject to a price reduction. If the joint was between an existing pavement and a new the price reduction will be based on the new pavement.

3. Overband with PG binder seal coat or other type of joint enrichment material over the entire length of the joint where the use of non-compliant material occurred.

4. Width of the overband shall follow the criteria used for low density longitudinal joints. In areas where the joint was formed with a curb or gutter use a joint sealer acceptable to the Engineer.

**(M) Pavement Smoothness Rideability Test.** Perform surface profile tests frequently to ensure that the means and methods being used produces pavement that is compliant with the Contract Document's surface profile smoothness requirement. Make every effort to perform surface tests before opening pavement to the public. Test the pavement surface for smoothness with a 12-foot-long straightedge, a 12-foot-long rolling straightedge, or a California Type Profilograph as required by this Section.

All submittals shall be sent directly to MTRB.

The finished pavement shall comply to all the following requirements:

**(a) Definitions.** The following definitions shall be used for this Section and related areas of work. It is meant to work in conjunction with Subsection 101 - Definitions. Should a conflict arise Subsection 105.05 - Interpretations of the Contract Documents; Conflicts and Ambiguity shall apply.

**Blanking Band** -- A band of uniform height with its longitudinal center positioned optimally between the highs and lows of the surface record depicting at least 0.10 mile of pavement.

**Deficiency** – An area that exceeds the required profile index or exceeds the requirement for a manual or rolling straightedge, a scallop or spike or bump or dip in the pavement.

**Profile Index** – Inches per mile in excess of the blanking band. This determines the pavement or road smoothness.

**Profile index scale** - Transparent plastic scale 1.70 inch x 21.12 inch representing a scaled pavement length of 0.10 mile. The center of the

scale shall be a 0.2-inch opaque 'blanking' band that extends the length of the scale. On both sides of this band are lines scribed 0.1 inch apart, parallel to the centerline of the scale, serving as a scale to measure deviations of the profilogram above and below the blanking band.

**Profilogram** - Scaled with 1 inch equal to 25 ft. longitudinally and 1 inch equal to 1 inch vertically.

**Profilograph** - California-type, constructed with a metal frame with approximately 25-feet between the front and rear wheel assembly supports. It shall allow field calibration using vertical deflection standards. Each wheel assembly consists of six averaging rubber-tired wheels arranged so the center of the frame represents the mean evaluation of the road surface between the wheel assemblies. For consistent graph recording, maintain air pressure in the profile wheel to the manufacturer's specification. Propulsion power may be manual, or a small propulsion unit attached to assembly may be used.

1. Example of commercially available profilographs

- 1) Cox Automated Profilograph
- 2) Ames Automated Profilograph
- 3) McCracken Automated Profilograph.

**Scallop** - A vertical projection above or below the blanking band.

**Spike** - A scallop with a width of less than 0.08 inch on the profilogram. (about 2 feet on the roadway).

**(b) Surface Test Using 12-Foot Manual Straightedge.** At locations determined by the Engineer and Contract Documents use a 12-foot manual straightedge. When the straightedge is laid on finished pavement in direction parallel or normal to centerline as determined by the Engineer, the 12-foot manual straightedge surface shall not vary more than 1/8 inch from lower edge in any direction. Perform the profiling in lines at a distance determined by the Engineer, but at not less than one foot on center or more than a four foot on center spacing. Profiling shall extend across the transverse joints when they are located within testing area. The Engineer may decrease the spacing of the surface test to verify the limits of an irregularity of a surface determined by the Contactor. Check the following with a 12-foot Straightedge:



1151 1. Construction joints where a day's paving ended and  
1152 another day's began.

1153  
1154 2. Longitudinal profiling parallel to centerline, when within  
1155 15 feet of a bridge approach or existing pavement (pavement  
1156 not constructed under the current project) which is being joined.

1157  
1158 3. Transverse profiling of cross slopes, approaches, and as  
1159 otherwise directed with respect to the requirements below:

1160  
1161 a) Lay the straightedge in a direction perpendicular  
1162 to the centerline.

1163  
1164 b) When pavement abuts bridge approaches or  
1165 pavement not under this Contract, ensure that the  
1166 longitudinal slope deviations of the finished pavement  
1167 comply with Contract Document's requirements.

1168  
1169 c) Short pavement sections up to 250 feet long,  
1170 including both mainline and non-mainline sections on  
1171 tangent sections and on horizontal curves with a  
1172 centerline radius of curve less than 1,000 feet.

1173  
1174 d) Within a superelevation transition on horizontal  
1175 curves having centerline curve radius less than 1,000  
1176 feet, e.g., curves, turn lanes, ramps, tapers, and other  
1177 non-mainline pavements.

1178  
1179 e) Within 15 feet of transverse joint that separates  
1180 pavement from existing pavement not constructed under  
1181 the contract, or from bridge deck or approach slab for  
1182 longitudinal profiling.

1183  
1184 f) As otherwise directed by the Engineer.

1185  
1186 4. The Engineer may confine the checking of through traffic  
1187 lanes with the straightedge to joints and obvious irregularities  
1188 or chose to use it at locations not specifically stated in this  
1189 Section.

1190  
1191 (c) **Surface Test Using 12-Foot Rolling Straightedge.** In lieu  
1192 of using a 12-foot manual straightedge the Contractor may use a  
1193 12-foot rolling straightedge, California-type profilograph or other  
1194 roadway profiling device upon acceptance by the Engineer. The  
1195 Engineer however, is under no obligation to provide such a waiver and

may place limitations to their use if accepted or rescind the waiver at any time at no additional cost or increase in contract time.

**(d) Surface Test Using California-type Profilograph.** In all areas not listed to be measured by the 12-foot manual straightedge a California-type profilograph shall be used unless otherwise directed by the Engineer. To determine the profile for each lane of pavement surface use the California-type profilograph in accordance with HDOT TM 6 and these specifications.

1. HDOT TM 6 shall be modified in the following way:

a) Electronic recorder shall be used. The electronic recorder shall:

1) Collect data by means of a digital response resulting from the vertical movement of the profile wheel.

2) Record the data digitally and shall be able to produce a hard copy profilogram on a scale of 1 in. = 25 ft longitudinally and 1 in. = 1 in. vertically (full scale).

b) The profilograph shall have a software program capable of generating a computerized profile trace based on the collected data. The computer software shall be set with the following data filter settings.

1) Filter Type: 3<sup>rd</sup> Order Butterworth

2) Filter Length: 2.0 feet

3) Filter Grain: 1.00

4) Blanking Band: 0.2

5) Bump Locator: On

6) Bump Checkbox: Check

7) Dip Checkbox: Check

8) Bottom Bump: Off

c) Movement of the profilograph may be provided by manually propelling the profilograph.

d) A golf cart or other similar type lightweight vehicles may be used to provide propulsion. It shall operate at the slow rate of speed required, be able to maintain a constant speed and it shall not adversely affect the operation or function of the profilograph in any manner.

1) The propulsion unit shall not be used to push the profilograph from behind.

2) The propulsion unit shall be use at a speed not to exceed 3 miles per hour or walking speed. Reduce speed if speed adversely affects the operation or function of the profilograph in any manner.

3) Use the profilograph manufacturer's recommendation for attaching propulsion unit to profilograph.

e) Provide the use of the propulsion unit with operator to the Engineer for its profile check.

**(e) Alternative Profile Measuring Machines.**

1. Around January 1, 2023 or when it is specified in the Contract Documents, all HDOT projects being bid on requiring profiling of pavement shall use an inertial profiler. Both inertial profiler and the technicians using it as well as those technicians processing the data obtained shall be certified by a certifying entity accepted by the Engineer. Submit certifications for review and acceptance by the Engineer.

2. Until January 1, 2023, or when it is specified in the Contract Documents, if the Contractor chooses to use an inertial profiler it may do so, providing it meets the requirements of TxDOT's TEX-1001-S unless the portion is overridden by these Contract Documents.

a) TxDOT's TEX-1001-S requires the use of TxDOT's RIDE QUALITY software. It is available at <http://apps2.dot.state.tx.us/apps/rideqc>.

b) The Engineer may waive portions of TEX-1001-S if it solely chooses to do so unilaterally or upon application by the Contractor.

1) The following modifications shall be applied to TEX-1001-S:

a. Paragraph 4.3.4 does not apply.

b. Paragraph 5.9 and 5.10 does not apply.

2) Subsection 6 Test Data Description and Format does not apply, Contractor shall supply an acceptable substitute to the Engineer.

3) Paragraph 8.3.2.3 does not apply. The Department will not supply or designate test sections. Contractor shall provide a proposed section meeting the criteria listed in TEX-1001-S or as directed by the Engineer or MTRB.

c) Submit all IRI test data to the Engineer to the Engineer in a format acceptable to the Engineer within 48 hours after completion of the test. If the deadline falls on a non-work day for the Engineer, submit by noon of the next work day after the non-working day.

d) ProVAL Software may be used in lieu of TxDOT's RIDE QUALITY software providing that the analysis provides acceptable results equal to TxDOT's RIDE QUALITY. ProVAL is an engineering software application that allows users to view and analyze pavement profiles in many ways. It is available at <http://www.roadprofile.com/proval-software/> at no cost.

**(f) Submission of Profile Reports.**

1. Submit the daily reports and analysis of the day's profiling within three working days of the profile test.

a) Profilograms that report smoothness that fails to meet the Contact Document's requirements shall be highlighted and noted as such on the transmittal cover sheet.

b) The cause for the contractually non-compliant profile and remedial action, e.g., change of construction method, grinding of pavement, shall be included in the submittal as a separate report and shall be noted and highlighted on the cover sheet.

c) Submit all data files of the final pavement surface profile to the Engineer upon completion of all profile testing in a format, form and on storage media determined by the Engineer in one complete submittal before requesting a pre-final inspection.

d) If the Contractor is using a device that produces IRI results, submission of that data in that form will be acceptable. However, the Engineer is not obligated to accept those results as a definitive result to base acceptance or payment. Since conversion between IRI and PI is not exact, HDOT's profile test may result in finding the pavement having a non-compliant smoothness. Only profiles based on a profilograph are acceptable, and profiles done with an inertial profiler will not be considered an acceptable basis for a dispute until the Engineer's road profile is based on a reading by an inertial profiler.

2. Until HDOT requires profiling to be done by an inertial profiler, incentive payments will be determined by a California-type profilograph. An incentive payment adjustment schedule in IRI is provided as a non-binding reference only. The PI incentive payment adjustment schedule is the only payment adjustment schedule that will be used to calculate incentive adjustments unless a waiver to this requirement is granted by the Engineer.

**(N) Location of Profile Testing.** Take a minimum of two profiles per lane, one profile in each of the two-wheel paths which is located parallel to and three feet from each lane's edge.

The profiles shall be taken in the direction of traffic only.

When the final permanent markings have not been installed at the time of the Department's profile test, mark the pavement so that the location of the wheel paths can be determined and laid out. This should also be done before the Contractor does its profile test so that the same approximate area is measured.

1379 Take profiles 3 feet from and parallel to each pavement edge in  
1380 shoulder, median areas or areas with an edge that is not a travel lane.  
1381

1382 If an inertial profiler is used to take a profile perform three runs in each  
1383 wheel path. Additional, runs may be required by the Engineer if the data  
1384 indicate a lack of repeatability of results. A 92% agreement is required for  
1385 repeatability and IRI values shall have at minimum a 95% confidence level.  
1386

1387 **(O) Required Road Profile.** The profile index using a California-type  
1388 profilograph shall not exceed 7.0.  
1389

1390 Where the 12-foot manual straightedge is required to be used the  
1391 surface shall not vary more than 1/8 inch from the lower edge of a  
1392 straightedge.  
1393

1394 Any pavement with a profile index more than 7.0 or has a surface vary  
1395 more than 1/8 inch from the lower edge of a straightedge as determined by  
1396 the Contractor's profile test shall be removed or have a remedial repair  
1397 performed on it that is acceptable to the Engineer.  
1398

1399 No payment for the non-compliant, pavement will be made or if it has  
1400 been made, in full or partial amounts, the entire payment for the area will be  
1401 deducted from the monthly payment, unless the area is made compliant with  
1402 the Contract Document requirements as determined by the Contractor's  
1403 profile retest before the deduction is made.

1404 If the monthly payment is insufficient to cover the deduction the  
1405 Engineer will request from the Contractor a refund for the amount paid. The  
1406 Contractor shall pay the refund within 30 days or interest payments equal to  
1407 those paid by the Department for late payments shall be charged.  
1408

1409 No pre-final inspection, final inspection, substantial completion  
1410 granted, or payment made for the work will be made until the pavement  
1411 meets the profile index requirement of 7.0 or manual straightedge  
1412 requirement and other Contract Document requirements and all required  
1413 profile reports are submitted to the Engineer and MTRB and are accepted.  
1414

1415 **(P) Request for Acceptance Profile Testing by the Department.**  
1416

1417 When the pavement surface is determined by the Contractor to meet  
1418 the road profile requirements of the Contract Documents, the Contractor may  
1419 submit a written request to the Engineer to perform an acceptance profile  
1420 test.  
1421

1422 The request shall be made at least 60 days before desired testing date  
1423 and shall include an approximate acceptance profile testing date, a plan view

drawing of the area to be tested with the limits of the test area highlighted, and the Contractor's profile test results of the area to be tested.

If the Contractor has not profiled the proposed test area at the time of request it may delay the submittal of the profile testing data to no later than 14 days before the date of testing.

No acceptance testing will be made without the submittal of the Contractor pavement profile test results and required drawing. Failure to submit the pavement profile results and required drawing by the stated deadline or by an Engineer accepted deadline date will be considered a cancellation of the acceptance test and the Contractor shall request another profile test date. The Contractor shall reimburse HDOT for any incurred cost related to any Contractor-caused cancellation or a deduction to the monthly payment will be made.

**(Q) Department Requirements for Acceptance Profile Testing.** When a request for testing is made, the requested area to be tested shall be 100% of the total area indicated to be paved in the Contract Documents unless the requirement is waived by the Engineer and MTRB.

Department acceptance surface tests will not be performed earlier than 28 days following concrete placement and 14 days for HMA.

Provide labor, equipment and material, including manuals for the manuals for the machine that will be used for the profiling of the pavement surface when requested by the Engineer or MTRB or both. The Engineer or MTRB or both may request in addition to what was initially supplied additional labor, equipment and material, etc. at no additional cost or increase in contract time.

Clean debris and clear obstructions from area to be tested, as well as a minimum of 100 feet before and beyond the area to be tested before testing starts for use as staging areas. Provide traffic control for all profile testing.

The Engineer or MTRB or both may cancel the profile testing if the test area is not sufficiently clean, traffic control is unsatisfactory, or the area is not a safe work environment or test area does not meet Contract Document requirements. This canceled profile test will count as one profile test.

**(R) Cost of Acceptance Profile Testing by The Department.** The Engineer or MTRB or both will perform one initial profile test, at no cost to the Contractor for each area to be tested.

Based on the Engineer's or MTRB's profilogram or an inertial profiler pavement profile, it will be determined if the pavement's profile, i.e., smoothness is acceptable.

If the profile of the pavement does not meet the requirements of the Contract Documents the Contractor shall perform remedial work, i.e. corrective work then retest the area to ensure that the area has the required profile index, i.e., smoothness, before requesting another profile test by the Engineer.

**(1) Additional testing.** Additional testing, by the Department beyond the initial test will be performed at cost to the Contractor as follows:

**(a)** \$2,500 per test and an additional \$3,500 per six-hour day if airline travel or traveling of 25 miles or more is required when Department personnel is used

**(b)** If HDOT equipment is allowed to be used by the Engineer or MTRB or both an additional cost for mobilization of \$4,500 will be charged for each time HDOT's equipment is required to be shipped to the test location on a different island.

**(c)** \$750 will be charged for each time equipment is required to be transported to the project location on the same island. HDOT is under no obligation to allow its equipment to be used for the measuring of the pavement profile and the Contractor shall allow for the required equipment to be available for its and HDOT's use. Any delay due to the Contractor not having acceptable equipment available will be considered a Contractor caused delay.

**(d)** Should the additional testing not require airline travel or traveling of 25 miles or more a charge of \$2,000 per six-hour day will be made after the initial test for any retesting and \$2,500 for each additional test.

**(e)** When a third-party testing entity performs the test, the Contractor will be charged the invoice charges plus any other incurred costs related to the test, e.g., supplies additional equipment, travel, housing, meals plus an additional 10% charge.

**(2) Equipment for Acceptance Profile Testing.** Provide the profilograph machine and labor and other equipment needed to operate it or collect profile data, e.g., generator, lights, follow vehicle.



Profile testing will be under the supervision of the Engineer and the previously mentioned items shall be for the exclusive use of the Engineer or MTRB or both during the acceptance testing unless otherwise allowed by the Engineer.

**(a) California-Type Profilograph.** The Contractor's California-type profilograph machine shall be in a condition, type and have features that are acceptable to the Engineer or MTRB or both before it can be used for acceptance profiling.

**1)** Submit catalog cuts of the contractor's California-type profilograph machine.

**2)** Submit a current calibration certificate from an entity acceptable to the Engineer for the profilograph to be used. The certification shall not be more than 12 months old at the time of the test.

When the profilograph machine is found acceptable by the Engineer no equipment mobilization charges will be made for additional tests.

**(b) Inertial Profiler.** When acceptable to the Engineer and MTRB or required by the Contract Documents an inertial profiler may be provided in lieu of a profilograph. Submit the same documents as required for the profilograph as well as an inertial profiler and technician certification from an entity acceptable to the Engineer.

Cancellation of a Department acceptance profile test within 14 days of the requested or agreed to test date will be counted as the initial test of the area and all profile testing for that area shall be at additional cost to the Contractor.

**(S) Pavement Profiling Testing.**

**(1)** During the initial paving operations or after a long break from placing pavement perform a profile test when the newly placed pavement has cured or cooled sufficiently to allow profile testing. Test pavement surface using California-type profilograph, to calculate profile index or other accepted measuring device. Test pavement surface once pavements are old enough. Pavement profiles may be taken earlier than previously mention to check the quality of work, but it shall be understood that the earlier pavement profiles may not be the same when taken at a later date.

1560  
1561 (2) Use profile testing results to aid in evaluating the paving  
1562 method's and equipment's ability to produce pavement meeting the  
1563 Contract Documents' requirements.  
1564

1565 (3) Submit all profile test results with the average profile index to  
1566 the Engineer or MTRB. Provide other information when requested.  
1567

1568 (4) When average profile index exceeds 10 inches per mile,  
1569 suspend paving operations.  
1570

1571 a) Resumption of paving operations shall not occur until  
1572 corrective action to the paving plan, which may include a  
1573 revised paving method, is submitted to the Engineer or MTRB  
1574 and accepted.  
1575

1576 b) Profile test area where corrective action to the paving  
1577 plan has taken place. Verify that area is in accordance with  
1578 Contract Document requirements. If the area has a profile  
1579 index that still exceeds 10 inches per mile, suspend paving  
1580 operations and revise the corrective paving plan.  
1581

1582 c) Repair curing membrane on concrete pavement if  
1583 damaged during surface remediation and testing operations if  
1584 curing is still required.  
1585

1586 d) Repair surface on HMA pavement if damaged during  
1587 surface remediation. A pavement shall be considered  
1588 damaged if the surface is gouged or made more permeable or  
1589 susceptible to "birdbaths" forming or other deleterious physical  
1590 characteristics.  
1591

1592 e) Maintain slopes as shown in the Contract Documents.  
1593 Slopes not meeting the slopes in the Contract Documents or  
1594 the accepted road profiles will be considered a deficiency.  
1595 Remove non-compliant area or submit for review and  
1596 acceptance by the Engineer a remedial work plan to correct the  
1597 deficiency.  
1598

1599 (T) **Furnish, Operate and Maintain the Straightedge.**  
1600

1601 (1) **Manual straightedge.** Manual straightedges shall be  
1602 constructed of aluminum or other lightweight metal and shall have  
1603 blades of box or box-girder cross section with a flat bottom reinforced  
1604 to ensure rigidity and accuracy. They shall be used for all types of  
1605 paving and the checking of cold-milled surfaces.

- 1606
- 1607 (a) The manual straightedge should be 12 feet  $\pm$  2 inches in
- 1608 length, rigid and in good working order.
- 1609
- 1610 (b) When suspended at the end points its measurement
- 1611 edge shall not deviate from a true plane by more than 0.02 inch
- 1612 at any point above or below the true plane. The manual
- 1613 straightedge shall be rigid enough not to deform or sag when
- 1614 suspended at the ends.
- 1615
- 1616 (c) The manual straightedge shall also be straight along its
- 1617 length and shall not deviate from straight horizontal axis down
- 1618 the middle of the straight edge by more than 0.06 inch.
- 1619
- 1620 (d) Manual Straightedges shall have handles to facilitate
- 1621 movement on pavement or other methods to facilitate
- 1622 movement.
- 1623
- 1624 (e) Screeds are not acceptable as a manual straightedge.
- 1625
- 1626 (f) Provide and operate a 12-foot manual straightedge of a
- 1627 design acceptable to the Engineer, that can accurately
- 1628 measure surface irregularities that exceed 1/8 inch in the
- 1629 12-foot effective length of the straightedge.
- 1630
- 1631 (2) **Rolling straightedge.** The rolling straightedge should be 12
- 1632 feet  $\pm$  2 inches in length measured from center-to-center of the wheel
- 1633 axles and in a proper working order giving accurate repeatable results.
- 1634
- 1635 (a) The rolling straightedge shall have a read-out gauge
- 1636 with low and high reading marks in 1/16-inch increments
- 1637 measuring a maximum of 1/4 inch deviation in the pavement.
- 1638
- 1639 (b) Provide and operate a 12-foot rolling straightedge of a
- 1640 design acceptable to the Engineer, able to accurately measure
- 1641 surface irregularities that exceed 1/8 inch in the 12-foot
- 1642 effective length of the straightedge.
- 1643
- 1644 (U) **Calibration of Straightedges.**
- 1645
- 1646 (1) **Manual Straightedges.**
- 1647
- 1648 (a) Check the manual straightedge with a string line, using
- 1649 a line that does not sag when pulled taut, e.g., piano wire, for
- 1650 accuracy. Testing of the straightedge shall be done at a

1651 minimum on a weekly basis or more frequently if it is suspected  
1652 that the straightedge may be damaged.

1653  
1654 1) A laser could be acceptable providing it could  
1655 equal the ability to determine the straightness of the  
1656 straightedge to the same degree as piano wire.

1657  
1658 (b) The edge of the manual straightedge that contacts the  
1659 pavement shall not have any vertical deviation more than 0.02  
1660 inch.

1661  
1662 **(2) Rolling Straightedges.**

1663  
1664 (a) Verify the calibration of the rolling straightedge each day  
1665 before the rolling straightedge is used. The following steps  
1666 should be used to verify the calibration:

1667  
1668 1) Before the beginning of the verification, make  
1669 sure the center wheel moves up and down freely. Make  
1670 sure all wheels are free of deposits and contamination  
1671 and rotate freely.

1672 2) When tested with a straightedge, ensure that the  
1673 finished pavement profile provides a uniform surface  
1674 with no deviation greater than 1/8 inch in a 12-foot  
1675 length.

1676  
1677 3) Locate a flat area with the manual straightedge.  
1678 A flat area is an area where the entire length of the  
1679 bottom of the manual straightedge is in full contact with  
1680 the surface of the flat area, there shall be no gaps for the  
1681 entire length. The length of the flat area shall be at a  
1682 minimum of 20 feet and the width three times the width  
1683 of the rolling straight edge or five feet whichever is  
1684 greater. Place the rolling straightedge next to the  
1685 manual straight edge on the flat area and read the  
1686 gauge. The gauge should read zero on both sides of the  
1687 gauge.

1688  
1689 4) Place a 3/16-inch shim under the center wheel.  
1690 The gauge should read 3/16 inches high on both sides  
1691 of the gauge.

1692  
1693 5) Remove the 3/16-inch shim and place the  
1694 3/8-inch shim under the center wheel. The gauge  
1695 should read 3/8 inches high on both sides of the gauge.  
1696

1697 6) Remove the 3/8-inch shim and place a 3/16-inch  
1698 shim under each outside wheel. The gauge should read  
1699 3/16 inches low on both sides of the gauge.

1701 7) Remove each 3/16-inch shim and place a  
1702 3/8-inch shim under each outside wheel. The gauge  
1703 should read 3/8 inches low on both sides of the gauge.

1704 8) If any of the readings are incorrect, the rolling  
1705 straightedge shall be adjusted according to the  
1706 manufacturer's specifications and the calibration  
1707 rechecked before profile testing begins.  
1708  
1709

1710 **(V) Procedure.**

1711  
1712 (1) Always maintain proper traffic management and safety  
1713 precautions as required in the Contract Documents and the laws of  
1714 the land. The pavement shall be cleaned just prior to performing  
1715 straightedging operations. Remove all obstructions as required  
1716 previously in this Section. The rolling straightedge shall be propelled  
1717 at a speed of 3 mph or less.

1718 (2) During rolling straightedging operations, mark the pavement at  
1719 the center wheel where the needle initially shows a deficiency and  
1720 where the deficiency ends. A deficiency is defined according to the  
1721 specifications. All rolling and manual straightedging shall be  
1722 conducted in the wheel path or as defined in the specifications.  
1723

1724 (3) At the first transverse joint of the project, place a 12-foot manual  
1725 straightedge on the new pavement while overlapping the transverse  
1726 joint at the beginning of the project by one inch. Mark the pavement  
1727 at any location that shows a deficiency.  
1728

1729 (4) Locate the back wheel of the rolling straightedge at the  
1730 transverse joint at the beginning of the project. If continuing  
1731 straightedging operations from a previous stopping point (such as the  
1732 end of a day's production), then place the rolling straightedge at the  
1733 same location where straightedging was previously stopped. Pull the  
1734 rolling straightedge along the wheel path toward the new pavement to  
1735 be tested. Perform the profiling in lines parallel to the centerline, at  
1736 not more than a 4-foot transversal spacing and extending across the  
1737 transverse joints.  
1738

1739 (5) Stop the front wheel of the rolling straightedge at the transverse  
1740 joint at the end of the area being tested. At the transverse joint at the  
1741 end of the test area place a 12-foot manual straightedge on the new  
1742 pavement while overlapping the transverse joint at the end of the test

area by one inch. Mark the pavement at any location that shows a deficiency.

(6) For bridge approaches, place the rolling straightedge on the new pavement and start the rolling straightedge at the same location from the previous straightedging operation. Pull the rolling straightedge toward the joint until the front wheel reaches the end of the HMA or concrete pavement layer (see Figure 1 - 12-foot Rolling Straightedge at Approach Slab). Mark any deficiencies up to that point, as described in paragraph (B). Place a 12-foot manual straightedge in the same location while overlapping the approach slab by one inch (see Figure 2 - 12-foot Manual Straightedge at Approach Slab). Mark the pavement at any location that shows a deficiency.

(7) For bridge departures, place a 12-foot manual straightedge at the joint of the bridge departure slab and HMA or concrete pavement layer, while overlapping the departure slab by one inch. Mark the pavement at any location that shows a deficiency. Place the rolling straightedge on the new pavement with the back wheel at the joint of the bridge departure slab and HMA or concrete pavement layer. Pull the rolling straightedge away from the joint toward the new pavement to be tested. Mark any deficiencies, as described in paragraph (B).

(8) Areas measured with the manual straightedge or rolling straightedge will not be included in the incentive price adjustment. These areas shall meet the Contract Document requirement of not exceeding 1/8 inch in 12-foot length. Perform remedial work to the pavement surface until it does not exceed 1/8 inch in 12-foot length.

12-foot Rolling Straightedge




Figure 1 – 12-foot Rolling Straightedge at Approach Slab

12-foot Manual Straightedge 1-inch overlap




Figure 2 – 12-foot Manual Straightedge at Approach Slab

**(W) Remedial Work for Pavements.**

(1) Reduce individual high points over 0.3 inch, as determined by profilograph measurements in accordance with HDOT TM 6, by using the remedial repair methods accepted by the Engineer until such high points shown by profilograph reruns do not exceed 0.3 inch.

(2) After completing remedial repairs of high points, perform additional remedial repairs as necessary to reduce the profile index to meet the smoothness requirements of a PI equal to 7 or less or 1/8 inch in 12-foot length at areas where method is required.

(3) Perform additional remedial repairs as necessary so that lateral limits of the remedial repair area are at constant offset from and parallel to nearest lane line or pavement edge.

(4) Perform additional remedial repairs, as necessary, to extend remedial repair area within any one surface area, in each longitudinal direction so that the remedial repair area begins and ends at straight transverse lines normal to pavement centerline.

(5) Remedial repair areas shall be neat, rectangular areas having a uniform surface appearance.

(6) For concrete pavements, unless otherwise indicated in the Contract Documents, grinding shall provide a line-type texture that contains parallel, longitudinal corrugations with ridge peaks approximately 1/16 inch higher than groove bottoms; and with approximately 55 to 60 evenly spaced grooves per foot.

(a) If grinding is used for an HMA pavement, the surface shall have nearly invisible grinding marks to passing motorist.

Coat surface with a coating acceptable to the Engineer or MTRB to restore original impermeability level.

(7) The finished repaired pavement surface shall leave no ridges or valleys or fins of pavement other than those allowed below.

(8) Remedial repairs shall not leave any drainage structures' inlets higher than the surrounding pavement or alter the Contract Document's drainage pattern.

(9) For items in the pavement other than drainage structures, e.g., manhole frame and covers, survey monuments, expansion joints etc., the finish pavement, ground or not, shall not be more than 1/8 inch in elevation difference. Submit to the Engineer remedial repair method to correct these conditions for acceptance.

(10) Do not grind pavement to smooth or polished finish, i.e., do not decrease the friction coefficient of the pavement.

(a) When the Engineer determines that the ground pavement surface is smooth or has a polished finish; i.e., has the appearance to the Engineer that the roadway surface's coefficient of friction has decreased, submit remedial repair method to correct the condition.

(11) Pick up immediately grinding operation residue by using a vacuum attached to grinding machine or other method acceptable to the Engineer.

(a) Any remaining residue shall be picked up before the end of shift or before the area is open to traffic, whichever is earlier.

(b) Prevent residue from flowing across pavement or from it being left on pavement surface or both.

(c) Residue shall not be allowed to enter the drainage system.

(d) The residue shall not be allowed to dry or remain on the pavement.

(e) The collection effectiveness of the method being used to pick up residue shall be at a level that when vehicles drive across the ground surface there is no visible tracking of residue or dust. No dust shall be "kicked up" by passing vehicles.



1865 (f) Dispose of all material that is the result of the remedial  
1866 repair operation, e.g., concrete or HMA residue, waste water,  
1867 dust at a legal facility.

1868  
1869 (12) For concrete pavement, the following apply:  
1870

1871 (a) Profile grinding to obtain surface smoothness is not a  
1872 substitute for diamond grinding grooves for texture or artificial  
1873 turf drag and tining.

1874  
1875 (b) Diamond grinding grooves into the concrete surface for  
1876 texture shall be performed separately and, in a pattern,  
1877 acceptable to the Engineer.

1878  
1879 (c) No curing compound shall be sprayed on top of the  
1880 residue.

1881  
1882 (d) Curing compound shall be applied at the required rate  
1883 on top of the ground surface immediately after grinding is  
1884 complete and residue is picked up unless the pavement is 28  
1885 days or older.

1886  
1887 (13) Use of bush hammers and other impact devices shall not be  
1888 used for pavement surface remediation.

1889  
1890 (14) Complete corrective work before determining pavement  
1891 thickness for HMA pavements in accordance with Subsection  
1892 401.03(I) – HMA Pavement Thickness Tolerances or for portland  
1893 concrete pavements with Subsection 411.03(T) - Pavement  
1894 Thickness.

1895  
1896 (15) All HMA wearing surface areas that have been ground shall  
1897 receive a coating, e.g., a coating material that will restore any lost  
1898 impermeability of the HMA due to the grinding of the surface. The  
1899 coating used shall not be picked up or tracked by passing vehicles or  
1900 be degraded after a short period of time has passed, i.e., it shall have  
1901 a service life equal to or greater than the HMA pavement. The coating  
1902 shall not decrease the pavement's friction value. The coating's limits  
1903 shall be the full width of the lane regardless how small. If the remedial  
1904 repair area extends in to the next lane the that repair area will be full  
1905 lane width also. Extend the length of coating areas in order for the  
1906 coating area to look like the rest of the road and does not have patches  
1907 on it, i.e., make the road look uniform in color. The coating shall be of  
1908 a color that matches the surrounding pavement. The areas receiving  
1909 the coating shall not be open to traffic until it has cured enough so that  
1910 it cannot be picked up or tracked by passing vehicles or degrade.

Submit means and methods of the coating and type of coating to the Engineer or MTRB for review and acceptance. Do not proceed with the coating without acceptance from the Engineer.

**(16)** Recompacting cold HMA, i.e., HMA that has reached ambient temperature is not an acceptable remedial repair method.

**(17)** Replace all pavement markings damaged or discolored by remedial repairs.

**(18)** Hot mix asphalt base course (HMAB) will not be required to have a profilograph profile test run on it. However, the smoothness of the HMAB does contribute to the smoothness of the final wearing course so the HMAB's surface tolerances shall be checked in the following manner:

**(a)** When an HMA pavement is to be placed on a HMAB, the final surface course of the HMAB shall not deviate at any point more than 1/4 inch from the bottom of a 12-foot straightedge laid in any direction on the surface on either side of the pavement crown.

**(b)** When a portland cement concrete pavement is to be placed on a HMAB, the surface tolerance of the HMAB shall be such that no elevation lies more than 0.05 feet below above the plan grade minus the specified plan depth of portland cement concrete pavement. The HMAB's elevation shall not exceed the plan grade minus the specified plan depth of portland cement concrete pavement.

**(c)** When the HMAB is the wearing course it shall meet the smoothness requirements of an HMA pavement.

**(d)** Submit report of the week's grade checks to the Engineer and MTRB denoting at the minimum, date, time, location. Submit results of the grade checks to the Engineer and MTRB at a minimum of 24 hours before the weekly meeting after the week the grade check was performed so if needed it could be discussed.

**(e)** Perform remedial repairs if work failed to meet the surface tolerances of this section. Remedial repairs shall be performed until the required surface tolerances are achieved. Suspend paving in the areas of non-compliance, until the surface meets the required surface tolerances. The Engineer will decide the limits of the area of non-compliance, and where

1957 paving is being suspended. Achieve acceptance of the  
1958 remedial repair method from the Engineer and MTRB prior to  
1959 its use.

1960  
1961 **(X) Third-party Profile Testing.**  
1962

1963 **(1)** The Engineer may choose to have a third-party testing entity  
1964 do the pavement profile and to process the data into a  
1965 recommendation for acceptance or rejection of the pavement's  
1966 smoothness.

1967 **(2)** The third-party testing entity will be chosen by agreement and  
1968 acceptance by the HDOT's Highway Materials Testing Research  
1969 Branch (MTRB), and the Engineer. If no agreement can be reached  
1970 the MTRB will choose the third-party testing entity as its sole  
1971 recognizance.  
1972

1973 **(3)** The third-party testing entity will be paid by the Department by  
1974 deducting the Allowance amount from the Contractor's payment.  
1975

1976 **(a)** The Allowance amount will cover the third-party testing  
1977 entity's cost to do the project's pavement profile, e.g., fees,  
1978 transportation, lodging, additional equipment, training and  
1979 supplies, plus a 10-percent processing fee for the Department.  
1980 This includes all the initial acceptance profile testing. All  
1981 surplus material will be turned over to the MTRB at the end of  
1982 the pavement profile testing including all data and reports  
1983 generated by the third-party testing entity or items requested  
1984 by the MTRB. Surplus material, data, reports, etc. will be in  
1985 the sole custody of the Department for its use and reference.  
1986

1987 **(b)** If retesting of the pavement profile is done by the  
1988 third-party testing entity it will be paid based on the submitted  
1989 invoices and receipts plus a 10-percent processing fee for  
1990 HDOT. This testing is retesting required due to the Contractor's  
1991 failure to meet the Contract Document's requirements and not  
1992 the profile testing done for the dispute resolution process.  
1993

1994 **(Y) Dispute Resolution Procedures.**  
1995

1996 **(1)** If the Contractor has determined that its pavement profile has  
1997 met the Contract Document requirements, but the Engineer's  
1998 pavement profile has found the pavement profile does not meet the  
1999 Contract Documents requirements it may dispute the Engineer's  
2000 findings if it is so inclined. It shall follow the Pavement Smoothness  
2001 Dispute Resolution Procedure.  
2002

**(2)** The Pavement Smoothness Dispute Resolution Procedure is as follows:

**(a)** Submit with the resubmittal of the pavement profile and data of the disputed area, a notice informing the Engineer that the results of the Engineer's pavement profile are being disputed and request a copy of the Engineer's pavement profile and data.

**(b)** If after receiving the Engineer's pavement profile and data and doing a detail analysis of the documents, the Contractor still feels that the Engineer's pavement profile is in error submit a document notifying the Engineer of that fact along with the detailed analysis of the Engineer's pavement profile and data showing where the errors were made and if corrected the pavement profile would meet the Contract Document requirements.

**(c)** The Engineer upon receiving the Contractor's pavement profile documents will do a detailed analysis of the document to find any errors that may have caused the Contractor to believe the pavement profile was acceptable.

**(d)** If either party discovers their position was in error notify the other party of the change in position and take appropriate action.

**(e)** If both parties maintain that their positions are correct, then both parties shall meet to discuss and present their positions. If the Department used a third-party testing entity it shall also attend. Both the Department and the Contractor shall and will bring a copy of their submittal to the meeting. Parties involved shall be allowed to inspect the other party's documents to verify that it had been presented to them before. Before the meeting starting, the submittals are to be placed in a box and sealed and given to a Materials Testing Research Branch (MTRB) personnel. The MTRB is an HDOT entity, however in this instance it shall be regarded as a neutral party. It is mandatory that during the meeting all parties are to be transparent and have an open discussion with the goal being reaching an agreement. If after the following has occurred:

**(f)** If after meeting or after having several meetings with all parties and having performed their due diligence in meeting the above meeting's requirements the Department and the

Contractor agree that they have come to an impasse in discussions i.e., further discussions would be futile.

(3) An impasse will be declared, and no further meeting shall be suspended. If an impasse cannot be agreed to then one more meeting shall be held with both parties attending giving their due diligence in the goal of coming to an agreement. Within 48 hours after the last meeting a third-party pavement profile testing entity will be chosen to evaluate the Department's and Contractor's submittals or run a new smoothness profile or both.

(4) The third-party pavement profile testing entity shall evaluate the documents being held in the sealed box by the MTRB.

(5) No additional documents shall be added by the Contractor or the Department unless it was presented during the meetings. If additional documents were used during the meetings the following shall be done.

(a) Both HDOT and the Contractor will meet to put the documents presented during the meetings into a box, then seal it and turn it over to MTRB.

(b) Parties involved shall be allowed to inspect the other party's documents to verify that it had been presented during the meetings.

(c) If it should feel that this is new material the document can be marked as such. The document then will be put into the box and sealed.

(d) The party that feels it discovered a new document is required to submit a document listing the document it feels was previously not presented and any additional information related to it. It shall not be used to submit additional information or arguments not previously discussed. This submittal shall be submitted to the other party and the third-party pavement profile testing entity through the MTRB.

(7) The third-party pavement profile testing entity after analyzing all the data it gathered and was given shall make a report and provide a recommendation. It shall meet with all parties at one time, discuss the recommendations and show where the errors occurred causing the erroneous position.

(8) The Department or the Contractor may reject the third-party pavement profile testing entity's recommendation. Notification of the

rejection shall be within three working days after the meeting. The Contractor shall perform any additional work required if the recommendation is not favorable to it. The Contractor shall pay the third-party pavement profile testing entity invoice for its work done regardless of recommendation. The Contractor may file a claim if it still feels it is correct. The Contractor shall comply with the requirements in Subsection 107.16 Disputes and Claims. The Contractor's claim shall be regarded as a new claim and the Engineer will regard it as such. Since all documents have been evaluated the Engineer will expedite the claim process after it initial claim requirements are met to Subsection 107.16(G) Appeal of the Engineer's Decision to obtain the Director's decision.

(9) Payment for the total cost of the third-party pavement profile testing entity's dispute resolution work is the responsibility of the party that its recommendation found was in error. If the recommendation finds the Department the erroneous party the Department will reimburse the Contractor in the amount of the third-party pavement profile testing entity's invoice with no additional overhead or profit added. If portions of the profile testing were correct in some areas and erroneous in others the cost of the third-party pavement profile testing entity's dispute resolution work shall be split in proportion to the erroneous area verses the total area reviewed.

**(Z) Pavement Smoothness and Acceptance.**

(1) Price and payment in various paving sections, e.g., 401 (Hot Mix Asphalt Pavement), 411 (Portland Cement Concrete Pavement), will be full compensation for all work and materials specified in those and this section, including but not limited to furnishing all labor, materials, tools, equipment, testing, incidentals and for doing all work involved in micro milling, milling,(cold planing), grinding existing or new pavement, removing residue, cleaning the pavement, necessary disposal of residue, furnishing of any water or air used in cleaning the pavement and any other related ancillary work or material or services. Also, it includes any remedial work, e.g., re-paving, surface grinding, application of a coating, curing compound, replacement of damaged pavement markings.

(2) The contract price in those sections may be adjusted for pavement smoothness by the Engineer. The pavement smoothness contract unit price adjustments and work acceptance will be made in accordance with the following schedules.

PAVEMENT SMOOTHNESS INCENTIVE: CONTRACT UNIT PRICE ADJUSTMENT TABLE		
Average Profile Index (inches/mile) per 0.1-mile Section		Contract Unit Price Adjustments Percent Multiplier of Pavement Unit Bid Price
Curvature Radius $\geq 2,000$ ft	1,000 ft $\leq$ Curvature Radius $< 2,000$ ft	
PI $\leq 2$	PI $\leq 2$	103
$2 < \text{PI} \leq 3$	$2 < \text{PI} \leq 3$	102
$3 < \text{PI} \leq 4$	$3 < \text{PI} \leq 4$	101
$4 < \text{PI} \leq 7$	$4 < \text{PI} \leq 7$	100
PI $> 7$	PI $> 7$	Corrective work required

(3) Pay Price Adjustments for Incentives and disincentives will be based on the initial measured average Profile Index, prior to any corrective work for the 0.10-mile section.

(a) The adjusted Unit Price will be computed using the plan surface area of pavement shown in the Contract Documents. This adjusted Unit Bid Price will apply to the total area of the 0.10-mile section for the lane width represented by the profilograms for the average Profile Index. It does not include any other price adjustments specified in the Contract Documents. Those price adjustments will be, for each adjustment, calculated separately using the original contract price to determine the amount of adjustment to be made to the contract price.

(b) There will be no disincentive price adjustments to the contract prices since a remedial repair is required in lieu of a reduction of contract prices since pavement smoothness and ride quality is of utmost importance. Acceptable pavement smoothness will be a PI of 7.0 or less.

(c) Localized Roughness. The Engineer will determine areas of localized roughness using the average profile from both wheel paths. The Engineer may waive localized roughness requirements for deficiencies resulting from manholes or other similar appurtenances. Adjust manholes or

other similar appurtenances so that using a 12-ft. straightedge the area around that manhole or other similar appurtenance shall not have more than 1/8-in. variation between any 2 contacts on the straightedge.

1) Corrective Action. Use an Engineer accepted method to remove localized roughness. For asphalt concrete pavements, fog-seal the aggregate exposed from diamond grinding.

2) Reprofile the corrected area and provide the Engineer the results that show the corrective action, i.e., remedial repairs were successful.

(d) Incentives will not apply to areas where payment deductions or remedial repairs could be made or has been made for non-compliant work, e.g., low compaction, thin pavement, thermal segregation, low compressive or flexural strength, non-compliant alignment. Incentives will also not apply to areas where corrective work was required to meet contract smoothness requirements. All areas where corrective work was performed shall be tested again to ensure the smoothness requirements are met. Corrective work shall be repeated until it meets the smoothness requirement of the Contract Documents and any other Contract Documents' requirement. Removal of non-compliant work will be tested for compliance until it is determined by the Engineer to be compliant to the requirements of the Contract Documents.

(e) There will be no incentive price adjustments to the contract prices regardless of the pavement meeting the Contract Documents' requirements for incentive contract price adjustment, when 25% of the total area paved of that particular type of pavement on the project has failed to meet any of the Contract document requirements, e.g., smoothness, thickness, unit weight, asphalt content, pavement defects, compaction, flexural or compressive strength. Areas exempt from the smoothness requirements may not be included in the total area calculation unless it is non-compliant.

(f) For contracts using lump sum the method described in Subsection 104.08 Methods of Price Adjustment paragraph (3), will be used to calculate proportionate unit price, i.e., the Engineer's calculated theoretical unit price. This calculated proportionate unit price will be used to calculate the unit price adjustment.



<b>IRI PAY FACTOR REFERENCE TABLE</b> <b>(For Comparative Information Only Not to Be Used for Payment or Acceptance)</b>		
Average IRI (inches/mile) per 0.10-mile Section		Possible Contract Unit Price Adjustments Percent Multiplier of Pavement Unit Bid Price
Curvature Radius ≥2,000 ft	1,000 ft ≤ Curvature Radius < 2,000 ft	
IRI ≤ 32	IRI ≤ 32	103
32 < IRI ≤ 47	32 < IRI ≤ 47	102
47 < IRI ≤ 65	47 < IRI ≤ 65	101
65 < IRI ≤ 110	65 < IRI ≤ 110	100
IRI greater than 110	IRI greater than 110	Corrective work required

(4) IRI Pay Factor Reference Table provided as reference ONLY and will not be used by the Engineer to calculate incentives/disincentives for project or used for acceptance criteria. The Engineer may waive this requirement if it is mutually agreeable with the Contractor and is done at no impact to the project, e.g., at no additional cost or increase in contract time.

#### 401.04 Measurement.

(A) The Engineer will measure HMA and PMA pavement per ton in accordance with the Contract Documents.

(B) The Engineer will measure leveling course per ton in accordance with the Contract Documents.

(C) The Engineer will measure overtime labor premium on a force account basis in accordance with Subsection 109.06 – Force Account Provisions and Compensation and as ordered by the Engineer.

(D) Engineer will measure additional State pavement profiling work when applicable on a cost-plus basis as specified in this section and as ordered by Engineer. The Engineer will issue a billing for the pavement profile work done for the time period with the invoices and receipts that the billing was based

on attached to the Contractor for each contract item. The Contractor's pavement profile work required in this section will not be measured and will be considered incidental to the various paving items unless stated otherwise.

**401.05 Payment.** The Engineer will pay for the accepted HMA and PMA pavement at the contract price per pay unit, as shown in the proposal schedule. Payment will be full compensation for the work prescribed in this section and the contract documents.

**(A)** Price and payment in Section 401 - Hot Mix Asphalt Pavement will be full compensation for all work and materials specified in this Section including furnishing all labor, materials, tools, equipment, testing, pavement profiles and incidentals and for doing all work involved in grinding existing or new pavement, removing residue, and cleaning the pavement, including necessary disposal of residue and furnishing any water or air used in cleaning the pavement and remedial work needed to conform to the requirements of the Contract Documents.

**(B)** Engineer will deduct from the Contractor's monthly estimate the amount necessary to pay for the services of a third-party pavement profile testing entity plus the additions specified in the Contract documents. Payment will be full compensation for work prescribed in this section, required by the Engineer and Contract Documents. No payment for the Contractor's pavement profile work required in this section will be made. It will be considered incidental to the various paving items unless stated otherwise.

**(C)** The Engineer will pay for the accepted overtime labor premium on a force account basis in accordance with Subsection 109.06 – Force Account Provisions and Compensation. An estimated amount may be allocated in the proposal schedule under "Overtime Labor Premium", but the actual amount to be paid will be the sum shown on the accepted force account records, whether this sum be more or less than the estimated amount allocated in the proposal schedule.

**(D)** Engineer will pay or deduct for the following pay items when included in proposal schedule:

Pay Item	Pay Unit
_____ HMA Pavement, Mix No. _____	Ton
_____ PMA Pavement	Ton
Third-Party Profile Testing and Equipment	Allowance

2281  
2282  
2283  
2284  
2285  
2286  
2287  
2288  
2289  
2290  
2291  
2292  
2293  
2294  
2295  
2296  
2297  
2298  
2299  
2300  
2301  
2302  
2303  
2304  
2305  
2306  
2307  
2308  
2309  
2310  
2311  
2312  
2313  
2314  
2315  
2316  
2317  
2318  
2319  
2320  
2321  
2322  
2323  
2324  
2325  
2326

Third-Party Dispute Resolution Profile Testing Allowance

Pavement Smoothness Incentive Allowance

An estimated amount for an allowance may be allocated in proposal schedule under “Third-Party Profile Testing and Equipment”, “Third-Party Dispute Resolution Profile Testing”, but actual amount to be paid will be the combined billing records for the type of pavement profile work, whether this sum is more or less than estimated amount allocated in proposal schedule.

(1) 70% of the contract unit price or the theoretical calculated unit price upon completion of submitting a job-mix formula acceptable to the Engineer; preparing the surface, spreading, and finishing the mixture; and compacting the mixture;

(2) 20% of the contract unit price or the theoretical calculated unit price upon completion of cutting samples from the compacted pavement for testing; placing and compacting the sampled area with new material conforming to the surrounding area; protecting the pavement; and final analysis. Maintain temporary pavement markings and other temporary work zone items, maintain a clean work site.

(3) 10% of the contract unit price or calculate the unit price when the final configuration of the pavement markings is in place.

\_\_\_\_\_ HMA Pavement, Mix No. \_\_\_\_\_, Leveling Ton

(1) 80% of the contract unit price upon completion of submitting a job-mix formula acceptable to the Engineer; preparing the surface, spreading, and finishing the mixture; and compacting the mixture;

(2) 20% of the contract unit price upon completion of cutting samples from the compacted pavement for testing; placing and compacting the sampled area with new material conforming to the surrounding area; protecting the pavement; and final analysis.

The Engineer will pay for adjusting existing frames and covers and valve boxes in accordance with and under Section 604 – Manholes, Inlets and Catch Basins. Adjustments for existing street survey monument frames and covers will be paid for as if it were a valve box frame and cover.

The Engineer may, at its sole discretion, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMA pavements compacted below 93.0 percent and above 97.0 percent. The Engineer will make payment for the material in that production day, if it decides to use a sliding scale factor, at a

reduced price arrived at by multiplying the contract unit price by the pay factor. The Engineer is not obligated to allow non-compliant work to remain in place and may at any time chose not to use a sliding scale factor method of payment and instead require removal of the noncompliant pavement that is Greater than 97.0 or less than 91.9.

In compliance with Subsection 105.12 Removal of Non-Conforming and Unauthorized Work remove and replace HMA compacted below 90.0 percent.

The Engineer will solely decide if the noncompliant work would be acceptable if a reduced payment for the noncompliant work is made. The Engineer is not obligated to allow noncompliant work to remain in place and may at any time chose not to use a sliding scale factor method of payment as a method of resolution. Instead, utilize the remedy allowed in Subsection 105.12 Removal of Non-Conforming and Unauthorized Work and require removal of the noncompliant pavement.

Such a reduced payment, if made and accepted by the Contractor, shall be a mutually agreeable resolution to the noncompliant work being addressed. If it is not mutually acceptable, the noncompliant work shall be removed. If the reduced payment is acceptable; the Engineer will make the reduced payments for the noncompliant work in accordance with Table 401.05-21- Sliding Scale Pay Factor for Compaction. The amount of tonnage to be reduced will be determined by the Engineer by using the initial cores taken on the mat. No additional cores shall be taken to determine the limits of the non-compliant area unless requested by the Engineer.

The Engineer, for determining the reduced tonnage for noncompliant work, will assume the level of compaction is linear and will proportion the compaction level from the last core that indicated an acceptable compaction level to the nearest core indicating a noncompliant compaction level to determine the calculated limit of acceptable compaction. The length will be the linear distance between the cores measured along the baseline. If there is no core that was taken for the shift's or day's work that were compliant then the limit will be the end or start of the day's or shift's work. The width will be the nominal paving width. Use the day's specific gravity of the mix to determine tonnage. The thickness will be the nominal paving thickness.

The total reduced noncompliant tonnage to be paid will be determined by multiplying the applicable percent of reduction by the computed tonnage of the noncompliant work. Percent of Quantity Paid will be the percentage shown in Table 401.05-2 - Sliding Scale Pay Factor for Compaction. The reduced tonnage will be used as the payment quantity for the noncompliant work. The reduced quantity paid that is used for the monthly payment will be arrived at by multiplying the contract unit price by the reduced tonnage.

2373  
2374

Table 401.05-2 – Sliding Scale Pay Factor for Compaction	
Percent Compaction	Percent of Quantity Paid
> 98.0	Removal
>97.0 - 98.0	95
93.0- 97.0	100
90.0 - <93.0	80
<90.0	Removal

2375  
2376  
2377  
2378  
2379  
2380  
2381

Overtime Labor Premium

Force Account”

**END OF SECTION 401**

1 Amend **Section 415 – COLD PLANING OF EXISTING PAVEMENT** to read as  
2 follows:

3  
4 **“SECTION 415 - COLD PLANING OF EXISTING PAVEMENT**

5  
6  
7 **415.01 Description.** This section describes removing existing pavement by a  
8 cold-planing process and establishing grade controls to provide a basis for a smooth  
9 riding surface.

10  
11 **415.02 Materials.** None.

12  
13 **415.03 Construction.**

14  
15 **(A) Equipment.** Cold-planing machines shall be self-propelled, equipped  
16 with an automatically controlled and activated cutting drum that is capable of  
17 grade reference, maintaining transverse slope control and producing a  
18 uniformly textured surface. An Engineer accepted grade 1-piece referencing  
19 attachment, not less than 30 feet in length, shall be used. The cold-planing  
20 machine shall be capable of accurately removing the pavement surface, in  
21 one or more passes, to the required grade or cross-section indicated in the  
22 Contract Documents, without tearing or gouging underlying surface that is to  
23 remain and without contaminating milled pavement with underlying base  
24 course material. The final cut shall result in a neat and uniform milled surface.

25  
26 Equip machine with cutting drum capable of producing a uniform  
27 surface finish and texture. Enclose the cutting drum in shroud to prevent  
28 discharge of loosened material into adjacent work areas. As standard  
29 equipment, provide dust suppression system, storage tanks with an adequate  
30 water, and high-pressure spray bar with spray nozzles. Provide a machine  
31 capable of cutting a crown and a depth by tilting drum axis and it shall be  
32 equipped with guidance system that controls transverse slope and longitudinal  
33 profile, matches adjacent pavements, and controls depth of cut. A mobile  
34 referencing system shall be used. Provide at minimum a 30-foot long 1-piece  
35 mobile reference to provide average elevation variations. The entire length  
36 shall be used in activating the sensor.

37  
38 If referencing from existing pavement, the cold-planing machine shall  
39 be controlled by a self-contained grade reference system. The system shall  
40 be used at or near the centerline of the roadway. On the adjacent pass with  
41 the cold-planing machine, a joint-matching shoe may be used on the newly  
42 placed HMA surface. Using the existing newly paved pavement as a  
43 reference is discouraged and should not be used unless the profile of the  
44 existing pavement meets the smoothness requirements of the Contract  
45 Documents and even then, shall be used at the Contractor's own volition.  
46

**(B) Cold-Planing Pavement Profile.** Prior to the start of cold-planing (planing) take a pavement surface profile test of all areas where planing is to occur. Use these profiles to create a surface profile that shall be used to install a smooth finish pavement that meets the Contract Document smoothness requirements. The planing profile shall allow the finish HMA pavement's profile in general to:

- (a)** Not change the drainage patterns of the existing roadway.
- (b)** Decrease the clearance between overhead objects, e.g., overpasses, utility lines, and the finish pavement.
- (c)** Decrease the effectiveness or make existing safety apparatuses non-compliant.
- (d)** Change geometric properties, e.g., sight distance, slopes of the roadway shall not be changed.

The method used by the Contractor to obtain planing pavement profiles will be left up to the Contractor. The Engineer will use a profile obtained using the Contractor supplied profilograph to determine the profile index, i.e., smoothness, of the new pavement regardless of what method the Contractor uses to determine the planing pavement profile. Submit all planing pavement profiles for review and acceptance by the Engineer at a minimum of 30 days before planing starts. Inform the Engineer of any existing feature that may need adjustment to obtain a smooth riding surface. Adjustments to the existing feature if made will be paid for by contract change order.

Planing shall be used to create the initial base that shall improve the existing pavement profile when paving work is properly performed. Set guidance system grade sensor on string line or other grade device to guide the planing machine to the proper cutting profile established by the planing pavement profile.

**(C) Cold-Milled Surface and Removed Material.** Cold-mill (mill) surface to remove pavement and to eliminate high spots and surface irregularities for a smooth roadway resurfacing. Remove thickness of existing pavement to the average minimum depth indicated in the Contract Documents. In general, the depth, length, width, and shape of the cut shall be as shown in the Contract Documents or as directed by the Engineer. Examine the milled surface and inform the Engineer if:

- (a)** There are any weakened pavement areas not shown in the Contract Documents.
- (b)** A thin milled 90 subsurface layer exists.

(c) Holes are present in the milled surface.

(d) There are indications of poor bonding of the milled layer to the layer below.

(e) Base course showing.

(f) Any condition that may be deleterious to the service life of the new overlay exists.

The Engineer may direct remedial work in these areas to provide increased pavement life as well as a smoother ride, e.g., increase the depth of the planing or do additional work to the weakened pavement areas. Additional remedial work will be considered extra work unless the Contractor over milled the pavement.

Furnish, install, and maintain grade and transverse slope references.

Adjust machine blades to avoid damaging existing items that are to remain, such as underlying pavement structure, monuments, manholes, and pipes. Remove and replace or reconstruct items damaged by planing operations.

Maintain an appropriate consistent planing speed that shall give a smooth consistent texture for the milled surface. Planing speed shall be adjusted so that the milled surface is not scalloped or individually gouged or both. The travel speed in feet per minute shall not exceed  $\frac{2}{3}$  of the cutter drum RPM, e.g., 100 RPM > 66 feet per minute. If the planing machine does not have a drum RPM gage, assume the drum speed is  $\frac{1}{19}$ th of the engine RPM.

For roadways open to traffic, cold plane each day across full width of traffic lanes to avoid longitudinal pavement drop-off between lanes. Make every effort to avoid longitudinal drop offs between lanes. If this cannot be avoided at the end of the day's production, or in areas opened to public traffic, construct tapered transitions for all longitudinal and transverse pavement drop-offs before opening area to public traffic. Use the same quality of HMA for temporary tapers that is used for the HMA overlay or pavement. Use maximum slopes of 8:1 for longitudinal and 48:1 for transverse tapered transitions. When cross streets are encountered use a 48:1 taper; minimize the transition piece from being in the lane perpendicular to the cross-street. Use 48:1 slope for transition pieces for utility features found in milled areas. The difference in elevation between adjacent existing pavement and milled areas shall not exceed 3 inches. Compact transition in such a manner that the transition shall provide a smooth riding transition and shall not change its shape for the duration of its use. The transition shall be uniform in shape and



the toe of the transition shall be a set distance parallel to the unmilled edge of the adjacent pavement, i.e., the toe of the transition shall form a straight line parallel to the milled edge. Remove all transition material in the area to be resurfaced before placing the overlay.

Provide for drainage of milled surface areas and adjacent pavement. Drainage of the milled areas shall be installed on same work shift as when planing is performed.

The finished milled surface shall be suitable for public traffic to use safely and not cause damage to its vehicles or to the existing pavement. The completed surface of the milled asphalt concrete pavement shall not vary more than 0.02 foot when measured with a 12-foot straightedge parallel with the centerline. With the straightedge at right angles to the centerline, the transverse slope of the planed surface must not vary more than 0.03 foot. Check the milled surface profile every 24 feet to verify that the planing is compliant. Record drum speed and planing machine speed at every 30 minutes. Record results of checks, in a manner acceptable to the Engineer showing at a minimum:

(a) Location of the profile check showing station and offset from centerline or station and lane location for both profile check and drum speed and planing machine speed.

(b) Date and time for both profile check and drum speed and planing machine speed.

(c) When planing machine started planing and stationing, all stopping and restarting times. End of shift planing work station.

(d) Variances from straightedge, location of the variance on the straight edge.

(e) Person performing checks and recording the information shall sign and print full name on report.

(f) Submit reports weekly to the Engineer.

Re-mill areas that do not conform to Contract Document requirements or perform an Engineer accepted remedial repair if existing subsurface pavement would be too thin to re-mill and still provided the needed structural support to the pavement section.

The Engineer may reduce the number of profile and planing machine speed checks if the reports show a consistent pattern of best practices and performance. The Engineer reserves the right to reinstate the former level of checks at any time should the quality of the work start to degrade.

Clean and sweep surface of milled pavement in accordance with Section 310 - Brooming Off, with the additional requirement that all loose material shall be picked up within the roadway surface including gutters, before opening milled area to public traffic. Repeat the cleaning and sweeping of the milled pavement to the same requirements used on the first day for each day the milled area is opened to public traffic including Saturday, Sunday and holidays.

Install all temporary traffic pavement markings before opening to public traffic and maintain them until overlay is placed. Pavement markings shall be of the same size, e.g., width and length as required in the Standard Plans. For example, no Arrows made with a single 4-inch tape will be allowed, the width of arrow shall be as show in TE-29.

Dispose of milled and removed transition materials in accordance with Subsection 201.03(F) - Removal and Disposal of Material.

Minimize dust escaping from cold-planing operation and contain or remove runoff water used for dust control in accordance with Section 209 – Temporary Water Pollution, Dust and Erosion Control.

The milled surface shall not be exposed to public traffic for more than three days prior to placement of resurfacing material. Place a leveling course over the entire milled area before the end of the third day if the permanent overlay cannot be placed. The leveling course shall be removed before the installation of the overlay. The leveling course, its installation and removal and any additional HMA needed due to increased depth shall be at the Contractor's expense. Failure to install an acceptable leveling course will result in the assessment of rental fees for unauthorized lane closure charges for the areas that are non-compliant, e.g., milled areas open longer than three days, until they have received an acceptable leveling course layer or the permanent overlay. Lane rental fee charges shall start at the end of the third day's normal working hours as defined in the Contract Documents, i.e., the third day's normal end of non-overtime shift. There will be no maximum amount of lane rental assessed by the Engineer for this situation. The Engineer will unilaterally calculate the amount of rental fees to be assessed. The Engineer reserves the right to suspend the Contractor's work and continue to charge lane rental when the Engineer determines that the Contractor's work is adversely impacting the public.

**415.04 Measurement.** When planing is paid for per square yard, the Engineer will measure planing per square yard in accordance with the contract documents. When planing is paid on a lump sum basis, measurement for payment will not apply. The planing pavement profile will be paid on a lump sum basis, measurement for payment will not apply.

**415.05 Payment.** The Engineer will pay for the accepted pay items listed below at the contract price per pay unit, as shown in the proposal schedule. Payment will be full compensation for the work prescribed in this section and the Contract Documents.

The Engineer will pay for the following pay items when included in the proposal schedule:

Pay Item	Pay Unit
Cold Planing	Square Yard
(1) 80 percent of the contract unit bid price per square yard for Planing upon completion of removing the indicated thickness, meeting profile requirements and cleaning and sweeping before opening to public traffic;	
(2) 20 percent of the contract unit bid price per square yard for Planing upon completion of the removal and disposal of the milled material daily sweeping of the milled surface, and the installation and maintaining of temporary pavement markers. Sweeping of milled surface and maintaining of temporary pavement markers will be considered complete when the permanent overlay is placed.	
Planing Pavement Profile	Lump Sum"

**END OF SECTION 415**

1 Make the following Section a part of the Standard Specifications:  
2  
3

4 **“SECTION 615 – MILLED RUMBLE STRIP**  
5

6 **615.01 Description.** This section describes constructing Centerline,  
7 Shoulder, and Edgeline Milled Rumble Strips (MRS) in AC pavement.  
8

9 **615.02 Materials.** None.  
10

11 **615.03 Construction.**  
12

13 **(A) Submittal.** Method of constructing the milled rumble strip shall  
14 be submitted to the Engineer for acceptance. Meeting shall be  
15 scheduled 14 days before start of construction work. Discuss sequence  
16 of work plans, and proposal for dust control.  
17

18 **(B) Equipment.** Milling equipment shall be equipped with a rotary-  
19 type cutting head with cutting tips arranged in a pattern as to provide a  
20 relatively smooth cut, approximately 1/16 inches between peaks and  
21 valleys.  
22

23 The cutting head(s) shall be on a suspension independent from the  
24 power unit to allow the head(s) to self-align with surface slopes and  
25 irregularities.  
26

27 The machine shall have a guidance system that provides  
28 consistent alignment of each cut in relation to the roadway and provide  
29 uniformity and consistency throughout the project.  
30

31 **(C) Longitudinal Spacing.** The Milled Rumble Strips (MRS) shall be  
32 placed perpendicular to the roadway with longitudinal spacing as follow:  
33

34 Centerline MRS: 20 inch on-center (milled across centerline)  
35 Shoulder MRS: 12 inch on-center  
36 Edgeline MRS: 12 inch on-center  
37

38 The 20 inch on-center longitudinal spacing for Centerline MRS is  
39 designed to accommodate multiple centerline pavement striping and  
40 raised pavement marker configurations. It will allow placement of raised  
41 pavement markers between the milled concave depressions.  
42

43 **(D) Milling Operations.** Clean pavement surface before constructing  
44 the rumble strips. Mill the concave depressions to the dimensions shown  
45 in the plans.  
46

Align the concave depressions as shown in the plans. Alignment of milled rumble strips shall not deviate from the plans more than  $\pm 2$  inches.

After the concave depressions are milled into the pavement surface, use a power broom or sweeper/vacuum to collect the waste material resulting from the milling operations.

Contractor shall dispose the waste material as directed by the Engineer at no increase in contract price or contract time.

**615.04 Measurement.** The Engineer will measure the milled rumble strip by the linear foot for the width specified in the contract and in the proposal.

**615.05 Payment.** The Engineer will pay for the accepted quantities of milled rumble strip for the width specified at the contract unit price per linear foot according to the contract complete in place.

The contract unit prices paid shall be full compensation for furnishing labors, materials, tools, equipment and incidentals and for doing the work involved in furnishing and installing milled rumble strip complete in place according to the contract and ordered by the Engineer.

Payment will be full compensation for the work prescribed in this section and the contract documents.

The Engineer will pay for the following pay item:

Pay Item	Pay Unit
16-Inch Milled Rumble Strip, Centerline	Linear Foot"

**END OF SECTION 615**

1 Make the following section a part of the Standard Specifications.

2  
3 **"SECTION 694 - ARCHAEOLOGICAL MONITORING**

4  
5 **694.01 Description.** This section describes having an Archaeological Monitor  
6 hired by the Contractor to be present during all ground disturbing activities north  
7 of Wailua River, on Kuamoo Road, within 328 feet of Malae Heiau, within 1,500  
8 feet of North Leho Drive, and any staging areas and/or open trench areas  
9 associated with Wailua River scheduled for this project.

10 **694.02 Materials.** None

11  
12 **694.03 Construction.** Actual onsite time and specific actions to be followed in  
13 the event of inadvertent discoveries will be discussed and agreed upon by the  
14 Contractor and the Archaeological Monitor at the pre-construction meeting.

15  
16 (A) **Schedule.** The Contractor shall be responsible for ensuring that the  
17 Archaeological Monitor is aware of all pertinent construction  
18 schedules and that the monitor is present for all subsurface  
19 excavation activities within the project area.

20  
21 (B) **Archaeological Monitoring.** The Archaeological Monitor and the  
22 Contractor are responsible for ensuring that on-site work is halted in  
23 an area of significant findings and to protect any such find from any  
24 further damage (i.e., construction fencing, protective covering, etc.).  
25 The State Historic Preservation Division (SHPD) Kauai office shall be  
26 consulted for recommended appropriate mitigation actions. In the  
27 event that human remains are identified, the SHPD Culture and  
28 History Branch Kauai office shall be notified. The Kauai/Niihau Islands  
29 Burial Council (KNIBC) regional geographic representative shall also  
30 be consulted.

31 In the event that Human Skeletal remains are discovered during construction  
32 HRS 6E-43.6 Inadvertent Discovery of Burial Sites, shall apply with the  
33 exception that HDOT can extend statutory time periods needed to determine  
34 the disposition of the remains, and work shall cease in the immediate area.  
35 In situ human remain shall be left in place, and any disturbed human remains  
36 shall only be removed after written notification is received from the SHPD.  
37 The monitoring Archeologist shall be responsible for notifying the SHPD Kauai  
38 Office (Culture and History Branch), which, in consultation with the Kauai/  
39 Niihau Island Burial Council regional representative, shall determine  
40 appropriate mitigation measures.

40  
41 The Archaeological Monitor shall work in compliance with Hawai'i  
42 Revised Statutes Chapter 6E. The Contractor is prohibited from  
43 hiring the Archaeologist that has prepared the approved Monitoring  
44 Plan for this project.

Close down construction activities in areas where potentially significant discoveries have been made until they have been properly evaluated. Construction activities may continue in unaffected portions of the project area.

Field procedures to be followed for documentation of discovered cultural features or human skeletal remains include:

- (1) standard field methods including recordation of profiles showing stratigraphy, cultural layers, etc.;
- (2) mapping and photographing of finds other than human remains;
- (3) excavation of cultural materials and/or exposed features.

The SHPD Kauai archaeologist shall be notified and consulted with regarding treatment of identified features such as cultural layers, artifact or midden concentrations and structural remains.

The Contractor shall take into account the necessity for machine excavation at a speed slow enough to allow for reasonable visual inspection of the work. The Archaeological Monitor shall make a "best effort" to search for significant material culture remains (i.e. artifacts, features, midden, skeletal remains, etc.). Machine excavation speed will need to be slowed in an area where significant material culture remains have been identified.

Significant archaeological discoveries, if they occur, shall be protected and identified by construction "caution" tape, fencing, or other reasonable means, until the SHPD Kauai office and the Archeological Monitor decide appropriate mitigation actions. All recovered material culture remains -with the possible exception of charcoal samples for radiometric analysis - shall remain on Kauai. Standard Laboratory methods shall be utilized by the Archaeological Monitor in the event that cultural materials are recovered during monitoring and/or mitigation work.

One monitor in most instances shall carry out the necessary fieldwork. Tasks will include observation of grubbing and earth-moving Activities.

In the event of night work, the Contractor shall supply adequate lighting for the Archaeological Monitor.

91 The Contractor shall abide by HRS Chapter 6E-11 which specifies the  
92 following: "It shall be unlawful for any person or corporate, to take,  
93 appropriate, excavate, injure, destroy, or alter any historic property or  
94 aviation artifact located on the private lands of any owner thereof  
95 without the owner's written permission being first obtained. It shall be  
96 unlawful for any person, natural or corporate, to take, appropriate,  
97 excavate, injure, destroy, or alter any historic property located upon  
98 lands owned or controlled by the State or any of its political  
99 subdivisions, except as permitted by the department."

100  
101 Field methods utilized shall include photographic recordation  
102 (where appropriate), artifact excavation (recovery and recordation),  
103 profile documentation of cultural layers and stratigraphy,  
104 excavation and recordation of exposed features, and mapping of all  
105 pertinent features on an appropriate site map. A daily log (field notes)  
106 of activities and findings shall also be kept. Gathered information shall  
107 be utilized in the preparation of the monitoring report to be submitted  
108 to the SHPD.

109  
110 In the event human skeletal remains are inadvertently disturbed, the  
111 SHPD Kauai office, the Kauai SHPD Cultural Historian, and the  
112 Kauai/Niihau Islands Burial Council regional geographic  
113 representative shall be notified, and appropriate mitigation actions  
114 determined.

115  
116 The Archaeological Monitor shall periodically visit the monitoring site  
117 as often as is necessitated by the nature of the construction activities  
118 and archaeological findings. If significant discoveries are made,  
119 appropriate mitigation measures shall be discussed with the SHPD  
120 Kauai office.

121  
122 The Archaeological Monitor shall curate all cultural materials  
123 recovered from this monitoring project on Kauai, with the exception  
124 of human remains. When analysis is completed, recovered material  
125 culture remains shall be turned over to the appropriate parties. The  
126 SHPD and the landowner will approve long-term curation  
127 arrangements of significant material culture remains.

128  
129 A draft monitoring report detailing the results of this monitoring  
130 program shall be prepared. This draft report shall be submitted to the  
131 State Historic Preservation Division within 180 days of the  
132 completion of fieldwork, for comment and approval. Any  
133 recommended changes and/or corrections shall be incorporated in  
134 the final monitoring report for this project.



137 **694.04 Measurement.** Engineer will only measure the additional work requested  
138 by the Engineer on a Force Account Basis in accordance with Subsection 109.06 -  
139 Force Account Provisions and Compensation.

140  
141 **694.05 Payment.** The Engineer will pay for the following pay item when included  
142 in the proposal schedule.

143	<b>Pay Item</b>	<b>Pay Unit</b>
144		
145		
146	Archaeological Monitoring	Force Account"

147  
148  
149  
150  
151

**END OF SECTION 694**

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
201.1001	Clearing and Grubbing	2.0	AC.	\$ _____	\$ _____
202.1001	Removal of Existing Guardrail and End Treatment	L.S.	L.S.	L.S.	\$ _____
202.2001	Removal of Existing Landing Pad and Ramp	L.S.	L.S.	L.S.	\$ _____
202.3001	Removal of Existing CRM Wall	L.S.	L.S.	L.S.	\$ _____
202.4001	Removal of Existing Rock Landscaping	L.S.	L.S.	L.S.	\$ _____
202.5001	Removal of Existing Curb Ramp	L.S.	L.S.	L.S.	\$ _____
202.6001	Removal of Existing Metal Post	L.S.	L.S.	L.S.	\$ _____
202.7001	Removal of Existing Wood/Wire Fence	L.S.	L.S.	L.S.	\$ _____
202.8001	Removal of Signs	L.S.	L.S.	L.S.	\$ _____
202.9001	Removal of CRM Portion of Existing Concrete Headwall for Kuhio Highway Culvert Extension	L.S.	L.S.	L.S.	\$ _____
202.1101	Removal of Concrete Headwall	L.S.	L.S.	L.S.	\$ _____
202.1201	Removal of Existing Trees	L.S.	L.S.	L.S.	\$ _____
202.1301	Removal of Existing Concrete Sidewalk	L.S.	L.S.	L.S.	\$ _____
202.1401	Removal of Existing Concrete Curb	L.S.	L.S.	L.S.	\$ _____
202.1501	Removal of Existing Concrete Gutter	L.S.	L.S.	L.S.	\$ _____

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**P-8**

**PROPOSAL SCHEDULE**

202.1601	Removal of Existing 6" Water Lateral	L.S.	L.S.	L.S.	\$ _____
203.1001	Roadway Excavation	9,750	C.Y.	\$ _____	\$ _____
204.1001	Trench Excavation for Water System	58	C.Y.	\$ _____	\$ _____
204.1002	Trench Excavation for Sewer System	73	C.Y.	\$ _____	\$ _____
204.2001	Trench Backfill for Water System	L.S.	L.S.	L.S.	\$ _____
204.2002	Trench Backfill for Sewer System	L.S.	L.S.	L.S.	\$ _____
205.1001	Structure Excavation for Kuhio Highway Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
205.1002	Structure Backfill for Kuhio Highway Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
205.2001	Structure Excavation for Kuamoo Road Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
205.2002	Structure Backfill for Kuamoo Road Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
205.3001	Filter Material	L.S.	L.S.	L.S.	\$ _____
206.1001	Excavation for Kuhio Highway Culvert Extension	60	C.Y.	\$ _____	\$ _____
209.1001	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.2001	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ 150,000.00
301.1001	Hot Mix Asphalt Base Course	7,340	TON	\$ _____	\$ _____
305.1001	Aggregate Subbase	5,140	TON	\$ _____	\$ _____
321.1001	Triaxial Geogrid	F.A.	F.A.	F.A.	\$ 60,000.00

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**PROPOSAL SCHEDULE**

401.1001	HMA Pavement, Mix No. IV	2,780	TON	\$ _____	\$ _____
401.1002	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 173,750.00
401.1003	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 104,250.00
401.1004	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 20,850.00
401.2001	PMA Pavement	2,700	TON	\$ _____	\$ _____
401.2002	Third-Party Profile Testing and Equipment	Allow	Allow	Allow	\$ 253,125.00
401.2003	Third-Party Dispute Resolution Profile Testing	Allow	Allow	Allow	\$ 151,875.00
401.2004	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ 30,375.00
415.1001	Cold Planing	3,170	S.Y.	\$ _____	\$ _____
415.2001	Planing Pavement Profile	L.S.	L.S.	L.S.	\$ _____
503.1001	Concrete for Kuhio Highway Box Culvert Extension	L.S.	L.S.	L.S.	\$ _____
503.1002	Concrete for Kuhio Highway Box Culvert Collar	L.S.	L.S.	L.S.	\$ _____
503.1003	Concrete for Kuhio Highway Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
503.1004	Concrete for Kuamoo Road Box Culvert Extension	L.S.	L.S.	L.S.	\$ _____
503.1005	Concrete for Kuamoo Road Box Culvert Collar	L.S.	L.S.	L.S.	\$ _____
503.1006	Concrete for Kuamoo Road Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
503.2001	Concrete for Type 4A Concrete Barrier	L.S.	L.S.	L.S.	\$ _____

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**P-10**

**PROPOSAL SCHEDULE**

508.1001	Cement Rubble Masonry (Wailua River Park Sign)	2	C.Y.	\$ _____	\$ _____
602.1001	Reinforcing Steel for Kuhio Highway Box Culvert Extension	L.S.	L.S.	L.S.	\$ _____
602.1002	Reinforcing Steel for Kuhio Highway Box Culvert Collar	L.S.	L.S.	L.S.	\$ _____
602.1003	Reinforcing Steel for Kuhio Highway Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
602.1004	Reinforcing Steel for Kuamoo Road Box Culvert Extension	L.S.	L.S.	L.S.	\$ _____
602.1005	Reinforcing Steel for Kuamoo Road Box Culvert Collar	L.S.	L.S.	L.S.	\$ _____
602.1006	Reinforcing Steel for Kuamoo Road Culvert Headwall	L.S.	L.S.	L.S.	\$ _____
603.1001	Bed Course Material for Culvert (Kuhio Highway Culvert Extension)	35	C.Y.	\$ _____	\$ _____
603.2001	36-Inch Reinforced Concrete Pipe, Class III (Kuhio Highway at Sta. 438+15)	100	L.F.	\$ _____	\$ _____
603.4001	Clean Existing Culverts (Kuhio Highway Culvert)	F.A.	F.A.	F.A.	\$ 25,000.00
603.4002	Clean Existing Culverts (Kuamoo Road Culvert)	F.A.	F.A.	F.A.	\$ 10,000.00
606.1001	Guardrail Type MGS with Standard 8" Offset Block	910	L.F.	\$ _____	\$ _____
606.2001	Terminal Section Type MSKT-SP-MGS TL-2	3	Each	\$ _____	\$ _____
606.2002	End Anchorage Type Trailing-End Anchorage System	2	Each	\$ _____	\$ _____
606.2003	Transition Section Type Bridge End Post Connection	1	Each	\$ _____	\$ _____
607.1001	6-Feet, Chain Link Fence	550	L.F.	\$ _____	\$ _____
610.1001	6-Inch Reinforced Concrete Driveway (Gas Station 1)	21	S.Y.	\$ _____	\$ _____

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**P-11**

**PROPOSAL SCHEDULE**

610.1002	6-Inch Reinforced Concrete Driveway (Gas Station 2)	23	S.Y.	\$ _____	\$ _____
610.2001	6-Inch Reinforced Concrete Driveway (Bypass Road 1)	12	S.Y.	\$ _____	\$ _____
610.2002	6-Inch Reinforced Concrete Driveway (Bypass Road 2)	9	S.Y.	\$ _____	\$ _____
610.2003	6-Inch Reinforced Concrete Driveway (Bypass Road 3)	13	S.Y.	\$ _____	\$ _____
610.2004	6-Inch Reinforced Concrete Driveway (Bypass Road 4)	12	S.Y.	\$ _____	\$ _____
610.2005	6-Inch Reinforced Concrete Driveway (Bypass Road 5)	11	S.Y.	\$ _____	\$ _____
611.1001	Hand-Laid Riprap	15	C.Y.	\$ _____	\$ _____
614.1001	Street Survey Monuments	9	Each	\$ _____	\$ _____
615.1000	16-Inch Milled Rumble Strip, Centerline	2100	L.F.	\$ _____	\$ _____
616.1001	Temporary Irrigation System (Kuhio Highway Culvert)	L.S.	L.S.	L.S.	\$ _____
617.1001	Imported Planting Soil	214	CY	\$ _____	\$ _____
619.1001	Tree (Coconut Tree, 15 Feet Tall)	L.S.	L.S.	L.S.	\$ _____
623.1401	Service and Metering Equipment Assembly	1	Each	\$ _____	\$ _____
623.2000	Controller Assembly with Software	1	Each	\$ _____	\$ _____
623.2010	Type I Traffic Signal Standard	5	Each	\$ _____	\$ _____
623.2020	Type II Traffic Signal Standard (With 25' Mast Arm)	1	Each	\$ _____	\$ _____
623.2022	Type II Traffic Signal Standard (With 30' Mast Arm)	1	Each	\$ _____	\$ _____

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**P-12**

# PROPOSAL SCHEDULE

623.2030	Foundation for Type I Traffic Signal Standard	5	Each	\$ _____	\$ _____
623.2040	Foundation for Type II Traffic Signal Standard	2	Each	\$ _____	\$ _____
623.2050	Foundation for Controller Cabinet	1	Each	\$ _____	\$ _____
623.3000	Traffic Signal Assembly (1-Way, 12 inch, 1-4 Section LED Vertical Dual Indication Head with Type I Mounting)	2	Each	\$ _____	\$ _____
623.3001	Traffic Signal Assembly (1-Way, 12 inch, 1-3 Section LED Vertical Dual Indication Head with Type I Mounting)	1	Each	\$ _____	\$ _____
623.3002	Traffic Signal Assembly (1-Way, 12 inch, 1-3 Section LED Vertical Dual Indication Head with Type II Mounting)	1	Each	\$ _____	\$ _____
623.3030	Traffic Signal Assembly (1-Way, 12 inch, 1-3 Section LED Vertical Dual Indication Head with Type IV Mounting)	2	Each	\$ _____	\$ _____
623.3060	Traffic Signal Assembly (1-Way, 12 inch, 1-4 Section LED Vertical Dual Indication Head with Type VI Mounting)	1	Each	\$ _____	\$ _____
623.3061	Traffic Signal Assembly (1-Way, 12 inch, 1-3 Section LED Vertical Dual Indication Head with Type VI Mounting)	4	Each	\$ _____	\$ _____
623.3070	EVP Optical Receiver with Mounting Brackets	3	Each	\$ _____	\$ _____
623.4020	Pedestrian Signal Assembly, (1-Way, 12-Inch, One Vertical with Bracket Mounting)	5	Each	\$ _____	\$ _____
623.4040	Pedestrian Push Button with Instruction Sign	7	Each	\$ _____	\$ _____
623.5000	Traffic Signal Ductline (One 2-Inch Conduit)	1450	L.F.	\$ _____	\$ _____
623.5010	Traffic Signal Ductline (Two 2-Inch Conduit)	2170	L.F.	\$ _____	\$ _____
623.5020	Traffic Signal Ductline (Three 2-Inch Conduit)	15	L.F.	\$ _____	\$ _____
623.6000	Type A Pullbox	5	Each	\$ _____	\$ _____
623.6010	Type B Pullbox	14	Each	\$ _____	\$ _____

## ADDENDUM NO. 3

NH-056-1(50)

r11/12/19

P-13

# PROPOSAL SCHEDULE

623.6020	Type C Pullbox	1	Each	\$ _____	\$ _____
623.7002	No. 14, 2-Conductor Traffic Control Cable	1965	L.F.	\$ _____	\$ _____
623.7026	No. 14, 26-Conductor Traffic Control Cable	280	L.F.	\$ _____	\$ _____
623.7041	Loop Detector Sensing Unit (6 ft x 6 ft) One Loop	6	Each	\$ _____	\$ _____
623.7042	Loop Detector Sensing Unit (6 ft x 6 ft) Two Loops	6	Each	\$ _____	\$ _____
623.7043	Loop Detector Sensing Unit (6 ft x 6 ft) Three Loops	1	Each	\$ _____	\$ _____
623.7044	Loop Detector Sensing Unit (6 ft x 6 ft) Four Loops	2	Each	\$ _____	\$ _____
623.7046	Loop Detector Sensing Unit (6 ft x 6 ft) Six Loops	1	Each	\$ _____	\$ _____
623.7112	No. 19, 12PR- Traffic Control Cable	2355	L.F.	\$ _____	\$ _____
623.7203	No. 6, 3-Conductor Power Cable	90	L.F.	\$ _____	\$ _____
623.7303	No. 20, 3-Conductor Stranded Opticom Cable	180	L.F.	\$ _____	\$ _____
623.9000	Video Detection System	1	Each	\$ _____	\$ _____
624.1001	Water Systems	L.S.	L.S.	L.S.	\$ _____
625.1001	Sewer Systems	L.S.	L.S.	L.S.	\$ _____
626.1001	Adjusting Water Standard Valve Box	19	Each	\$ _____	\$ _____
626.2001	Adjusting Water Manhole Frame and Cover	7	Each	\$ _____	\$ _____
626.3001	Adjusting TEL. Manhole Frame and Cover	4	Each	\$ _____	\$ _____

## ADDENDUM NO. 3

NH-056-1(50)

r11/12/19

P-14



**PROPOSAL SCHEDULE**

626.4001	Adjusting Sewer Manhole Frame and Cover	1	Each	\$ _____	\$ _____
629.1001	4-Inch Pavement Striping (Thermoplastic Extrusion)	19,700	L.F.	\$ _____	\$ _____
629.1002	8-Inch Pavement Striping (Thermoplastic Extrusion)	1,590	L.F.	\$ _____	\$ _____
629.1003	12-Inch Pavement Striping (Thermoplastic Extrusion)	440	L.F.	\$ _____	\$ _____
629.2001	Crosswalk Marking (Thermoplastic Extrusion)	22	Lane	\$ _____	\$ _____
629.3001	Pavement Arrow (Thermoplastic Extrusion)	30	Each	\$ _____	\$ _____
629.3002	Pavement Word (Thermoplastic Extrusion)	6	Each	\$ _____	\$ _____
629.3003	Pavement Symbol (Thermoplastic Extrusion) (Yield Line)	4	Each	\$ _____	\$ _____
629.4001	Type C Pavement Marker	472	Each	\$ _____	\$ _____
629.4002	Type D Pavement Marker	550	Each	\$ _____	\$ _____
629.4003	Type H Pavement Marker	80	Each	\$ _____	\$ _____
629.4004	Type F Pavement Marker	10	Each	\$ _____	\$ _____
630.1001	Panel for Destination Sign	95	S.F.	\$ _____	\$ _____
630.2001	Type A Route Marker Assembly	3	Each	\$ _____	\$ _____
630.2002	Type B Route Marker Assembly	1	Each	\$ _____	\$ _____
630.3001	2.50 Inch Galvanized Square Tube Post for Destination Sign	50	L.F.	\$ _____	\$ _____
630.3002	4.00 Inch Galvanized Square Tube Post for Destination Sign	95	L.F.	\$ _____	\$ _____

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**P-15**

**PROPOSAL SCHEDULE**

630.4001	Street Name Sign on Traffic Signal Mast Arm	2	Each	\$ _____	\$ _____
631.1001	Regulatory Sign (10 Square Feet or Less)	24	Each	\$ _____	\$ _____
631.1002	Regulatory Sign (More than 10 Square Feet)	5	Each	\$ _____	\$ _____
631.2001	Warning Sign (10 Square Feet or Less)	13	Each	\$ _____	\$ _____
631.3001	Emergency Evacuation Route Sign	2	Each	\$ _____	\$ _____
631.4001	Route Marker Sign	5	Each	\$ _____	\$ _____
631.4002	Auxiliary Sign	5	Each	\$ _____	\$ _____
631.5001	Relocation of Existing "Adopt a Highway" Sign	1	Each	\$ _____	\$ _____
632.1001	Milepost Marker with Post	2	Each	\$ _____	\$ _____
632.2001	Type OM3 Object Marker	4	Each	\$ _____	\$ _____
634.1001	Portland Cement Concrete Sidewalk	560	S.Y.	\$ _____	\$ _____
638.1001	Curb, Type 3D	630	L.F.	\$ _____	\$ _____
638.2001	Curb and Gutter, Type 2DG	175	L.F.	\$ _____	\$ _____
641.1001	Hydro-mulch Seeding	L.S.	L.S.	L.S.	\$ _____
642.1001	Plant Maintenance	9	Month	\$ _____	\$ _____
643.1001	Maintenance of Existing Landscape Area	F.A.	F.A.	F.A.	\$ 60,000.00
645.1001	Traffic Control	L.S.	L.S.	L.S.	\$ _____

**ADDENDUM NO. 3**

**NH-056-1(50)**

**r11/12/19**

**P-16**

# PROPOSAL SCHEDULE

645.2001	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$ 400,000.00
648.1001	Field Posted Drawings	L.S.	L.S.	L.S.	\$ _____
650.1001	Curb Ramp, Type B, Modified (Haleilio Road)	1	Each	\$ _____	\$ _____
650.2001	Curb Ramp, Type B (Haleilio Road)	1	Each	\$ _____	\$ _____
650.5001	Curb Ramp, Type C (Haleilio Road)	1	Each	\$ _____	\$ _____
650.6001	Curb Ramp, Type D (Papaloa Road)	1	Each	\$ _____	\$ _____
650.6002	Curb Ramp, Type D (Bus Stop)	1	Each	\$ _____	\$ _____
651.1001	KIUC Ductline, Two 6-Inch PVC, Schedule 40, Concrete Encased	70	L.F.	\$ _____	\$ _____
651.1002	KIUC Ductline, Four 6-Inch PVC, Schedule 40, Concrete Encased	200	L.F.	\$ _____	\$ _____
651.2001	KIUC Handhole, 2' x 4'	1	Each	\$ _____	\$ _____
651.2002	KIUC Manhole, 6' x 11'	2	Each	\$ _____	\$ _____
651.3002	KIUC Pole Riser, Two 6-Inch	2	Each	\$ _____	\$ _____
651.5001	KIUC Service Reconnections	2	Each	\$ _____	\$ _____
652.1001	HT Ductline, One 2-Inch, Type GT 42, Concrete Encased	45	L.F.	\$ _____	\$ _____
652.1004	Spectrum Ductline, One 2-Inch, PVC Schedule 40, Concrete Encased	100	L.F.	\$ _____	\$ _____
652.1005	Spectrum Ductline, One 4-Inch, PVC Schedule 40, Concrete Encased	120	L.F.	\$ _____	\$ _____
652.1006	Spectrum Ductline, Two 4-Inch, PVC Schedule 40, Concrete Encased	3280	L.F.	\$ _____	\$ _____

## ADDENDUM NO. 3

NH-056-1(50)

r11/12/19

P-17

# PROPOSAL SCHEDULE

652.1007	Spectrum Ductline, Three 4-Inch, PVC Schedule 40, Concrete Encased	60	L.F.	\$ _____	\$ _____
652.2001	HT Manhole, 4' x 6.5'	3	Each	\$ _____	\$ _____
652.2005	Spectrum Manhole, 3' x 5'	14	Each	\$ _____	\$ _____
652.3002	HT Pole Riser, One 2-Inch	1	Each	\$ _____	\$ _____
652.3005	Spectrum Pole Riser, One 2-Inch	2	Each	\$ _____	\$ _____
652.3006	Spectrum Pole Riser, One 4-Inch	1	Each	\$ _____	\$ _____
656.1001	Drilling Holes and Installling Dowels	90	Each	\$ _____	\$ _____
671.1001	Protection of Seabirds	F.A.	F.A.	F.A.	\$ 60,000.00
693.1001	Terminal Impact Attenuator - QuadGuard II System, 24" Width (6 Bays, TL-3)	L.S.	L.S.	L.S.	\$ _____
694.1001	Archaeological Monitoring	F.A.	F.A.	F.A.	\$ 40,000.00
695.1001	Portable Concrete Barrier (20-foot lengths)	140	Each	\$ _____	\$ _____
695.2001	Inertial Barrier System	8	Each	\$ _____	\$ _____
696.1001	Field Office Trailer (Not to exceed \$32,000.00)	L.S.	L.S.	L.S.	\$ _____
696.3001	Maintenance of Trailers	F.A.	F.A.	F.A.	\$ 20,000.00
699.1001	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item )	L.S.	L.S.	L.S.	\$ _____
Sum of All Items					\$ _____
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.					

## ADDENDUM NO. 3

NH-056-1(50)

r11/12/19

P-18

1 **PROPOSAL SCHEDULE**

2  
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4  
5 The bidder's attention is directed to Sections 696 - Field Office and  
6 Project Site Laboratory and 699 - Mobilization for the limitation of the amount  
7 bidders are allowed to bid.

8  
9 If the bid price for any proposal item having a maximum allowable bid  
10 indicated therefore in any of the contract documents is in excess of such a  
11 maximum amount, the bid price for such proposal item shall be adjusted to  
12 reflect the limitation thereon. The comparison of bids to determine the  
13 successful bidder and the amount of contract to be awarded shall be determined  
14 after such adjustments are made, and such adjustments shall be binding upon  
15 the bidder.

16  
17 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials  
18 regarding recycling of waste glass.

**KUHIO HIGHWAY SHORT-TERM IMPROVEMENTS  
KUAMOO ROAD TO TEMPORARY KAPAA BYPASS ROAD**

**FEDERAL-AID PROJECT NO. NH-056-1(50)**

**PRE-BID MEETING NOTES  
SEPTEMBER 20, 2019**

The following notes are from the Hawaii Department of Transportation (HDOT) pre-bid meeting with prospective bidders for the Kuhio Highway Short-Term Improvements, Kuamoo Road to Temporary Kapaa Bypass Road project.

The meeting was held at the Kakuhihewa Building in Kapolei, Room 609 at 10:00 am.

A sign-in sheet with the names of the attendees is attached.

All attendees were notified of the following:

- Plan sheets will be re-issued in an Addendum No. 1 with better legibility. No design changes will be made.
- This project includes HDOT's new asphalt pavement smoothness requirements. See Spec Section 401.
- Spec Section 415 will be revised to include language regarding the new asphalt pavement smoothness requirements.
- HDOT has obtained several permits for the Contractor. These permits are available on HDOT's website.
  - o National Pollutant Discharge Elimination System (NPDES) permit, Notice of General Permit Coverage for Construction Activities. Permit expires on February 8, 2024.
  - o U.S. Army Corps of Engineers Section 404 permit.
  - o Section 401 Water Quality Certification for culvert and in-water work. Permit expires on July 26, 2020. The Contractor shall re-apply if needed.
- This project requires protection of threatened and endangered seabirds. See Spec Section 671.
- This project requires archaeological monitoring. See Spec Section 694. An archaeological monitoring plan will be provided in an addendum.
- HDOT has obtained two construction parcels for the Contractor to use as staging areas. See project plans. The Contractor is welcome to find other staging areas, with approval from the Construction Engineer.
- The Contractor will be allowed to work during the day as long as there is no impact to traffic flow. The plans will be revised to reflect the allowable work hours.
- All requests for information shall be submitted in writing by 5:00pm, Friday, September 27, 2019.

Questions:

1. Is the Contractor or the State to furnish the archaeological monitor?

**The Contractor is to furnish. A bid item is included in the proposal schedule.**

2. Is there a UDBE goal for this project?

**The DBE goal for this project is 4.1%. Shown on Spec sheet P-1.**

3. What is the total duration?

**504 working days. Shown on Spec sheet P-1.**

4. Will the DBE goal change after bids are received?

**No. The Department shall adjust the bidder's/offeror's DBE contract goal to the amount of the project goal if it finds that the bidder/offeror met the goal but erroneously calculated a lower percentage. If the amount the bidder/offeror submits as its contract goal exceeds the project goal, the bidder/offeror shall be held to the higher goal.**

5. Are there cross section drawings for Kuamoo Road?

**Yes. See Plan sheets 86-87.**

6. Is there a geotechnical report?

**Yes. A copy will be provided in an addendum.**

7. Please explain the traffic control plans. For example, what is being shown on Plan sheet 112?

**Plan sheet 112 shows a typical right lane closure.**

8. What is being shown on Plan Sheet 115? Sheet 116?

**Plan sheet 115 is specifically for the construction of the Kuamoo culvert and headwall. Same for sheet 116.**

9. Are the traffic control plans called out on the roadway sheets or the grading sheets?

**No. The "phased" traffic control plans are for site specific situations.**

**Phase 1 and 2 is for Kuamoo Road**

**Phase 3 for Underground utility installation**

**Phase 4 for Kuhio Highway Widening**

**Phase 5 for Kuhio Highway Pavement Reconstruction or Rehabilitation**

10. What about Plan sheet 119?

**The "phased" traffic control plans are for site specific situations.**

**Traffic Control Plan - Phase 3 shows Underground utility installation.**

11. What does Plan sheet 121 show?

**The “phased” traffic control plans are for site specific situations.  
Traffic Control Plan - Phase 3 shows Underground utility installation.**

12. Phase 4 traffic control plans only show the mauka side of the highway. What about the makai side?

**The “phased” traffic control plans are for site specific situations.  
Traffic Control Plan - Phase 4 shows Kuhio Highway Widening work. Traffic Control Plan - Phase 5 shows Kuhio Highway Pavement Reconstruction or Rehabilitation work.**

**These traffic control plans are suggestions only. The Contractor can create their own traffic plans. State Engineer approval is required.**

13. So the other Phase 4 plans show pieces of the traffic control?

**Yes.**

14. Are the revisions for Spec Section 415- Cold Planing similar to the Oahu open-end paving project? Is profiling before and after still required?

**Yes.**

15. Are there any anticipated changes to Spec Section 401?

**No.**

16. Is there a requirement for automation of the machines? Using GPS or total station? Or does the Contractor just have to get the pavement smooth?

**There are no automation requirements. The Contractor must meet the smoothness requirements shown in Spec Section 401.**

The meeting ended at 10:25 am.

All items discussed at this meeting are for clarification only. The bid documents shall govern over anything said at the meeting and discrepancies shall be clarified in Addendum No. 2.



**KUHIO HIGHWAY SHORT-TERM IMPROVEMENTS  
KUAMOO ROAD TO TEMPORARY KAPAA BYPASS ROAD**

**FEDERAL AID PROJECT NO. NH-056-1(50)**

**PRE-BID MEETING  
September 20, 2019  
10:00 AM**

NO.	NAME	COMPANY	PHONE NO.	EMAIL
1	James Hasenyager	Cushman Const Co Inc	808-332-9000	james@cushniecci.com
2	Darell Young	HDOT Highways	808-587-1835	darell.young@hawaii.gov
3	Bray McLoskey	Goodfellow Bros.	808-348-3498	Braym@GOODFELLOWBROS.COM
4	Kevin Yamabayashi	Maui Kupono	808-292-6781	Kevin@maui.kupono.com
5	BRIAN LOCK	WILSON OKAMOTO CORP	808-751-2217	BALOCK@WILSONOKAMOTO.COM
6	Lisa Okazaki	HDCC	808-735-3319	Lokazaki@hdcc.com
7	Zane Baniaga	HDCC	808 735 3219	zbaniaga@hdcc.com
8	CRAIG OSHIRO	KIEWIT	(808) 674-1088	Craig.oshiro@kiewit.com
9	Holly Yuen	HDOT	808-692-8428	
10				holly.yuen@hawaii.gov
11				
12				
13				
14				
15				
16				

**KUHIO HIGHWAY SHORT-TERM IMPROVEMENTS  
KUAMOO ROAD TO TEMPORARY KAPAA BYPASS ROAD**

**FEDERAL AID PROJECT NO. NH-056-1(50)**

**PRE-BID MEETING**

September 20, 2019

10:00 AM


NO.	NAME	COMPANY	PHONE NO.	EMAIL
1	Fred Reyes, CE IV Design	HDOT Kauai Hwys	241-3017	fred.reyes@hawaii.gov
2	Michael Lugalon	Maui Kupono Bldg.	651-3478	mike@mauikupono.com
3	Randall Haraguchi	HDOT	241-3024	randall.tn.haraguchi@hawaii.gov
4	Bryson Vivas	Maui Kupono	808 561-3110	bryson@mauikupono.com
5	Roger Akama	HDOT Hwys	(808) 366-8413	roger.akama@hawaii.gov
6	GLENN MARCOS	HDOT HWYS	(808) 241-3024	glenn.marcos@hawaii.gov
7	ALYSSA CARRIGRO	EARTHWORKS PACIFIC INC	(808) 246-8808	alyssa@earthworks-pacific.com
8	LARRY DILL	HDOT	241 3006	lawrence.j.dill@hawaii.gov
9				
10				
11				
12				
13				
14				
15				
16				

## Contractor RFI's:

1. On sheet 31 there is a call out for Type MGS End Treatment Near STA 431+86 LT.  
Please provide detail sheet and pay item.


**A detail will be provided in an addendum.**

2. Is this the trailing end MGS end treatment? See picture




Yes.

3. On Sheet 31, If the end treatment is MGS type end treatment, is the transition section required?




**No transition required. The plan sheet will be revised.**

4. On sheets 31, 32 and 33 for the GR Type MGS has a length of 822.75 LF, but the stations provided does not come out to same length 722.26.




**Plan sheets will be revised to correct guardrail lengths.**

5. On sheet 32 & 33 there is call out for Chain Link Fence. Can you please provide a detail for the fence to be installed?



**Refer to HDOT's Standard Plans Chain Link Fence detail.**

6. On sheet 33 there is a call out for transition section, there is no pay item for transition section.



**No transition required. The plan sheet will be revised.**


7. On sheet 33 there is a call out for Type G End Treatment, is the Type G End Treatment MASH approved?

**No. End treatment will be revised.**

8. Do all of the GR items need to be MASH Compliant?


**Yes.**

9. On sheet 67 there is a call out for a destination sign, what type of posts and footings are to be used? Can you please provide a post and footing detail?




**Refer to HDOT's Standard Plans Traffic Sign details.**

10. On sheet 68 there is a call out for a destination sign, what type of posts and footings are to be used? Can you please provide a post and footing detail?




**Refer to HDOT's Standard Plans Traffic Sign details.**

11. On sheet 72 there is a typical call out for Remove and Replace exist. "Speed Limit 25" sign and post. Can you please clarify if this typical call out means "remove and replace with new sign and new post" or "remove and reinstall existing sign on new or used post".




**Contractor to install new sign and new post.**

12. On sheet 73 there is a call out for a destination sign, what type of posts and footings are to be used? Can you please provide a post and footing detail?




**Refer to HDOT's Standard Plans Traffic Sign details.**

13. On sheet 74 there is a call out for a destination sign, what type of posts and footings are to be used? Can you please provide a post and footing detail?




**Refer to HDOT's Standard Plans Traffic Sign details.**

14. On sheet 77 at STA 66+10 there is a call out for Crash Barrier Attenuator. There is no pay item for this in the 693 section. Does this unit need to be MASH approved? What width does this unit need to be?



**No, unit does not need to be MASH approved. The attenuator must be wide enough to shield a Type 4A concrete barrier.**

15. On sheet 77 at STA there is a call out for a “Thrie Beam Bridge Connection” with details on sheets 204-207. There is no pay item for the GR section.



**A pay item will be added to the Proposal Schedule.**

16. On the proposal, Pay Item 630.3001 - 2.50 Inch Galv Square Tube Post for Destination sign – Can you change the units to Each? Can you provide a detail for the post and footing?

**Item will remain linear foot. Please refer to HDOT's Standard Plans Traffic Sign details.**



17. On the proposal, Pay Item 630.3002 – 4.00 Inch Galv Square Tube Post for Destination sign. Can you change the units to Each? Can you provide a detail for the post and footing?

**Item will remain linear foot. Please refer to HDOT's Standard Plans Traffic Sign details.**

18. Can Soft Stop TL-2 be substituted for MSKT-SP-MGS TL-2? See attached drawing.

**Yes, however Soft Stop TL-2 pay limit is longer than MSKT-SP-MGS TL-2.**

19. We are requesting clarification on the special provisions, Section 695, and plan notes for Inertial Barrier Systems to protect portable concrete barrier ends in the work zones. The plan sheets state that NCHRP 350 Test Level 3 systems may be used, see sheets 115, 117, 122-124. The specification mentions the MASH crashworthy standard but then lists vehicle testing weights as required by NCHRP 350 crashworthy standards. The AASHTO/FHWA Joint Implementation Agreement for MASH (January 7, 2016) does not require MASH crashworthy products in work zones until contracts that have a letting date after December 31, 2019. We are requesting approval for use of the TRITON CET, a non-redirective, water-filled concrete barrier end treatment that attaches easily to concrete barrier and meets the NCHRP 350 Test Level 3 crashworthy standard. We are also requesting approval for the use of the ACZ-350, a non-redirective, water-filled concrete barrier end treatment that attaches easily to concrete barrier and meets the NCHRP 350 Test Level 3 crashworthy standard. Both these devices meet the crash testing requirements for the vehicle weights listed in the special provisions and the crashworthy standard shown on plan sheets.

**Both the Triton Barrier CET and the ACZ-350 are acceptable to use as portable concrete barrier end treatments.**

20. Section 107.01(B)(1) requires the workers' compensation policy to provide additional insured status be a number of parties. Providing additional insured status to Owner's or other third parties is not available on a Workers Compensation policy. Please delete the requirement.

~~Additional Insured under these coverages shall also include:~~

- ~~• Coco Palms Hui, LLC.~~
- ~~• Hawaii Movie Tours, Inc.~~
- ~~• County of Kauai~~
- ~~• Department of Land and Natural Resources~~
- ~~• Phillip G. Harrison, Trustee~~
- ~~• Gun Soon Lee~~
- ~~• Korean Bar 8 Q~~
- ~~• Kauai Water Ski, Surf and Kayak Shop~~
- ~~• Amy E. Atry, Revocable Living Trust~~
- ~~• Melanie Quetula, Coconut Coast Activities~~
- ~~• JC's Flower & Mini Mart~~
- ~~• Michael Fuse~~
- ~~• Wailua Shopping Plaza~~
- ~~• Kintaro Japanese Restaurant~~

- ~~KK Associates LLC~~
- ~~MY Kapaa LLC~~
- ~~Yamamoto, George M. Tr.~~
- ~~Cafe Coco~~
- ~~Hiep X. Hoang~~
- ~~Hong Kong Cafe~~
- ~~Erwin Ageaoli~~
- ~~John Arruda, et. al.~~
- ~~Esther K. Medeiros~~
- ~~Lovelan Napoleon~~
- ~~Suzanne R. Larson, et. al.~~
- ~~Mary Young~~
- ~~Smith Motor Boat~~

**Section 107 will be revised.**

21. Section 108.16 states that the Contractor's risk of loss continues until written notice of final acceptance. Contractor's risk of loss should end upon Substantial Completion or at the point the Work is put to its intended use by the Owner, whichever is earlier. Please amend to:

~~"Until the written notice of final acceptance has been received~~ **Substantial Completion or at the point the Work is put to its intended use by the Owner, whichever is earlier**, the Contractor shall take every precaution against loss or damage to any part of the work by the action of the elements or from any other cause whatsoever, whether arising from the performance or from the non-performance of the work. The Contractor shall rebuild, repair, restore and make good all loss or damage to any portion of the work resulting from any cause before its receipt of the written notice of final acceptance **Substantial Completion or at the point the Work is put to its intended use by the Owner, whichever is earlier**, and shall bear the risk and expense thereof.

**Section 108.16 will remain as is.**

22. Sheet 40 shows that there is a Concrete Gutter on the southern side of Kuhio Highway. There does not seem to be any information regarding the start station, end station or limits of the concrete gutter. Please clarify the extents of this work.

**Roadway design has changed. The plan sheet will be revised.**

23. Do you know when the anticipated start date for this project is?

**No, not at this time.**

24. The traffic control drawings detail five phases of work with multiple work areas shown to be constructed within each of the five phases. It would appear that all of the areas of the highway that need to be re-constructed are not specifically shown as individual work areas within the five phases. What plan are we supposed to follow for the work areas that are not specifically shown in the drawings? Are we to follow Traffic Control – Typical 1 (Sheet TC01) and Traffic Control – Typical 2 (Sheet TC02) for these areas? Will the

contractor be allowed the opportunity to re-configure traffic control in certain areas in order to facilitate his means and methods?

**The “phased” traffic control plans are for site specific situations. The rest of the work can use typical lane closures.**

**The traffic control plans are suggestions only. The Contractor can create their own traffic plans to facilitate their means and methods. State Engineer approval is required.**

25. Will the owner consider a postponement of the bid date in order to allow additional time to develop our proposal?

**New bid opening date will be December 5, 2019.**

26. Will a bid item be provided for the Woven Geotextile Fabric or will this be incidental to another item, if so which item will it be incidental to?

**Woven geotextile fabric will be incidental to the Aggregate Subbase item.**

27. Will a bid item be provided, on a force account basis, to accommodate Note 4 shown on the typical road section drawings regarding the use of Biaxial or Triaxial Geogrid where soft soils are encountered.

**A bid item for biaxial or triaxial grid will be added to the Proposal Schedule.**

28. Plan sheets RS1 to RS9 note 4 states "If Softer Soils Are Encountered, Add a Biaxial or Triaxial Geogrid (BCR of 0.5 To 0.6) On Top of Woven Geotextile. It is not clear where on the plans this is required and there is no bid item provided. Please show on the plans, specify quantity to include in bid, and/or provide bid item for Geogrid. Also please provide geogrid material specification.

**The Specs and the Proposal Schedule will be revised to include the geogrid item.**

29. Special Provision Specification section 107.03 states "Normal working hours shall be from 8:00 p.m. to 4:30 a.m., Sunday through Thursday, excluding holidays". Special Provision Section 671.03 (B) (3) states "Night work and the use of all temporary lights shall cease during the peak fallout period from September 15 through December 15." Does this mean that no work is to be performed between September 15 through December 15 since there is no daytime work hours specified? Also the best mitigation for protection for the protection of the Seabirds would be to perform as much of the work as possible during the daytime. Therefore please specify the day time traffic control lane closure hours.

**The Plans and Specs will be revised to include allowable daytime work hours.**

30. Special Provision Specification section 651.03 (C) and 652.03 (B) requires Contractor to coordinate overhead & underground power, cable, and com work with KIUC, Spectrum, and Hawaiian Telcom (HT). Please provide duration that we should include in project schedule for each utility companies work. Please specify if utility agreement (UA) with each utility company has been obtained for this project and copy of UA. If no UA is executed then please specify the date that HDOT will have UA completed by. Also please provide contact information for each utility company that will be the project coordination point of contact.

**HDOT does have Utility Agreements for this project. The Contractor that's awarded the project will receive all UA's and contact information at the pre-construction meeting.**

31. The plans typical roadway sections does not specify exist pavement structure material thickness. Please specify or provide as-built of exist Kuhio Hwy Pavement section from station 408+32.8 to 442+83.6, and as-built for Kuamoo Road Pavement section from station 63+40 to 69+48.21.

**HDOT typical sections do not normally show existing pavement structure material and/or thickness. Contractors are welcome to research previous as-builts at our Kapolei office for that information.**

32. The plans typical roadway section calls out "Woven Monofilament Geotextile Fabric". Please clarify which HDOT material Specification Section 716 Geotextile is to be used for this work.

**Use Spec Section 716.07(A) #70 Sieve.**

33. Please consider extending the bid date two weeks 10/24/19. The contract has a 4.1% Disadvantage Business Enterprise (DBE) goal which requires providing adequate time to solicitate, coordinate, and scope DBE participation. Also the additional time will be used to figure out the sequencing of reconstructing Kuhio Highway during the work hours Sunday - Thursday 8 PM to 4:30 AM.

**New bid opening date will be December 5, 2019.**

34. There is no structure excavation bid item. Please specify which bid item should include the shoring, dewatering and excavation for the Kuhio and Kuamoo culvert constructions?

**An item will be added to the Proposal Schedule.**

35. Plan Sheets RPK8 and S1.4 show different headwall designs/elevations for the Kuamoo culvert extension, confirm which is correct.

**Sheet S1.4 shows the correct information.**

36. Plan Sheets R3 & S2.4 show different headwall designs/elevations for the Kuhio culvert extension, confirm which is correct.

**Sheet S2.4 shows the correct information.**

37. Please confirm the invert elevation of the existing Sewer Force main that is to be jacketed on sheet UP4.

**Elevation is -2.6±**

38. When trying to meet the smoothness spec, what happens if the drainage is affected? What governs?

**The Contractor shall notify the Engineer of any drainage conflicts/problems to determine how to proceed.**

39. The specs say the Engineer “may” waive roughness requirements around manholes. Can the specs state a distance away from manholes to exclude so it’s more defined, less subjective?

**The Contractor’s profile should account for this and eliminate the effect of the manhole or other structures in the paving area. Notify the Engineer if this is not possible.**

40. Does additional testing come from the allowance for third party dispute?

**Yes.**

41. Since smoothness results vary with time. If HDOT takes over 60 days to test, will the contractor get relief of maintenance?

**No. HDOT will take the acceptance profile when 100% of paving work is done as well as any remedial repairs. It is to be done on pavement no younger than 14 days for HMA and 28 days for concrete pavement.**

42. Would HDOT consider extending the bid opening date?

**New bid opening date will be December 5, 2019.**

43. A pavement joint cement is to be applied to vertical faces when patching cores. Using joint adhesive for patching of cores is very impractical. The joint adhesive requires large equipment to heat it and the equipment will need to be towed around. A tack coat for patching cores should be considered. Tack coat provides sufficient bond between asphalt layers and should provide sufficient bond for core patching. Will joint reheaters be allowed in lieu of joint adhesive.

**Tack coat is currently required in the restoration of cored holes. Yet, failures of core holes have been observed in the past. Joint adhesive will be required, size of the machine is within the Contractor’s means and**

**methods. Machines can be on or towed by a pickup truck and will increase the performance of the joint repair. If Contractors can submit a method that will be equal to the performance of the joint adhesive, HDOT can review it for acceptance.**

44. Smoothness pay factor/corrective action should not apply in areas where no utilities are adjusted. It is a proven fact that utility structures will affect smoothness. Additionally, there should not be a smoothness corrective action required wherever contractor is tying in to an existing grade.

**Both conditions should be addressed in the roadway smoothness profile developed for the milling of the pavement by the Contractor. Adjustments should have been suggested or noted that the utility is not possible to adjust. If the adjustments are not accepted or the utility not possible to adjust, then it would not count as a bump. Tie-in to the existing grade should not cause problems with the profile, however, the Contractor can cite this situation in the submitted smoothness pavement profile and note it as a potential problem.**

45. Longer milled sections will result in smoother pavement. If the contractor is able to create a rideable milled surface by using newer technologies such as a fine tooth mill, the contractor should be allowed to leave the milled surface open longer at the engineer's discretion. The contractor still assumes all responsibilities for damages to the public. This limits the contractor's means and methods to meet the requirements of the contract for smoothness.

**3 Day milled surface requirement and lane rental fees to remain as shown in the specs.**

46. The specs require the use of a polymer modified asphalt that is only available in the State of Hawaii from a single source supplier. Will the State consider changing the type of asphalt to the Standard PG64-16 asphalt?

**The polymer modified asphalt will remain as shown in the specs.**

47. Please provide beginning and end stations for the new 5.5' wide concrete sidewalk noted on the Eastbound side of Kuhio Highway on sheet RP8.

**Plan sheet RP8 will be revised.**

48. There is an existing concrete swale that runs roughly from STA 438+50 to STA 441+50 along the eastbound shoulder of Kuhio Highway, please verify that this concrete swale is to be removed.

**Concrete swale to be removed. Plan Sheet DP2 will be revised.**

49. Please confirm that the ES elevations shown on sheet GP10 on the Eastbound side of Kuhio Highway on sheet RP8 are also the new sidewalk finish grade.

**Yes, the new sidewalk is flush with the ES.**

50. Along the westbound shoulder of Kuhio Highway, there are what appears to be several abandoned hydrant burrys within 5 feet of the actual hydrants that are shown on the plan sheets. Please provide direction on what is to happen to these existing hydrant burrys.

**Existing hydrant burrys will remain.**

51. There is an existing hydrant and ARV located at roughly STA 66+75 on Kuamoo Road on the south side of the roadway. Please provide direction as to what is to happen with this existing hydrant and ARV. The note provided only states to relocate the existing water meter and does not note the existing hydrant and ARV.

**The hydrant and ARV will remain. Adjust meter boxes to new grades.**

52. Note 1 on sheet RPK11 states that trees that are to be removed are to cut at the base and ground down and then replaced. Can the existing trees be removed and replanted instead of cut and disposed?

**Trees must be cut and replaced to avoid disturbing possible existing burials.**

53. Several of the new tree locations shown on sheet RPK11 appear to be existing tree locations. Please confirm that there are 12 trees on this sheet that are new trees only and not replacements of existing trees.

**Existing trees are being carefully removed so their roots remain and a new tree will be planted nearby. There are 28 existing trees to be removed and 27 new trees to be planted. Plan sheet will be revised.**

54. Please provide end of new sidewalk station for sidewalk located on Eastbound Side of Kuhio Highway at the Haleilio Road intersection.

**Sidewalk station will be added. Plan sheet will be revised.**

55. Please confirm the total roadway excavations for the following areas. See roadway cross section drawings 87, 179 and 183.
- Kuamoo Road at Stations 69+00 to 69+48.21.
  - Kuhio Highway at Stations 411+50 to 412+00, 412+00 to 412+50, 412+50 to 413+00, 433+00 to 433+50, 433+50 to 434+00.

**Excavation totals will be updated. Plan Sheets 87, 179 and 183 will be revised.**

56. Please provide geotechnical report.

**The geotechnical report is included in the Addendum.**

57. Please provide existing topography map of the existing Kuhio Highway, Kuamoo Road and Haleilio Road. Existing topos are hard to read. Please provide vector drawings for all grading plans.

**Plans will be revised and re-issued.**

58. Sheet 24 calls out for the removal of existing rock wall. Where does this item get paid under?

**Item will be paid under 202.3001 – Removal of CRM Wall.**

59. Sheet 25 calls out for the removal of existing sidewalk at various locations. Sheet 33 shows new concrete sidewalk from Sta. 438+40 to Sta. 441+40. Please clarify.

**Revised demolition of sidewalk. See Plan Sheet DP2.**

60. Where does the excavation for Kuamoo Road Culvert Extension get paid under?

**Item will be paid under 205.2001 – Structure Excavation for Kuamoo Road Culvert Headwall.**

61. Sheet ECP2 calls out a Water Quality Monitoring Station. There is no detail for this, please provide.

**The water quality monitoring station will be removed.**

62. Sheet ECP3 calls out the gravel ingress/egress but there is no hatching that matches the legend on the same page. What dimensions should the ingress/egress area be?

**Gravel ingress/egress will be updated. Plan Sheet ECP3 will be revised.**

63. Bid item 202.8001 is for removal of signs; there are no call outs on the plans. Please verify.

**Item 202.8001 is to remove park signs and hotel signs. See Plan Sheets DP1 and RPK11.**

64. Sheet RP4 calls out a Grade Adjustment Wall; there is also a detail on sheet T8. Where should this be paid under?

**The grade adjustment wall shall be incidental to the Concrete Sidewalk item.**



65. Sheet RPK3 calls out New Type 4A Concrete Barrier. Please provide a detail as there is no Type 4A Concrete Barrier in the HDOT standard plans.

**See HDOT Standard Plans for details.**

66. Where should the new type 4A concrete barrier be paid under?

**An item will be added to the Proposal Schedule.**

67. Sheet RPK3 calls out TL-3 rated crash barrier attenuator, where should this be paid under?

**An item will be added to the Proposal Schedule.**

68. We would like to request a 2 week postponement to the bid date.

**New bid opening date will be December 5, 2019.**

69. Please provide locations of Bid Item 507.1001.

**Bid Item 507.1001- Concrete Railing will be removed.**

70. Sheet RPK3, top right corner says "See Structural Plans". Does this refer to the End Post Plan & Details? If so, the guardrail that connects to it does not match what's called out on Sheet RPK3. Please clarify.

**Callouts on Plan Sheet RPK3 will be revised.**

71. Sheet MD1 calls for the rumble strip to be constructed and paid under item No. 615.1000. There is no item 615.1000 on the proposal schedule and no section 615 in the specifications. Can you please provide the specification for the rumble strip and item for which it will be paid under.

**Section 615 will be added to the Special Provisions and an item will be added to the Proposal Schedule.**

72. The entire set is hard to see, we are unable see key features in the background layers that are necessary to accurately price the work. We think that it would help if you could have the engineer issue a vectorized set of drawings. We really need to be able to see the existing background layer on all of the relevant plan sheets.

**Plans will be revised and re-issued.**

73. Additionally, we feel that the scope of work is not adequately called out by annotation in the plan set, here are a few examples:

Removal of Existing Wood/Wire Fencing, there is a bid item but this scope is not called out or shown.

We are not sure about the limits or extents of the Gutter Removal.  
Information related to existing grades is not shown.

**See Plan Sheets RP7 and RP8 for wood/wire fencing. See Plan Sheet DP2 for gutter removal.**

74. Note 4 on sheet 99 states that the Milled Rumble Strip will be paid in Bid Item 615.1000. We did not see this Item in the proposal. Please advise.

**A bid item will be added to the Proposal Schedule.**

75. Bid Item 695.1001 Portable Concrete Barrier per the Specification is paid for by the actual barrier pieces furnished. It would appear that the states quantity is based on the number of pieces actually set with all phases combined. Assuming you would be completing each phase of work prior to moving to the new phase you would not need to furnish 164 EA concrete barriers. We believe the total number of pieces required for purchase would be for Phase 4 – 133 EA. Please consider changing the bid quantity to 133 EA or change the specification to make payment on the actual number of units placed.

**The bid quantity will be revised to assume that each phase of work will be completed prior to moving to the next phase while also allowing flexibility in the Contractor's means and methods when installing and locating portable concrete barriers according to contract documents.**

76. Bid Item 695.2001 Inertial Barrier System per the Specification is paid for by the actual units furnished. It would appear that the states quantity is based on the number of times the units are installed with all phases combined. Assuming you would be completing each phase of work prior to moving to the new phase you would not need to furnish 10 EA inertial barrier systems. We believe the actual number of pieces required for purchase would be for Phase 1 and/or Phase 4 – 4 EA. Please consider changing the bid quantity to 4 EA or change the specification to make payment on the actual number of times the unit is installed.

**The bid quantity will be revised to assume that each phase of work will be completed prior to moving to the next phase while also allowing flexibility in the Contractor's means and methods when installing and locating inertial barrier systems according to contract documents.**

