1		SECTION 301 - HOT MIX ASPHALT BASE COURSE				
2 3	Make t	Make the following amendments to said Sections:				
4 5 6 7	• •	I) Amend Section 301.03(B) Compaction by revising the secon paragraph from lines 84 to 87 to read as follows:				
8 9 10 11	operations to density of not less than 92.0 percent of m specific gravity in accordance with AASHTO T 209, mod		"Compact mixture immediately upon completion of spreadir tions to density of not less than 92.0 percent of maximum theoretic ic gravity in accordance with AASHTO T 209, modified by deletion emental Procedure for Mixtures Containing Porous Aggregate."	al		
13 14 15 16	(II) Amend Section 301.04 Measurement from lines 98 to 100 to read follows:					
17	"301.04	4	Measurement.			
18 19 20 21		(A) with c	The Engineer will measure HMAB course per ton in accordant ontract documents."	Э		
22 23 24 25	` '	(III) Amend Section 301.05 Payment, from lines 102 to 111 to read a follows:				
26 27 28 29	listed b	"301.05 Payment. The Engineer will pay for the accepted pay iten listed below at the contract price per pay unit, as shown in the proposal schedul Payment will be full compensation for the work prescribed in this section and the contract documents.				
30 31 32	The Engineer will pay for one of the following pay items when included in the proposal schedule:					
33 34 35			Pay Item Pay Un	it		
36 37		(A)	Hot Mix Asphalt Base Course To	on		
38 39 40 41			(1) 80% of the contract unit price upon completion of submitting a job-mix formula acceptable to the Engineer; preparing the surface, spreading, and finishing the mixture; and compacting the mixture by rolling;	ne		
12 13 14 15 16			(2) 20% of the contract unit price upon completion of cuttir samples from the compacted pavement for testing; placing ar compacting the sampled area with new material conforming to the surrounding area; protecting the pavement; and final analysis.	nd		

The Engineer may, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMAB compacted below 92.0 percent. The Engineer will make payment for the material in that production day at a reduced price arrived at by multiplying the contract unit price by the pay factor shown in Table 301.05-1.

Table 301.05-1 – Sliding Scale Pay Factor				
Percent Compaction	Percent Payment			
92.0 or greater	100			
90.0 – Less than 92.0	80			
<90.0	Removal			

END OF SECTION 301