2	SECTION 301 - HOT MIX ASPHALT BASE COURSE				
3 4	Make the following amendments to said Sections:				
5 6 7	(I) Amend Section 301.03(B) Compaction by revising the second paragraph from lines 84 to 87 to read as follows:				
8 9 10 11 12 13	operations to density of not less than 92.0 percent of a specific gravity in accordance with AASHTO T 209, make the control of		"Compact mixture immediately upon completion of spreadirations to density of not less than 92.0 percent of maximum theoretical fic gravity in accordance with AASHTO T 209, modified by deletion lemental Procedure for Mixtures Containing Porous Aggregate."	al	
13 14 15 16	(II) A follows:		nd Section 301.04 Measurement from lines 98 to 100 to read a	as	
17	"301.	04	Measurement.		
18 19 20 21	(A) The Engineer will measure HMAB course per ton in accordan with contract documents."				
22232425	(III) follow	(III) Amend Section 301.05 Payment, from lines 102 to 111 to read a follows:			
26 27 28 29 30	"301.05 Payment. The Engineer will pay for the accepted pay ite listed below at the contract price per pay unit, as shown in the proposal schedule Payment will be full compensation for the work prescribed in this section and contract documents.				
31 32	The Engineer will pay for one of the following pay items when include the proposal schedule:			l	
33 34 35			Pay Item Pay Un	nit	
36 37		(A)	Hot Mix Asphalt Base Course To	on	
38 39 40 41			(1) 80% of the contract unit price upon completion of submitting a job-mix formula acceptable to the Engineer; preparing the surface, spreading, and finishing the mixture; and compacting the mixture by rolling;	ne	
42 43 44 45 46			(2) 20% of the contract unit price upon completion of cuttir samples from the compacted pavement for testing; placing ar compacting the sampled area with new material conforming to the surrounding area; protecting the pavement; and final analysis.	nd	

The Engineer may, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMAB compacted below 92.0 percent. The Engineer will make payment for the material in that production day at a reduced price arrived at by multiplying the contract unit price by the pay factor shown in Table 301.05-1.

Table 301.05-1 – Sliding Scale Pay Factor					
Percent Compaction	Percent Payment				
92.0 or greater	100				
90.0 – 91.9	80				
<90.0	Removal				

END OF SECTION 301