1			SECTION 301 – HOT MIX ASPHALT BASE COURSE	HOT MIX ASPHALT BASE COURSE		
2 3 4	Make	Make the following amendments to said Sections:				
5 6 7	(I) parag		nd Section 301.03(B) Compaction by revising the seconom lines 84 to 87 to read as follows:	ond		
8 9 10 11 12		specif	"Compact mixture immediately upon completion of spread ations to density of not less than 92.0 percent of maximum theoreti fic gravity in accordance with AASHTO T 209, modified by deletion lemental Procedure for Mixtures Containing Porous Aggregate."	ical		
13 14 15	(II) Amend Section 301.04 Measurement from lines 98 to 100 to read as follows:					
16 17	"301.0)4	Measurement.			
18 19 20 21 22 23 24 25		(A) with c	The Engineer will measure HMAB course per ton in accordar contract documents."	ıce		
	(III) Amend Section 301.05 Payment, from lines 102 to 111 to read as follows:					
26 27 28 29	listed Paym	"301.05 Payment. The Engineer will pay for the accepted pay items listed below at the contract price per pay unit, as shown in the proposal schedule. Payment will be full compensation for the work prescribed in this section and the contract documents.				
30 31 32	The Engineer will pay for one of the following pay items when included in the proposal schedule:					
33 34 25			Pay Item Pay U	Init		
35 36 37		(A)	Hot Mix Asphalt Base Course T	Γon		
 37 38 39 40 41 42 43 44 45 46 			(1) 80% of the contract unit price upon completion of submitt a job-mix formula acceptable to the Engineer; preparing surface, spreading, and finishing the mixture; and compacting mixture by rolling;	the		
			(2) 20% of the contract unit price upon completion of cutt samples from the compacted pavement for testing; placing a compacting the sampled area with new material conforming to t surrounding area; protecting the pavement; and final analysis.	and		

The Engineer may, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMAB compacted below 92.0 percent. The Engineer will make payment for the material in that production day at a reduced price arrived at by multiplying the contract unit price by the pay factor shown in Table 301.05-1.

53

Table 301.05-1 – Sliding Scale Pay Factor					
Percent Compaction	Percent Payment				
92.0 or greater	100				
90.0 - 91.9	80				
<90.0	Removal				

54

- 55
- 56 57
 - 7

END OF SECTION 301