1		SECTION 301 - HOT MIX ASPHALT BASE COURSE				
2 3 4	Make	Make the following amendments to said Sections:				
5 6 7	(I) Amend <b>Section 301.03(B) Compaction</b> by revising the paragraph from lines 84 to 87 to read as follows:			econd		
8 9 10 11 12 13	operations to density of not less than specific gravity in accordance with A		"Compact mixture immediately upon completion of spreations to density of not less than 92.0 percent of maximum theolific gravity in accordance with AASHTO T 209, modified by delet lemental Procedure for Mixtures Containing Porous Aggregate."	retical tion of		
13 14 15 16	(II) follow		nd <b>Section 301.04 Measurement</b> from lines 98 to 100 to re	ad as		
17 18	"301.0	04	Measurement.			
19 20 21 22		(A) with c	The Engineer will measure HMAB course per ton in accord contract documents."	dance		
23 24 25	(III) Amend <b>Section 301.05</b> Payment, from lines 102 to 111 to read as follows:					
26 27 28 29	<b>"301.05 Payment.</b> The Engineer will pay for the accepted pay items listed below at the contract price per pay unit, as shown in the proposal schedule. Payment will be full compensation for the work prescribed in this section and the contract documents.					
30 31 32	The Engineer will pay for one of the following pay items when included in the proposal schedule:					
33 34 35			Pay Item Pay	y Unit		
36 37		(A)	Hot Mix Asphalt Base Course	Ton		
38 39 40 41	(1) 80% of the contract unit price upon completion of subm a job-mix formula acceptable to the Engineer; preparing surface, spreading, and finishing the mixture; and compacting mixture by rolling;			g the		
42 43 44 45 46			(2) 20% of the contract unit price upon completion of complete from the compacted pavement for testing; placing compacting the sampled area with new material conforming surrounding area; protecting the pavement; and final analysis.	g and to the		

The Engineer may, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMAB compacted below 92.0 percent. The Engineer will make payment for the material in that production day at a reduced price arrived at by multiplying the contract unit price by the pay factor shown in Table 301.05-1.

Table 301.05-1 – Sliding Scale Pay Factor					
Percent Compaction	Percent Payment				
92.0 or greater	100				
90.0 to less than 92.0	80				
<90.0	Removal				

## **END OF SECTION 301**