SHEET NO.	DESCRIPTION								
50.1	INDEX TO STRUCTURAL DRAWINGS								
<i>S0.2</i>	STRUCTURAL GENERAL NOTES								
50.3	SYMBOLS AND ABBREVIATIONS								
50.4	TYPICAL JOINT DETAILS								
<i>S0.5</i>	ADDED REINFORCING DETAILS								
<i>S0.</i> 6	WALER BAR REINFORCING DETAILS								
<i>S1.1</i>	SOIL NAIL WALL PROFILE - MILE POST 13.0 - STA. 0+99.16± TO 2+80								
<i>S2.1</i>	TYPICAL SOIL NAIL WALL SECTION - CONSTRUCTION SEQUENCE								
<i>S2.2</i>	TYPICAL SOIL NAIL WALL SECTION - REINFORCING DETAIL								
<i>S2.3</i>	SOIL NAIL AND CONNECTION PLATE DETAIL								

FED. ROAD DIST. NO. FED. AID PROJ. NO.



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION.

STATE OF HAWAI'I
DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION

# INDEX TO STRUCTURAL DRAWINGS

HANA HIGHWAY

IMPROVEMENTS, PHASE 2A

Huelo to Hana

Project No. 360AB-01-09

ne Date: April 2014

EET No. 501 OF 6 215

Scale: None

SHEET No. SO.1 OF

### 2. <u>Design Specifications:</u>

- (A) AASHTO 2010 LRFD Bridge Design Specifications, Fifth Edition and its subsequent interim specifications with interim supplements and modifications by HDOT.
- (B) HDOT Memorandum "Design Criteria for Bridges and Structures" Dated October 20, 2010.

### 3. <u>Loads:</u>

- (A) Live Load: AASHTO HL-93 Truck Loading
- 0.28 (B) Seismic Loads: Acceleration coefficient Site Class .

#### 4. <u>Materials:</u>

- (A) Shotcrete:
  - (1) Shotcrete for walls shall have a minimum compressive strength at 28 days of 5000 psi and have a maximum 0.45 water to cement ratio and contain 24 oz. per cubic yard of migrating amine carboxylate corrosion inhibiting water-based admixture, Cortec MCI 2005NS or approved equivalent. A shrinkage reducing admixture, such as Eclipse or Master Life SRA 20 or approved equivalent shall be added at a dosage of 128 oz. per cubic yard. Shotcrete shall contain either 7.5 lbs of Strux 85/50 Synthetic Structural Fiber per cubic yard or 13 lbs of Cemfil AntiCrak 67/36 Alkali resistant glass fiber per cubic yard.
  - (2) Temperature of shotcrete shall not exceed 90° F at the point of placement.
  - (3) Shotcrete shall be cured using Sinak Lithium Cure or approved equivalent at a coverage rate of 100 sq. ft. per gallon.
- (B) Soil nail grout shall consist of the following constituents and properties:
  - (1) Portland Cement Type I/II 1 Sack (94 lbs)
  - (2) Potable Water 4 Gallons
  - (3) Meyco Flowcable or Approved Equivalent 3 lbs
  - (4) Cortec MCI 2005 NS or Approved Equivalent 1 oz. Corrosion inhibitor and flowcable shall be added to the mixing water before adding cement.
  - (5) Minimum compressive strength at 28 days of 4000 psi
  - (6) Glenium 3030 or approved equivalent may be used as a high range water reducer for workability as needed.
  - (7) Grout shall be stable (bleed less than 2%) per ASTM C940.
  - (8) Temperature of grout shall not exceed 85° F at the end of the grouting hose coupling to fill tube.
- (C) All reinforcing steel shall be ASTM A 615 Grade 60, deformed bars, unless otherwise noted.
- (D) Reinforcing steel shall be ASTM A 706 deformed bars where welded connections are required.
- (E) All welded wire reinforcing shall conform to ASTM A185 or A497.
- (F) All epoxy coating on the reinforcing steel shall comply with ASTM A-775. Damaged epoxy coating shall be patched using a two-part epoxy repair material, approved by the manufacturer.

# STRUCTURAL GENERAL NOTES

### 4. Materials (Cont.):

- (G) Glass Fiber Reinforced Polymer (GFRP) Rebar
  - (1) GFRP rebar shall have a guaranteed minimum tensile strength in accordance with the following:

Size	f*fu (ksi)					
4	140					
5	160					
6	150					
7	150					
8	140					

- (2) The modulus of elasticity of the GFRP bar shall be a minimum of 8,800,000 psi.
- (3) GFRP bar shall be sand coated.
- (4) Minimum concrete cover for the GFRP bars shall be 3/4" unless otherwise noted.
- (5) Minimum lap splice lengths for the GFRP bars shall be 42 bar diameters unless otherwise noted.
- (6) All GFRP bars shall be securely tied in place using either plastic coated tie wire or nylon zip ties.
- (7) GFRP bars may be cut in the field with a masonry or diamond blade, grinder or fine blade saw.
- (8) All work including materials and bends shall follow manufacturer's recommendations.
- (H) Soil nails shall be Triple Corrosion Protected. Each threaded steel bar shall be ASTM A615-Grade 60 and shall be epoxy coated in accordance with ASTM A-934 and pregrouted in a corrugated PVC or HDPE sheathing. Pregrout shall contain an amine carboxylate corrosion inhibiting water-based admixture, Cortec MCI 2005 NS or approved equivalent Corrosion inhibitor and shall be added at a dose of 24 oz. per cubic yard. Soil nails that are damaged shall either not be used or shall be repaired in accordance with manufacturer's recommendations.
- (J) Bearing plates, nuts, and welded shear connectors
  - (1) Bearing plates: AASHTO M183/ASTM A36
  - (2) Nuts: AASHTO M291, Grade B, Hexagonal, fitted with beveled washers or spherical seat to provide uniform bearing.
  - (3) Shear connectors: AASHTO LFRD Bridge Construction Specifications 3rd Edition Section 11.3.3.1
- (K) All hardware for soil nails, such as plates, nuts, washers, and shear connectors shall be hot-dip galvanized after fabrication.
- (L) Geocomposite Drain Strips shall be Miradrain 6000, Amerdrain 500 or approved equal. Drainstrips shall be taped at edges to prevent shotcrete from entering drain during placement.
- (M) PVC Drain Pipe shall be ASTM 1785 Schedule 40, solid and perforated wall, cell classification 12454-B or 12354-C, wall thickness SDR 35, with solvent weld or elastomeric gasket joints.
- (N) WWR shall be hot-dip galvanized unless otherwise noted.

FED. ROAD FED. AID FISCAL SHEET STATE DIST. NO. PRÓJ. NO. YEAR NO. SHEETS 360AB-01-09 | 2014 | 37 HAW.

### 5. Reinforcing Steel:

- (A) The minimum covering measured from the surface of the shotcrete to the face of reinforcing bars shall be as follows, except as otherwise shown.
  - (1) Shotcrete placed against and permanently exposed to earth = 3".
  - (2) All others unless otherwise noted = 2".
- (B) Reinforcing bars shall be detailed in accordance with the latest edition of the design specification in Note 2 unless otherwise noted.
- (C) Minimum clear spacing between parallel bars shall be 1 1/2 times the diameter of bars (for non bundled bars). In no case shall the clear distance between the bars be less than 1 1/2 times the maximum size of the coarse aggregate or 1 1/2".
- (D) All dimensions relating to reinforcing bars are to centers of bars unless otherwise noted.



THIS WORK WAS PREPARED BY ME

STATE OF HAWAI'I **DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION** 

STRUCTURAL GENERAL NOTES

HANA HIGHWAY IMPROVEMENTS, PHASE 2A

Huelo to Hana Project No. 360AB-01-09


Scale: None

SHEET No. SO.2 OF


37


Date: April 2014 6 SHEETS

			SYMBOLS	AND AL	BBREVIATIONS			FED. ROAD DIST. NO. HAWAII	STATE FED. AID FISCAL SHOWN NO. PROJ.
<b>≢</b>	And	Dbl.	Double	(H)	Hinge	Perf.	Perforated		300712 07 03   2077
ລຸ	At	Det.	Detail	HECO	Hawaiian Electric Company	PI	Point of Intersection	$\mathcal{T}$	Top or Wall Thickness
}	Baseline	DI .	Drain Inlet, Ductile Iron	Horiz., H	Horizontal	, 1	of Tangents	Tan.	Tangent
<del>-</del>	Centerline	Dia.	Diameter	HS	High strength	PIVC	Point of Intersection of	, a,,; T <b></b> \$B	Top and Bottom
· •	Diameter	Diaph.	Diaphragm	Ht.	Height	7 1 0	Vertical Curve	Temp.	Temporary
	Greater Than or Equal to	Diaph. Dim.	•	111.	Heigili	<b>5</b> 7		Thk.	Thick
	Less Than or Equal to	Dini. Dist.	Dimension	I D	Inhound	PL D. F	Plate	TFE	Top of Footing Elevation
	•		Distance	IB	Inbound	PLF	Pounds per Linear Foot		
	Number	Dn.	Down	ID	Inside Diameter	PP	Precast Plank	TOD	Top of Deck
	Plus or Minus	DO DO	Ditto	I.F.	Inside Face	PRC	Point of Reverse Curvature	TOF	Top of Footing
	A / 5 //	DS	Drilled Shaft	In.	Inch	Prestr.	Prestressed	Tot.	Total
	Anchor Bolt	Dwg., Dwgs.	Drawing, Drawings	Int.	Interior	P/S	Prestressed Strands	TOW	Top of Wall Elevation
Abut.	Abutment	Dwls.	Dowels	Inv.	Invert	<i>PSF</i>	Pounds per Square Foot	Transv.	Transverse
<i>IC</i>	Asphaltic Concrete					<i>PSI</i>	Pounds per Square Inch	TS	Structural Tubing
Add.	Additional, Added	E	East	Jt.	Joint	Pt., Pts.	Point, Points	Typ.	Typical
\/ <b>/</b> .	Alternate	(E), Exp.	Expansion			PT	Point of Tangency, Post Tensioned		
Approx.	Approximate	EA, Ea., ea.	Each	K	Kips	PVC	Polyvinyl Chloride	Undergrd.	Underground
Z.	Azimuth	EF	Each Face	KF	Kip Foot			UNO	Unless Noted Otherwise
		EFH	Each Face Horizontal	KLF	Kips Per Linear Foot	Q	Flow Rate		
B, Bot., Bott.	Bottom	EFV	Each Face Vertical	KSF	Kips Per Square Foot			V, Vert.	Vertical
Bal.	Balance	EJ	Expansion Joint	KSI	Kips Per Square Inch	R, Rad.	Radius	Var.	Varies
Bet.	Between	El., Elev.	Elevation			Rdwy.	Roadway	VC	Vertical Curve
	Both Faces, Back Face	Elec.	Electrical	1	Length	Rebar	Reinforcing Bar		
	Bottom of Footing Elevation	EMH	Electrical Manhole	Ih Ihs IRS	. Pound, Pounds	Ref.	Reference	W	West
3k.	Back	Emb.	Embankment	•	Linear Feet/Foot	Reinf.	Reinforced, Reinforcing,	w/	With
3/t.	Bolt Solt	Embed.	Embedded, Embedment	•	Longitudinal		Reinforcement	W/C	Water/Cement Ratio
3m.	Beam		•	Longit.	•	Reg'd.	Required	WP	Warer/Cement Name Work Point, Working Point
		EP C	Edge of Pavement	LS	Lump Sum	Ret.	Retaining		,
	Bottom of Footing	EPS	Expanded Polystyrene	Ltg. Std.	Lighting Standard	RF	Rear Face	WS	Water Surface
Br.	Bridge	Eq.	Equal					WW	Wing Wall
• •	Bearing, Bearings	Est.	Estimated	M	Modified	A/W, AUW	Right of Way	WWR	Welded Wire Reinforcemen
	Beginning of Vertical Curve	EVC	End of Vertical Curve	Max.	Maximum	C	Courth		
3W	Both Ways	EW _	Each Way	Mech.	Mechanical		South Course Drain Manhala	Yr.	Year
		Ex., Exist.	Existing	MH	Manhole	SDMH	Sewer Drain Manhole		
Cant.	Cantilever	Exc.	Excavation	Min.	Minimum	SE	Super Elevation		
:BW	Concrete Barrier Wall	Excl.	Excluding	Misc.	Miscellaneous	Sect.	Section		
CC C	Center to Center	Ext.	Exterior	MPH	Miles Per Hour	SF	Square Feet		
CF .	Cubic Feet					Sht.	Sheet		
CFCW	Continuous Flashing Compound	(F)	Fixed	N	North	Sim.	Similar		
	Waterproofing	FA	Force Account	NF	Near Face	SI.	Slope		
G:G	Center of Gravity	FB	Flat Bar	NIC	Not in Contract	Spc., Spg.	Spaces, Spacing		
	Center to Gravity of Strands	F'c	Specified Strength	No.	Number	Spec.	Specification		JD K. F
`IP	Cast-in-Place	-	of Concrete	NTS	Not to Scale	Sprd.	Spread		LICENSI  PROFESSI  ENGINEI
) J	Control Joint	F'ci	Strength of Concrete at	🔾		SS	Stainless Steel		NO. 810-
:/.	Class		Time of Initial Prestress	0B	Outbound	Sta.	Station		TAMA
i. Ir.	Clearance	FF	Far Face. Front Face	<i>0</i> C	On Center	Stagg.	Staggered		11,
	Controlled Low Strength	Fig.	Figure	OD	Outside Diameter	Std.	Standard		THIS WORK WAS PRI
LUIVI	Material	Fin. Gr.	Finish Grade	0.F.	Outside Diameier Outside Face	Stiff.	Stiffener		OR UNDER MY SI
0		FRP	Fiber Reinforced Plastic			Stirr.	Stirrup		Sand K. Fyrano
	Clean Out			OG	Outside Girder, Outbound	Stl.	Steel	-	KSF, INC.
ol.	Concrete	Ft.	Feet, Foot	01-	Girder		Straight		STATE OF HAWAI'I
Onc.	Concrete	Ftg.	Footing	Opn'g	Opening	Struct	•		DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION
Conn.	Connection	f* fu	Min. Guaranteed Tensile	0/5	Offset	Struct.	Structure Square Yard	CV	
Const.	Construction		Strength of GFRP		5 44 5	SY	Square Yard	31/1	<u>MBOLS AND ABBREVIAT</u>
Const. Jt.	Construction Joint	Ga.	Gage, Gauge	PB i	Pull Box	Symm.	Symmetrical		HANA HIGHWAY
ont.	Continuous	Galv.	Galvanized	P(e)	Effective Prestressing Force				<u>MANA MIGHWAI</u> IMPROVEMENTS, PHASE 2
CSL	Cross Hole Sonic Loggin	<i>GFRP</i>	Glass Fiber Reinforced Polymer	PC I	Point of Curvature				Huelo to Hana
	Cubic Yard	Gr.	Grade	PCC I	Portland Cement Concrete				Project No. 360AB-01-09
•		Grd.	Ground		Pounds per Cubic Foot			Scale:	None Date: Api
		- · <del>- ·</del>		•	•			1	



FED. ROAD DIST. NO. FISCAL YEAR FED. AID PROJ. NO. SHEET NO. TOTAL SHEETS STATE 360AB-01-09 2014 40





ADDED REINFORCING AT WEEPHOLES Scale: 1" = 1'-0'





THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION.


STATE OF HAWAI'I DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION


## ADDED REINFORCING DETAILS

<u>HANA HIGHWAY</u> IMPROVEMENTS, PHASE 2A <u>Huelo to Hana</u> Project No. 360AB-01-09

Scale: As Noted Date: April 2014

SHEET No. S0.5 OF 6 SHEETS






TYPICAL WALER BAR DETAIL

Scale: 3/4" = 1'-0"

Soe Soe



APRIL 30, 2016 LIC. EXP. DATE

STATE OF HAWAI'I
DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION

WALER BAR REINFORCING DETAIL

<u>HANA HIGHWAY</u>

<u>IMPROVEMENTS, PHASE 2A</u>


<u>Huelo to Hana</u>


<u>Project No. 360AB-01-09</u>

Scale: As Noted Date: April

Date: April 2014


SHEET No. S0.6 OF 6 SHEETS






SECTION - LIFT 2 B

Scale: 1/2" = 1'-0"



### CONSTRUCTION SEQUENCE:

- Excavate to Required 1st Lift
- Drill, Install, and Grout 1st Row of Soil Nails; Run any necessary Performance/Proof Tests.
- Install Geocomposite Drain Strips, Place Reinforcing, and Apply Lift 1 Initial Shotcrete Facing.
- Install Studded Connection Plates on 1st Row.
- Excavate to Required 2nd Lift
- Drill, Install, and Grout 2nd Row of Soil Nails; Run any necessary Performance/Proof Tests.
- Extend Geocomposite Drain Strips to Bottom of Weepholes, Place Reinforcing, Install PVC Weepholes, and Apply Lift 2 Initial Shotcrete Facing.
- Install Studded Connection Plates on 2nd Row.
- Place Reinforcing and Apply Final Shotcrete Wall Facing.
- Regrade Soil at Makai Face of Wall and Lay Erosion Control Matting.
- Lay HMA Pavement and Then Install Metal Guardrail.



STATE OF HAWAI'I **DEPARTMENT OF TRANSPORTATION** TYPICAL SOIL NAIL WALL SECTION CONSTRUCTION SEQUENCE


HANA HIGHWAY IMPROVEMENTS, PHASE 2A Huelo to Hana

Project No. 360AB-01-09 Scale: As Noted Date: April 2014

SHEET No. S2.1 OF 3 SHEETS

FED. ROAD DIST. NO. FISCAL SHEET YEAR NO. FED. AID PROJ. NO. STATE 360AB-01-09 | 2014 | 44 HAW. *Notes:* 1. Inside of Sculptured Facing is interpreted as being the point of the greatest groove depth in the relief carving. Wall thickness may be greater in some areas to provide an uneven natural rock look. 2. WWR shall be hot-dip galvanized. - Erosion Control Matting STATE OF HAWAI'I
DEPARTMENT OF TRANSPORTATION TYPICAL SOIL NAIL WALL SECTION REINFORCING DETAIL <u>HANA HIGHWAY</u> <u>IMPROVEMENTS, PHASE 2A</u> Huelo to Hana Project No. 360AB-01-09

Scale: As Noted



SHEET No. S2.2 OF 3 SHEETS

Date: April 2014

