| SITE 1 (M.P. 64.8) PROPOSAL SCHEDULE | | | | | |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------|------|---------------|-------------|
| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
| 209.1100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ |
| 209.1200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 1,000.00 |
| 401.1100 | Hot Mix Asphalt Pavement, Mix No. IV | 220 | Ton | \$ | \$ |
| 415.1110 | Cold Planing | 600 | S.Y. | \$ | \$ |
| 629.1111 | 4-Inch Pavement Striping, White (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ |
| 629.1114 | Double 4-Inch Pavement Striping, Yellow (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ |
| 629.1230 | Type "C" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 629.1240 | Type "D" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 645.1100 | Traffic Control | L.S. | L.S. | L.S. | \$ |
| 645.1200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.A. | \$ 5,000.00 |
| 648.1100 | Field-Posted Drawings | L.S. | L.S. | L.S. | \$ |
| 699.1100 | Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. | L.S. | L.S. | \$ |
| ED 15(00) | SUM OF ALL ITEMS (SITE NO. 1, M.P. 64.8) | n | | \$ | |

ER-15(20) 8/31/11

| SITE 2 (M.P. 71.6) PROPOSAL SCHEDULE | | | | | |
|--------------------------------------|-----------------------------------------------------------------------------------|---------|------|---------------|-------------|
| ITEM NO. | ITEM | APPROX. | UNIT | UNIT PRICE | AMOUNT |
| 209.2100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ |
| 209.2200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 1,000.00 |
| 401.2100 | Hot Mix Asphalt Pavement, Mix No. IV | 200 | Ton | \$ | \$ |
| 401.2504 | Shoulder Rumble Strip (Milled) | 500 | LF | \$ | \$ |
| 415.2110 | Cold Planing | 1,620 | S.Y. | \$ | \$ |
| 629.2111 | 4-Inch Pavement Striping, White, Yellow (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ |
| 629.2114 | Double 4-Inch Pavement Striping, Yellow (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ |
| 629.2230 | Type "C" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 629.2240 | Type "D" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 629.2250 | Type "H" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 629.2260 | Type "J" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 645.2100 | Traffic Control | L.S. | L.S. | L.S. | \$ |
| 645.2200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.A. | \$ 5,000.00 |

ER-15(20)

8/31/11 P-9

| SITE 2 (M.P. 71.6) PROPOSAL SCHEDULE | | | | | |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------|---------------|--------|
| ITEM NO. | ITEM | APPROX. | UNIT | UNIT PRICE | AMOUNT |
| 648.2100 699.2100 | Field-Posted Drawings Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. L.S. | L.S. | L.S. L.S. | \$ |
| | , | | | | |

| SUM OF ALL ITEMS | (SITE NO. | 2, M.P. | 71.6) |
|------------------|-----------|---------|-------|
|------------------|-----------|---------|-------|

| SITE 3 (M.F | SITE 3 (M.P. 73.3) PROPOSAL SCHEDULE | | | | | |
|-------------|--------------------------------------------------------------------------------------------------------------------------|------------------|------|---------------|-------------|--|
| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT | |
| 209.3100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ | |
| 209.3200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 1,000.00 | |
| 508.3100 | Cement Rubble Masonry Repairs | L.S. | L.S. | L.S. | \$ | |
| 645.3100 | Traffic Control | L.S. | L.S. | L.S. | \$ | |
| 648.3100 | Field-Posted Drawings | L.S. | L.S. | L.S. | \$ | |
| 699.3100 | Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. | L.S. | L.S. | \$ | |

SUM OF ALL ITEMS (SITE NO. 3, M.P. 73.3)

| \$ | | | |
|----|--|--|--|
| Ψ | | | |

| SITE 4 (M P | SITE 4 (M.P.117.6) PROPOSAL SCHEDULE | | | | | |
|-------------|--------------------------------------------------------------------------------------------------------------------------|----------|------|-------|--------------|--|
| | | APPROX. | | UNIT | **** | |
| ITEM NO. | ITEM | QUANTITY | UNIT | PRICE | AMOUNT | |
| 209.4100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ | |
| 209.4200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 1,000.00 | |
| 401.4100 | Hot Mix Asphalt Pavement, Mix No. IV | 13 | Ton | \$ | \$ | |
| 612.4110 | Grouted Rubble Paving | 50 | S.Y. | \$ | \$ | |
| 629.4111 | 4-Inch Pavement Striping, White (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ | |
| 629.4230 | Type "C" Pavement Marker | L.S. | L.S. | L.S. | \$ | |
| 645.4100 | Traffic Control | L.S. | L.S. | L.S. | \$ | |
| 645.4200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.Á. | \$ 10,000.00 | |
| 648.4100 | Field-Posted Drawings | L.S. | L.S. | L.S. | \$ | |
| 699.4100 | Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. | L.S. | L.S. | \$ | |

\$ _____

| SITE 5 (M.P. | SITE 5 (M.P. 114.1) PROPOSAL SCHEDULE | | | | | |
|--------------|-----------------------------------------------------------------------------------|----------|-------|----------|--------------|--|
| ITEM NO | ITEM | APPROX. | LINIT | UNIT | ANACHINIT | |
| ITEM NO. | ITEM | QUANTITY | UNIT | PRICE | AMOUNT | |
| 201.5100 | Clearing and Grubbing | L.S. | L.S. | L.S. | \$ | |
| 202.5100 | Removal of Concrete Barriers | L.S. | L.S. | L.S. | \$ | |
| 206.5100 | Excavation for Grouted Rubble Paving | 30 | C.Y. | \$ | \$ | |
| 209.5100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ | |
| 209.5200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 10,000.00 | |
| 401.5100 | Hot Mix Asphalt Pavement, Mix No. IV (Driveway) | 30 | Ton | \$ | \$ | |
| 612.5110 | Grouted Rubble Paving | 1,450 | S.Y. | \$ | \$ | |
| 612.5120 | Bed for Grouted Rubble Paving | L.S. | L.S. | L.S. | \$ | |
| 629.5111 | 4-Inch Pavement Striping, White (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ | |
| 629.5230 | Type "C" Pavement Marker | L.S. | L.S. | L.S. | \$ | |
| 645.5100 | Traffic Control | L.S. | L.S. | L.S. | \$ | |
| 645.5200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.A. | \$ 10,000.00 | |
| 648.5100 | Field-Posted Drawings | L.S. | L.S. | L.S. | \$ | |
| ED 15(20) | | <u> </u> | | <u> </u> | 1 | |

ER-15(20)

8/31/11

| SITE 5 (M.F | SITE 5 (M.P. 114.1) PROPOSAL SCHEDULE | | | | |
|-------------|--------------------------------------------------------------------------------------------------------------------------|------------------|------|---------------|--------|
| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
| 699.5100 | Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. | L.S. | L.S. | \$ |

| SUM OF ALL ITEMS (| SITE NO. 5, | M.P. 114.1) |
|--------------------|-------------|-------------|
|--------------------|-------------|-------------|

| \$ <u>.</u> |
|----------------|
| |

| SITE 6 (M.P. 108.9) PROPOSAL SCHEDULE | | | | | | | | |
|---------------------------------------|-----------------------------------------------------------------------------------|----------|------|-------|--------------|--|--|--|
| | | APPROX. | | UNIT | | | | |
| ITEM NO. | ITEM | QUANTITY | UNIT | PRICE | AMOUNT | | | |
| 205.6100 | Structure Excavation for Slopewall Footing | 12 | C.Y. | \$ | \$ | | | |
| 209.6100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ | | | |
| 209.6200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 1,000.00 | | | |
| 401.6200 | Hot Mix Asphalt Pavement, Mix No. V (Shoulder Repair) | 10 | Ton | \$ | \$ | | | |
| 503.6100 | Concrete for Slopewall Footing | L.S. | L.S. | L.S. | \$ | | | |
| 503.6200 | Concrete for Slopewall Cap | L.S. | L.S. | L.S. | \$ | | | |
| 628.6100 | Shotcrete for Slopewall | L.S. | L.S. | L.S. | \$ | | | |
| 629.6111 | 4-Inch Pavement Striping, White (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ | | | |
| 629.6230 | Type "C" Pavement Marker | L.S. | L.S. | L.S. | \$ | | | |
| 645.6100 | Traffic Control | L.S. | L.S. | L.S. | \$ | | | |
| 645.6200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.A. | \$ 10,000.00 | | | |
| 648.6100 | Field-Posted Drawings | L.S. | L.S. | L.S. | \$ | | | |
| ED 15(00) | | | | | | | | |

ER-15(20) 8/31/11 P-15

| SITE 6 (M.F | PROPOSAL SCHE | DULE | | | |
|-------------|--------------------------------------------------------------------------------------------------------------------------|---------------------|------|---------------|--------|
| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
| 699.6100 | Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. | L.S. | L.S. | \$ |

| SUM OF ALL | ITEMS (| SITE NO. | 6, | M.P. | 108.9) | |
|------------|---------|----------|----|------|--------|--|
|------------|---------|----------|----|------|--------|--|

| \$ | | | | |
|----|--|--|--|--|
|----|--|--|--|--|

| SITE 7 (M.P. 108.8) PROPOSAL SCHEDULE | | | | | | | | |
|---------------------------------------|--------------------------------------------------------------|----------|-------|---------------|--------------|--|--|--|
| ITEM NO. | ITEM | APPROX. | UNIT | UNIT PRICE | AMOUNT | | | |
| TI LIVI IVO. | T I LIVI | GOARTITI | Oldii | THIOL | AMOON | | | |
| 201.7100 | Clearing and Grubbing | L.S. | L.S. | L.S. | \$ | | | |
| 205.7100 | Structure Excavation for Slopewall Footing | 56 | C.Y. | \$ | \$ | | | |
| 209.7100 | Installation, Maintenance, Monitoring, and Removal of BMP | L.S. | L.S. | L.S. | \$ | | | |
| 209.7200 | Additional Water Pollution, Dust, and Erosion Control | F.A. | F.A. | F.A. | \$ 10,000.00 | | | |
| 401.7200 | Hot Mix Asphalt Pavement, Mix No. V (Shoulder Repair) | 12 | Ton | \$ | \$ | | | |
| 401.7300 | Hot Mix Asphalt Pavement, Mix No. V (Paving Under Guardrail) | 30 | Ton | \$ | \$ | | | |
| 503.7100 | Concrete for Slopewall Footing | L.S. | L.S. | L.S. | \$ | | | |
| 503.7200 | Concrete for Slopewall Cap | L.S. | L.S. | L.S. | \$ | | | |
| 606.7110 | Guardrail Type Strong Post W-Beam (8' Post) | 438 | L.F. | \$ | \$ | | | |
| 606.7115 | Guardrail Type Strong Post W-Beam (6' Post) | 88 | L.F. | \$ | \$ | | | |
| 606.7120 | Terminal Section, Type Modified G | L.S. | L.S. | L.S. | \$ | | | |
| 628.7100 | Shotcrete for Slopewall | L.S. | L.S. | L.S. | \$ | | | |
| 629.7111 | 4-Inch Pavement Striping, White (Thermoplastic Extrusion) | L.S. | L.S. | L.S. | \$ | | | |
| ED 15(20) | | | | | | | | |

ER-15(20)

8/31/11

| SITE 7 (M.P. | 108.8) PROPOSAL SCHE | DULE | | | |
|--------------|--------------------------------------------------------------------------------------------------------------------------|------------------|------|---------------|--------------|
| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
| 629.7230 | Type "C" Pavement Marker | L.S. | L.S. | L.S. | \$ |
| 645.7100 | Traffic Control | L.S. | L.S. | L.S. | \$ |
| 645.7200 | Additional Police Officers, Additional Traffic Control Devices, and Advertisement | F.A. | F.A. | F.A. | \$ 10,000.00 |
| 648.7100 | Field-Posted Drawings | L.S. | L.S. | L.S. | \$ |
| 699.7100 | Mobilization (Not to exceed 10 percent of the sum of all items excluding bid price of this item and force account items) | L.S. | L.S. | L.S. | \$ |

| SUM | OF | ALL | ITEMS | (SITE | NO. | 7, | M.P. | 108.8) |
|-----|----|-----|-------|-------|-----|----|------|--------|
| | | | | | | | | |

| \$ | |
|----|--|
| | |

| OITE | | SAL SCHEDULE SI | |
|---------------|-------|-----------------|------------------|
| SITE | ROUTE | MILEPOST | SUM OF ALL ITEMS |
| 1 | 19 | 64.8 | \$ |
| 2 | 19 | 71.6 | \$ |
| 3 | 19 | 73.3 | \$ |
| 4 | 11 | 117.6 | \$ |
| 5 | 11 - | 114.1 | \$ |
| 6 | 11 | 108.9 | \$ |
| 7 | 11 | 108.8 | \$ |
| SUM OF ALL IT | EMS | | \$ |

| All bluders i | nust IIII | III D | anu | COMP | лете | C |
|---------------|-----------|-------|-----|------|------|---|
| | | | | | | |
| | | | | | | |

c. Amount for Comparison of Bids (a + b)

PROPOSAL SCHEDULE

The bidder is directed to Subsection 105.16 – Subcontracts.

The bidder's attention is directed to Sections 696 - Field Office and Project Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Section 717 – Cullet and Cullet-Made Materials regarding recycling of waste glass.

INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS FOR FOREIGN STEEL

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Steel and Iron Construction Material.