	PROPOSAL SCHEDULE – AREA 1						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$	\$		
401.0300	1-1/2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$	\$		
401.0410	1-1/2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$	\$		
401.0700	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00		
404.0100	Slurry Seal, Type II	30,000	SY	\$	\$		
404.0200	Slurry Seal, Type III	30,000	SY	\$	\$		
408.0100	Crack Sealing – Less than 1/2"	2,000	LF	\$	\$		
408.0200	Crack Sealing – 1/2" to 1"	1,500	LF	\$	\$		
413.0110	Cold Planing of Weakened Pavement Areas	10,000	SY	\$	\$		
415.0100	Cold Planing	30,000	SY	\$	\$		
416.0150	Scarify Existing Pavement	30,000	SY	\$	\$		

	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
Cut	Cores in Existing Pavement	5	Each	\$	\$
Adju	sting Manhole Cast Iron Frame and Cover	20	Each	\$	\$
Vehi	cular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$ 15,000.0
Loop	Detector Sensing Unit	25	Each	\$	\$
Elec	tronic Message Board (per day)	2	Each	\$. \$
a.	Total of All Items (Area 1)				\$
b.					\$
C.	Sum of All Items – Area 1 (a + b)				\$
l bidde	ers must fill in b and complete c.				
	Adju Vehi Loop Elec a. b.	b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25%)	Cut Cores in Existing Pavement 5 Adjusting Manhole Cast Iron Frame and Cover 20 Vehicular Counting and Classification System Sensor Replacement F.A. Loop Detector Sensing Unit 25 Electronic Message Board (per day) 2 a. Total of All Items (Area 1) b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) c. Sum of All Items – Area 1 (a + b)	Cut Cores in Existing Pavement 5 Each Adjusting Manhole Cast Iron Frame and Cover 20 Each Vehicular Counting and Classification System Sensor Replacement F.A. F.A. Loop Detector Sensing Unit 25 Each Electronic Message Board (per day) 2 Each a. Total of All Items (Area 1) b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) c. Sum of All Items – Area 1 (a + b)	Cut Cores in Existing Pavement Adjusting Manhole Cast Iron Frame and Cover Vehicular Counting and Classification System Sensor Replacement F.A. F.A. F.A. F.A. Each F.A. F.A. F.A. F.A. Each F.A. F.A. F.A. Each F.A. F.A. F.A. Each F.A. F.A. Each F.A. Each F.A. F.A. Each Sum of All Items (Area 1) Each Sum of All Items – Area 1 (a + b)

	PROPOSAL SCHEDULE – AREA 2						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$	\$		
401.0300	1-1/2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$	\$		
401.0410	1-1/2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$	\$		
401.0700	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00		
404.0100	Slurry Seal, Type II	30,000	SY	\$	\$		
404.0200	Slurry Seal, Type III	30,000	SY	\$	\$		
408.0100	Crack Sealing – Less than 1/2"	2,000	LF	\$	\$		
408.0200	Crack Sealing – 1/2" to 1"	1,500	LF	\$	\$		
413.0110	Cold Planing of Weakened Pavement Areas	10,000	SY	\$	\$		
415.0100	Cold Planing	30,000	SY	\$	\$		
416.0150	Scarify Existing Pavement	30,000	SY	\$	\$		

Cut Cores in Existing Pavement Adjusting Manhole Cast Iron Frame and Cover	5	Each	\$	
Adjusting Manhole Cast Iron Frame and Cover			T	. \$
	20	Each	\$	\$
Vehicular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$_15,000.0
_oop Detector Sensing Unit	50	Each	\$	\$
Electronic Message Board (per day)	2	Each	\$	\$
a. Total of All Items (Area 2)				\$
				\$
Sum of All Items – Area 2 (a + b)				\$
pidders must fill in b and complete c.				
a. D.	Total of All Items (Area 2) Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in 25% Sum of All Items – Area 2 (a + b)	lectronic Message Board (per day) Total of All Items (Area 2) Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) Sum of All Items – Area 2 (a + b) dders must fill in b and complete c.	Total of All Items (Area 2) Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) Sum of All Items – Area 2 (a + b) dders must fill in b and complete c.	Total of All Items (Area 2) Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) Sum of All Items – Area 2 (a + b)

	PROPOSAL SCHEDULE – AREA 3						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$	\$		
401.0300	1-1/2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$	\$		
401.0410	1-1/2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$	\$		
401.0700	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00		
404.0100	Slurry Seal, Type II	30,000	SY	\$	\$		
404.0200	Slurry Seal, Type III	30,000	SY	\$	\$		
408.0100	Crack Sealing – Less than 1/2"	2,000	LF	\$	\$		
408.0200	Crack Sealing – 1/2" to 1"	1,500	LF	\$	\$		
413.0110	Cold Planing of Weakened Pavement Areas	10,000	SY	\$	\$		
415.0100	Cold Planing	30,000	SY	\$	\$		
416.0150	Scarify Existing Pavement	30,000	SY	\$	\$		

ITEM NO.		ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
417.1000	Cut	Cores in Existing Pavement	5	Each	\$	\$
604.0100	Adju	sting Manhole Cast Iron Frame and Cover	20	Each	\$	\$
621.0100	Vehi	icular Counting and Classification System Sensor Replacement	F.A.	F.A.	F.A.	\$ <u>15,000.0</u>
623.0100	Loop	Detector Sensing Unit	25	Each	\$	\$
645.1000	Elec	tronic Message Board (per day)	2	Each	\$	\$
	a.	Total of All Items (Area 3)				\$
	b.	Either Furnish Foreign Steel Not to Exceed Minimal Amount (Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25%)				\$
	C.	Sum of All Items – Area 3 (a + b)				\$
А	ll bidde	ers must fill in b and complete c.				
	.ll bidde					\$_

	PROPOSAL SCHEDULE – AREA 4						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
401.0100	HMA Pavement, Mix No. V Leveling	500	Ton	\$	\$		
401.0300	1-1/2 Inch HMA Pavement Overlay, Mix No. IV	3,600	Ton	\$	\$		
401.0410	1-1/2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0420	2 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0510	3 Inch HMA Pavement, Mix No. IV	30,000	SY	\$	\$		
401.0610	4 Inch HMA Pavement, Mix No. IV	10,000	SY	\$	\$		
401.0700	Overtime Labor Premium	F.A.	F.A.	F.A.	\$ 5,000.00		
404.0100	Slurry Seal, Type II	30,000	SY	\$	\$		
404.0200	Slurry Seal, Type III	30,000	SY	\$	\$		
408.0100	Crack Sealing – Less than 1/2"	2,000	LF	\$	\$		
408.0200	Crack Sealing – 1/2" to 1"	1,500	LF	\$	\$		
413.0110	Cold Planing of Weakened Pavement Areas	10,000	SY	\$	\$		
415.0100	Cold Planing	30,000	SY	\$	\$		
416.0150	Scarify Existing Pavement	30,000	SY	\$	\$		

APPROX. UNIT UNIT QUANTITY PRICE		AMOUN'
5 Each \$	es in Existing Pavement 5 Each \$	_ \$
d Cover 20 Each \$	g Manhole Cast Iron Frame and Cover 20 Each \$	_
System Sensor Replacement F.A. F.A. F.A.	ar Counting and Classification System Sensor Replacement F.A. F.A. F	\$ <u>15,000.0</u>
50 Each \$	etector Sensing Unit 50 Each \$	_
2 Each \$	nic Message Board (per day) 2 Each \$	_
	otal of All Items (Area 4)	\$
	either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a)	\$
)	Sum of All Items – Area 4 (a + b)	\$
	must fill in b and complete c.	
)	sum of All Items – Area 4 (a + b)	\$ <u>-</u>

PROPOSAL SUMMARY

	AMOUNT
SUM OF ALL ITEMS – AREA 1	\$
SUM OF ALL ITEMS – AREA 2	\$
SUM OF ALL ITEMS – AREA 3	\$
SUM OF ALL ITEMS – AREA 4	\$

The "SUM OF ALL ITEMS" for each area will be used to determine the lowest responsible bidder for each area.

Notes:

1. Bid prices are for travel time, mileage and furnishing all labor, tools, traffic controls, all applicable taxes, fees and equipment necessary for all work shown and called for in accordance with the true intent and meaning of the specifications.

2. Bidder may bid on any or all areas. To be considered, bidder must submit a bid for all items within an area. Separate contracts will be awarded for each area. If a bidder is determined the lowest bidder for multiple areas, those multiple areas will be awarded under one combined contract.

3. Any contract which is awarded shall be an open-ended contract since the exact value of work to be performed during the contract period cannot be determined beforehand. For each work order, the Contractor will be paid per unit price for each item that the Contractor performs.

4. The "Approx. Quantity" on the proposal schedule is for bidding purposes only, and this is no guarantee of the quantity of work that will be issued.

The bidder is directed to Subsection 105.16 – Subcontracts.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Section 717 – Cullet and Cullet-Made Materials regarding recycling of waste glass.