PROPOSAL SCHEDULE – Area 1 (East Side)						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
401.0100	HMA Mix V Leveling (Less than 150 tons)	1	Ton	\$	\$	
401.0110	HMA Mix V Leveling (Greater than 150 tons)	1	Ton	\$	\$	
401.0410	1-1/2 Inch HMA Pavement, Mix IV (Less than 1,760 SY)	1	SY	\$	\$	
401.0411	1-1/2 Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0412	1-1/2 Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	
401.0413	1-1/2 Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$	
401.0420	2-Inch HMA Pavement, Mix IV (less than 1,760 SY)	1	SY	\$	\$	
401.0421	2-Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0422	2-Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	
401.0423	2-Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$	
401.0510	3 Inch HMA Pavement, Mix IV (Less than 1,760 SY)	1	SY	\$	\$	
401.0520	3 Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0530	3 Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	

P-11

PROPOSAL SCHEDULE – Area 1 (East Side)						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
401.0540	3 Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$	
401.0610	4 Inch HMA Pavement, Mix IV (Less than 1,760 SY)	1	SY	\$	\$	
401.0620	4 Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0630	4 Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	
401.0640	4 Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$	
414.0110	Reconstruction of Weakened Pavement Areas (Less than 250 SY)	1	SY	\$	\$	
414.0120	Reconstruction of Weakened Pavement Areas (251 to 500 SY)	1	SY	\$	\$	
414.0130	Reconstruction of Weakened Pavement Areas (501 to 750 SY)	1	SY	\$	\$	
414.0130	Reconstruction of Weakened Pavement Areas (Over 750 SY)	1	SY	\$	\$	
416.0150	Scarify Existing Pavement	1	SY	\$	\$	
417.1000	Cut Cores in Existing Pavement	1	Each	\$	\$	

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.0100	4" Pavement Striping, Less Than 500 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0110	4" Pavement Striping, Greater Than 500 LF (Thermoplastic Extrusion	1	LF	\$	\$
629.0120	-8" Pavement Striping, Less Than 500 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0130	8" Pavement Striping, Greater Than 500 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0140	12" Pavement Striping, Less Than 200 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0150	12" Pavement Striping, Greater Than 200 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0200	Crosswalk Marking (Thermoplastic Extrusion)	1	Lane	\$	\$
629.0300	Pavement Word (Thermoplastic Extrusion)	1	Each	\$	\$
629.0400	Pavement Arrow (Thermoplastic Extrusion)	1	Each	\$	\$

ITEM NO.	PROPOSAL SCHEDULE – AI				AMOUNT
		QUANTITY			
629.0500	Type A Pavement Marker	1	Each	\$	\$
629.0600	Type J Pavement Marker	1 ~	Each	\$	\$
629.0700	Type C Pavement Marker	1	Each	\$	\$
629.0800	Type D Pavement Marker	1	Each	\$	\$
629.0900	Type H Pavement Marker	1	Each	\$	\$
645.1000	Electronic Message Board	- 1	Day	\$	\$
	Sum of All Items (Area 1 – East Side)				\$
OTE: Bide	ders must complete all unit prices and amounts. Failure to	do so may be gr	ounds for r	ejection of bid.	,

PREFERENCES FOR AREA 2

Bidders agree that preferences shall be taken into consideration to determine the low bidder in accordance with said Sections and the rules promulgated, however, the award of contract will be in the amount of the bid offered exclusive of any preferences.

A. HAWAII PRODUCTS PREFERENCE

It is understood that certain Hawaii Products may be acceptable for use in this project and that, pursuant to Sections 103D-1002, HRS, which provides preference for Hawaii Products, <u>a</u> bidder proposing to use such Hawaii products shall so designate in the schedule provided below.

If a bidder proposes to use Hawaii Products, the bidder must so designate in said schedule by entering the cost of such product in the appropriate space provided. Failure on the part of the bidder to designate the use of Hawaii products will automatically void any preference for that product.

Persons desiring to qualify product(s) not currently on the list, shall complete form SPO-38, *Certification for Hawaii Product Preference* in accordance with the Special Provisions of these specifications.

It is understood by the bidder that if the bidder elects to furnish qualified Hawaii Products, and is awarded the contract, then fails to use such products or meet the requirements of such preference, the bidder shall be subject to the statutory penalties, provided in Section 103D-1002, Hawaii Revised Statute, and such other remedies as may be available to the State.

() Yes, I propose to use Hawaii Products and claim the Hawaii Products Preference. I have filled in the table on the following pages as applicable.

B. APPRENTICESHIP PROGRAMS PREFERENCE

In accordance with ACT 17, SLH 2009 – Apprenticeship Program, a 5% bid adjustment for bidders that are parties to apprenticeship agreements pursuant to Hawaii Revised Statutes (HRS) Section 103-55.6 may be applied to the bidder's price for evaluation purposes

Any bidder seeking this preference must be a party to an apprenticeship agreement registered with the Department of Labor and Industrial Relations at the time the offer is made for each apprenticeable trade the bidder will employ to construct the public works projects for which the offer is being made.

The bidder is responsible for complying with all submission requirements for registration of its apprenticeship program before requesting the preference.

() Yes, I wish to be considered for the Apprenticeship Programs Preference. I have included Certification Form(s) 1 with my bid.

C. RECYCLED PRODUCT PREFERENCE

Recycled product preference shall not apply to this proposal.

DESIGNATION OF APPROVED HAWAII PRODUCTS* TO BE USED *CONSTRUCTION PRODUCTS AND SOIL AMENDMENTS/PRODUCTS

Product Category	Product Subcategory as applicable	Manufacturer	Cost FOB Jobsite, Unloaded Including Applicable General Excise & Use Taxes (a)	10% (b)	Credit (a) x (b)
Aggregates – Basaltic Termite Barrier		Ameron International Corporation (Oahu)(Maui)	\$		\$
Aggregates and Sand – Basalt, Rock, Cinder, Limestone and Coral		Ameron International Corporation (Oahu)(Maui)CTS Earthmoving, Inc. (Hawaii)Delta Construction Corporation (Oahu)Edwin Deluz Trucking & Gravel LLC (Hawaii)Goodfellow Bros, Inc. (Oahu)Grace Pacific (Oahu) (Hawaii) (Kauai)GW Construction (Hawaii)Hawaiian Cement (Oahu) (Maui)Jas. W. Glover, Ltd. (Hawaii) (Kauai)Kauai Aggregates (Kauai)Puna Rock Co., LTD. (Hawaii)Sanford's Service Center, Inc. (Hawaii)Sphere, LLC (Oahu)Tileco, Inc. (Oahu) (Hawaii) (Maui) (Kauai)Tri-L Construction, Inc. (Molokai)West Hawaii Concrete (Hawaii)Yamada and Sons, Inc. (Hawaii)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Aggregates – Recycled Asphalt and Concrete		Glover Honsador (Kauai) Grace Pacific (Oahu) Jas. W. Glover, Ltd. (Hawaii) (Oahu) West Oahu Aggregate Co. Inc. (Oahu)	\$ \$ \$ \$		\$ \$ \$ \$

		Ala Imua LLC (Oahu)	\$	 \$
		Black Maui Rose LLC (Maui)	\$	\$
		Black Plumeria LLC (Oahu)	\$	\$
		Grace Pacific Corporation (Hawaii) (Oahu)	Ψ	Ψ
		(Kauai)	\$	\$
		Jas. W. Glover, Ltd. (Hawaii) (Kauai)	\$	¢
Asphalt and Paving Materials		Maui Asphalt X-IV, LLC (Maui) (Molokai)	\$	¢
rispilate and r aving traterials		Maui Paving LLC (Maui) (Molokai)	\$	\$
		Road and Highway Builders (Oahu)	\$	\$
			- D	<u></u>
		Walker-Moody Pavement Products &	¢	¢
		Equipment (Oahu) (Hawaii) (Maui) (Kauai)	\$	\$
		Yamada and Sons, Inc. dba YS Rock and	¢	¢
		Con-Agg of Hawaii (Hawaii)	\$	 <u> </u>
		Ameron International Corporation (Oahu) (Maui)	¢	¢
			\$	¢
-		BOMAT, Ltd. (Oahu)(Hawaii)(Maui)(Kauai)		\$
		Glover Honsador (Kauai)	\$	\$
		Hawaii Precast, Inc.	¢	¢
	· · ·	(Oahu)(Maui)(Hawaii)(Kauai)(Molokai)	\$	\$
Cement and Concrete Products		Hawaiian Cement (Oahu)(Maui)	\$	\$
		Island Ready Mix Concrete, Inc. (Oahu)	\$	\$
		Jas. W. Glover, Ltd. (Hawaii)(Kauai)	\$	\$
		Kohala Coast Concrete & Precast LLC		
	2	(Hawaii)	\$	\$
		Tri-L Construction, Inc. (Molokai)	\$	\$
		O. Thronas, Inc. (Kauai)	\$	\$
		Tileco, Inc. (Oahu)(Hawaii)(Maui)(Kauai)	\$	\$
		West Hawaii Concrete (Hawaii)	\$	\$
		Yamada and Sons, Inc. (Hawaii)	\$	 \$

		Aloha Precast, Inc.	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
		Ameron International Corporation (Oahu)	\$ \$
		GPRM Prestress LLC	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Precast Concrete Products		Hawaii Concrete Products, Inc. (Oahu)	\$ \$
Frecast Concrete Froducts		Kohala Coast Concrete & Precast LLC	
		(Hawaii)	\$ \$
		Ramtek Fabrication Co., Inc.	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
		Walker Industries, Ltd.	
)	(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
		Environmental Waste Management Systems,	
Environmental Sewage –		Inc. (Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Treatment Innovative System	Septic Tanks	Ameron International Corporation (Oahu)	\$ \$
(ESIS)		Walker Industries, Ltd.	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Hot Dip Galvanizing		Universal Associates, Inc. (Oahu)	\$ \$
Metal Roofing and Flashing –		HPM Building Supply	
Preformed		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Pipes – Aluminum and Galvanized	Pipes – Misc.	Ameron Internaional Corporation (Oahu)	\$ \$
		Bluewater Marine and Dock Specialties	
Aluminum Floating Dock – Misc.		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Arunnium Proating Dock – Wise.		High Seas Welding LLC dba JS Marine	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
		GP Roadway Solutions, Inc.	
Signs – Traffic, Regulatory &		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Construction		Safety Systems and Signs Hawaii, Inc.	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Veneer		Big Rock Manufacturing	
		(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
		Eko Systems Inc. (Oahu) (Maui)	
		(Hawaii)(Kauai)	\$ \$*
Soil Amendments, Mulch,		Kauai Nursery & Landscaping, Inc.	
Compost	· ·	(Oahu)(Hawaii)(Maui)(Kauai)	\$ \$
Compose		Molokai Seed Co.	
		(Oahu)(Maui)(Hawaii)(Kauai)(Molokai)	\$ \$
		Sanford's Service Center, Inc. (Hawaii)	\$ \$

	EnviroTech BioSolutions Hawaii, Inc. (Oahu)(Hawaii)(Maui)(Kauai)	\$	\$
Compost Filter	Certified Erosion Control Hawaii LLC (Oahu)(Hawaii)(Maui)(Kauai)	\$	\$
	TOTAL	\$	\$

r03/25/2015

PROPOSAL SCHEDULE – Area 2 (West Side)						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
401.0100	HMA Mix V Leveling (Less than 150 tons)	1	Ton	\$	\$	
401.0110	HMA Mix V Leveling (Greater than 150 tons)	1	Ton	\$	\$	
401.0410	1-1/2 Inch HMA Pavement, Mix IV (Less than 1,760 SY)	1	SY	\$	\$	
401.0411	1-1/2 Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0412	1-1/2 Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	
401.0413	1-1/2 Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$	
401.0420	2-Inch HMA Pavement, Mix IV (less than 1,760 SY)	1	SY	\$	\$	
401.0421	2-Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0422	2-Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	
401.0423	2-Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$	
401.0510	3 Inch HMA Pavement, Mix IV (Less than 1,760 SY)	1	SY	\$	\$	
401.0520	3 Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$	
401.0530	3 Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$	

٠

	PROPOSAL SCHEDULE – Are	ea 2 (West	Side)		
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
401.0540	3 Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$
401.0610	4 Inch HMA Pavement, Mix IV (Less than 1,760 SY)	1	SY	\$	\$
401.0620	4 Inch HMA Pavement, Mix IV (1,761 to 5,280 SY)	1	SY	\$	\$
401.0630	4 Inch HMA Pavement, Mix IV (5,281 to 12,320 SY)	1	SY	\$	\$
401.0640	4 Inch HMA Pavement, Mix IV (Over 12,320 SY)	1	SY	\$	\$
414.0110	Reconstruction of Weakened Pavement Areas (Less than 250 SY)	1	SY	\$	\$
414.0120	Reconstruction of Weakened Pavement Areas (251 to 500 SY)	1	SY	\$	\$
414.0130	Reconstruction of Weakened Pavement Areas (501 to 750 SY)	1	SY	\$	\$
414.0130	Reconstruction of Weakened Pavement Areas (Over 750 SY)	1	SY	\$	\$
416.0150	Scarify Existing Pavement	1	SY	\$	\$
417.1000	Cut Cores in Existing Pavement	1	Each	\$	\$

PROPOSAL SCHEDULE – Area 2 (West Side)					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.0100	4" Pavement Striping, Less Than 500 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0110	4" Pavement Striping, Greater Than 500 LF (Thermoplastic Extrusion	1	LF	\$	\$
629.0120	8" Pavement Striping, Less Than 500 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0130	8" Pavement Striping, Greater Than 500 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0140	12" Pavement Striping, Less Than 200 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0150	12" Pavement Striping, Greater Than 200 LF (Thermoplastic Extrusion)	1	LF	\$	\$
629.0200	Crosswalk Marking (Thermoplastic Extrusion)	1	Lane	\$	\$
629.0300	Pavement Word (Thermoplastic Extrusion)	1	Each	\$	\$
629.0400	Pavement Arrow (Thermoplastic Extrusion)	1	Each	\$	\$

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.0500	Type A Pavement Marker	1	Each	\$	\$
629.0600	Type J Pavement Marker	1	Each	\$	\$
629.0700	Type C Pavement Marker	1	Each	\$	\$
629.0800	Type D Pavement Marker	1	Each	\$	\$
629.0900	Type H Pavement Marker	1	Each	\$	\$
645.1000	Electronic Message Board	1	Day	\$	\$
	Sum of All Items (Area 2 – West Side)		•		\$

PROPOSAL SUMMARY

	AMOUNT
SUM OF ALL ITEMS – AREA 1	\$
SUM OF ALL ITEMS – AREA 2	\$

The "SUM OF ALL ITEMS FOR COMPARISON OF BIDS" will determine the lowest responsible bidder.

Notes:

- 1. Bid prices are for travel time, mileage and furnishing all labor, tools, traffic controls, all applicable taxes, fees and equipment necessary for all work shown and called for in accordance with the true intent and meaning of the specifications.
- 2. Bidder may bid on any or all groups. To be considered, bidder must submit a bid for all items within a group. Separate contracts will be awarded for each area. If a bidder is determined the lowest bidder for multiple areas, one combined contract will be awarded.
- 3. Any contract which is awarded shall be an open-ended contract since the exact value of work to be performed during the contract period cannot be determined beforehand. The unit price for each item of work on any particular work order shall be that which corresponds to the quantity of work for that item actually performed for each work order.
- 4. As indicated in the Proposal Schedule, all bid items are divided into payment categories, depending upon the quantities of work. The payment category for each bid item shall be based upon the sum of all work and materials required to perform the required repairs which are issued on a "single work order." A single work order shall be a work order submitted by the Contractor for work that can be performed by the Contractor without relocating a distance of more than 5,280 feet between any two adjacent repair conditions.

PROPOSAL SCHEDULE

2 3 4

1

The bidder is directed to Subsection 105.16 – Subcontracts.

5 If the bid price for any proposal item having a maximum allowable bid 6 indicated therefore in any of the contract documents is in excess of such a 7 maximum amount, the bid price for such proposal item shall be adjusted to 8 reflect the limitation thereon. The comparison of bids to determine the 9 successful bidder and the amount of contract to be awarded shall be determined 10 after such adjustments are made, and such adjustments shall be binding upon 11 the bidder.

The bidder is directed to Section 717 - Gullet and Gullet-Made Materialsregarding recycling of waste glass.

15

12