FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	11	24

STA.	FROM	TO
	1+34	4+34
	4+34	7+34
	7+34	10+34
	10+34	13+34

BY: HWA, GRADE & H.C. ECH.

ORIGINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS & VOLS., AREAS CHECKED — NOTE BOOK NO. 294 — DATE — BY

1+80
12.85 | 17.8 | C=98 F=0
Exc.= 82.7 Emb.= 0

1+58
13.63 | 17.6 | C=105 F=0
Exc.= 29.3 Emb.= 0

1+50
13.92 | 17.1 | ~~C=93 F=0~~ C=6 F=17
Exc = 5.6 Emb = 54.6
~~Exc = 91.7 Emb = 3.7~~

1+00
15.69 | 15.9 | ~~C=6 F=4~~ C=0 F=42
Exc = 1.1 Emb = 48.3
~~Exc = 5.6 Emb = 53.7~~

0+50
17.47 | 15.1 | C=0 ~~F=54~~ C=1 F=39
Exc = 1.1 Emb = 31.1
~~Exc.= 19.9 Emb.= 25.0~~
Exc = 5.6 Emb = 39.8

0+25
18.35 | 19.8 | C=43 F=0
Exc.= 28.2 Emb.= 0

0+00
19.24 | 20.2 | ~~C=18 F=0~~ C=5 F=4

4+50
01.37 | 07.1 | ~~C=187 F=0~~ C=175=181 F=0
Exc = 35.74 Emb = 0
~~Exc.= 317.6 Emb.= 0~~

4+00
03.27 | 08.6 | ~~C=150 F=0~~ C=145=162 F=0
Exc = 244.4 Emb = 0
~~Exc.= 226.8 Emb.= 0~~

3+50
05.04 | 08.4 | ~~C=89 F=0~~ C=145=71 F=0
Exc = 110.2 Emb = 0
~~Exc = 110.2 Emb = 0~~

3+00
06.82 | 08.4 | C=30 ~~F=0~~ C=62.28 F=0
Exc = 29.6 Emb = 17.6
~~Exc.= 49.7 Emb.= 0~~

2+50
08.59 | 08.6 | C=23 ~~F=0~~ C=4 F=19 C=0 F=50
Exc = 1.3 Emb = 30.4
~~Exc.= 42.6 Emb.= 0~~
Exc = 6.3 Emb = 27.7

2+00
10.37 | 11.8 | ~~C=23 F=0~~ C=14 F=7 C=50 F=0
Exc = 26.1 Emb = 2.9
~~Exc.= 57.4 Emb.= 0~~
Exc = 21.5 Emb = 11.9

1+50
12.14 | 13.4 | ~~C=39 F=0~~ C=3 F=25
Exc = 8.3 Emb = 37.0
~~Exc.= 50.7 Emb.= 0~~

7+00
91.11 | 94.4 | ~~C=133 F=0~~ C=130=146 F=0
Exc = 100.7 Emb = 0
~~Exc.= 94.0 Emb.= 0~~

6+75
92.61 | 93.8 | ~~C=78 F=0~~ C=142=143 F=0
Exc = 136.1 Emb = 0
~~Exc.= 84.2 Emb.= 0~~

6+50
94.06 | 97.8 | ~~C=112 F=0~~ C=112 F=0
Exc = 248.7 Emb = 0
~~Exc.= 120.4 Emb.= 0~~

6+25
95.45 | 01.3 | ~~C=148 F=0~~
~~Exc.= 137.0 Emb.= 0~~
Exc = 162.5 Emb = 0 C=252 F=0

6+00
96.76 | 02.7 | ~~C=148 F=0~~ C=163 F=0
Exc = 231.1 Emb = 0
~~Exc.= 106.4 Emb.= 0~~

5+85
97.52 | 06.0 | ~~C=235 F=0~~ C=254 F=0
Exc = 289.6 Emb = 0
~~Exc.= 274.2 Emb.= 0~~

5+50
99.19 | 05.2 | ~~C=188 F=0~~ C=170 F=0
Exc = 369.4 Emb = 0
~~Exc.= 347.2 Emb.= 0~~

9+00
77.81 | 13.0 | C=0 F=106
Exc.= 0 Emb.= 209.3

8+50
81.17 | 16.9 | C=0 F=119
Exc.= 0 Emb.= 147.2

8+00
84.52 | 08.1 | C=0 F=40
Exc.= 4.4 Emb.= 13.9

7+85
85.53 | 04.9 | C=16 F=10
Exc = 14.9 Emb = 9.1

7+50
87.88 | 07.9 | C=7 F=4
Exc = 44.1 Emb = 1.5
~~Exc.= 13.2 Emb.= 1.3~~

7+33
89.0 | 90.1 | ~~C=35 F=0~~ C=112 F=0
Exc = 134.3 Emb =
~~Exc.= 32.3 Emb.= 0~~

7+22
89.71 | 93.1 | C=124 F=0
Exc.= 1047 Emb.= 0

11+00
64.39 | 80.7 | C=0 F=87
Exc.= 1.2 Emb.=47.7

10+78
65.87 | 63.8 | C=3 F=30
Exc.= 1.6 Emb.= 72.6

10+50
67.75 | 63.0 | C=0 F=110
Exc = 0 Emb.= 102.3

10+25
69.42 | 64.5 | C=0 F=111
Exc.= 0 Emb.= 89.3

10+00
71.10 | 67.8 | C=0 F=83
Exc.= 0 Emb.= 178.7

9+50
74.46 | 72.5 | C=0 F=110
Exc.= 0 Emb.= 200

PLATE 3—CROSS SECTION OF P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.11

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	12	24

FINAL SURVEY	DATE	BY
SURVEYED	4-34	H.N.A.
PLOTTED	4-34	C.H.H.
TEMPLATE	4-34	C.H.H.
AREAS	4-34	C.C.C.H.
AREAS CHECKED	4-34	
NOTE BOOK No. 294		

ORIGINAL SURVEY	DATE	BY
SURVEYED		
PLOTTED		
TEMPLATE		
AREAS		
AREAS CHECKED		
NOTE BOOK No. 294		




PLATE 3—CROSS SECTION C. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.12

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET	TOTAL SHEETS
HAWAII	HAW.	NHH 18A	1934	13	24

DATE 4-34 4-34 4-34 4-34
BY R.N.A. E.N.W. & H.C. G.G.H. C.C.H.

FINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS CHECKED — NOTE BOOK — NO. 294

ORIGINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS CHECKED — NOTE BOOP — NO. 294

DATE — BY

97.5 97.52
C= 22 = 67
F= 8
25+00
Exc.= 14.5
Emb.= 22.2

92.0 98.19
C= 4 = 39
F= 32
24+70
Exc.= 36.7
Emb.= 11.9

92.0 98.58
C= 35 192
F= 0
24+50
Exc.= 115.7
Emb.= 11.1

99.8 99.32
24+00
Exc.= 53.2
Emb.= 5.6

92.0 99.61
23+75
Exc.= 60.2
Emb.= 0

92.2 99.91
23+50
Exc.= 135.2
Emb.= 0

93.7 100.49
23+00
Exc.= 57.4
Emb.= 13.9

90.6 87.52
27+50
Exc.= 101.9
Emb.= 0
C= 70 = 107
F= 0

90.7 90.15
27+00
Exc.= 153.7
Emb.= 0
C= 40 93
F= 0

96.3 92.47
26+50
Exc.= 200.9
Emb.= 0
C= 26 182
F= 0

97.7 93.89
26+15
Exc.= 83.9
Emb.= 0
C= 30 = 18
C= 78
F= 12
C= 184 191
F= 0

96.7 94.46
26+00
Exc.= 216.7
Emb.= 0
C= 85
F= 0
C= 114
F= 0
C= 118 = 193
F= 0

100.3 96.15
25+50
Exc.= 72.2
Emb.= 0.5
C= 45
F= 0
C= 102
F= 0
C= 116 167
F= 0

97.2 96.88
25+25
Exc.= 28.7
Emb.= 4.2
C= 40 120
F= 1
C= 101 = 191
F= 0

99.6 69.08
30+50
Exc.= 0
Emb.= 156.5
C= 0
F= 67

93.6 72.18
30+00
Exc.= 0
Emb.= 145.3
C= 0
F= 102

73.2 75.28
29+50
Exc.= 23.2
Emb.= 50.9
C= 0
F= 55

79.1 78.38
29+00
Exc.= 88.0
Emb.= 0
C= 25 = 47
F= 0

83.5 81.48
28+50
Exc.= 101.9
Emb.= 0
C= 70 104
F= 0

88.1 83.03
28+25
Exc.= 118.5
Emb.= 0
C= 150 = 190
F= 0

87.2 84.58
28+00
Exc.= 169.0
Emb.= 0
C= 106 141
F= 0

48.4 53.38
33+00
Exc.= 0
Emb.= 189.8
C= 0
F= 100

52.9 56.68
32+50
Exc.= 0
Emb.= 186.1
C= 0
F= 105

55.7 59.78
32+00
Exc.= 0.2
Emb.= 25.7
C= 0
F= 55

59.1 60.40
31+90
Exc.= 11.8
Emb.= 46.7
C= 1
F= 43

62.8 62.88
31+50
Exc.= 6.9
Emb.= 5.6
C= 75 = 21
F= 20

64.1 63.81
31+35
Exc.= 6.5
Emb.= 45.4
C= 10 5
F= 0

62.8 65.98
31+00
Exc.= 0
Emb.= 126.8
C= 0
F= 70

43.1 38.83
35+50
Exc.= 74.1
Emb.= 0
C= 90 = 121
F= 0

42.8 40.20
35+25
Exc.= 85.6
Emb.= 0
C= 70 105
F= 0

45.5 41.37
35+00
Exc.= 154.6
Emb.= 0
C= 115 154
F= 0

45.7 44.28
34+50
Exc.= 48.1
Emb.= 24.1
C= 52 = 68
F= 0

46.0 47.38
34+00
Exc.= 0
Emb.= 91.7
C= 0
F= 26

42.0 50.48
33+50
Exc.= 0
Emb.= 160.2
C= 0
F= 73

PLATE 3—CROSS SECTION U. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.13

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	14	24

(4)

DATE | BY

HWY. #	4-34
KAU, N. & H.C.	4-34
SHEET NO.	4-34
SCALE	4-34

FINAL SURVEY — SURVEYED, PLOTTED, NOTE BOOK, TEMPLATE, AREAS, AREAS CHECKED, NO. 234

ORIGINAL SURVEY — SURVEYED, PLOTTED, NOTE BOOK, TEMPLATE, AREAS, AREAS CHECKED, NO. 234




PLATE 3—CROSS SECTION OF P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

4317.14

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	1784	1934	15	24

ORIGINAL SURVEY	DATE	BY
SURVEYED	4-1-34	H.M.A.
PLOTTED	4-1-34	H.M.A. & H.C.
TEMPLATE	4-1-34	O.C.C.H.
AREAS	4-1-34	C.C.H.
AREAS CHECKED		
NOTE BOOK NO. 294		

FINAL SURVEY	DATE	BY
SURVEYED		
PLOTTED		
TEMPLATE		
AREAS		
AREAS CHECKED		
NOTE BOOK NO. 294		

88.0 89.05 No Overcut Allowed. C=1=19 F=16 52+50 EXC.=0.9 Emb=26.9

77.3 72.84 C=2=12 F=25 55+50 EXC.=1.9 Emb=43.5

62.3 62.45 C=3=31 F=7 58+00 EXC.=3.7 Emb.=11.1

51.1 50.75 C=16=30 F=0 61+00 EXC.=14.8 Emb=4.6

96.5 41.79 C=0 F=120 63+50 EXC.=0 Emb=97.8

90.6 91.86 No Overcut Allowed. C=0=24 F=13 52+00 EXC.=8.3 Emb=13.0

74.8 75.30 C=0=8 F=22 55+00 EXC.=0 Emb=66.7

63.8 64.40 C=1=23 F=5 57+50 EXC.=10.2 Emb=6.5

52.1 52.70 C=2=55 F=5 60+50 EXC.=44.4 Emb=4.6

89.7 42.40 C=0 F=56 63+50 EXC.=52.8 Emb=51.9

94.6 94.67 No Overcut Allowed (Liff) C=9=40 F=1 51+50 EXC.=12.0 Emb=4.6

73.6 77.89 Sta. 54+50 - 70+70 No Overcut Allowed (Dirt Cut) C=2=12 F=50 54+50 EXC.=0 Emb=56.3

66.5 66.35 C=10=60 F=2 57+00 EXC.=23.7 Emb=3.0

56.1 54.65 C=46=75 F=0 60+00 EXC.=79.6 Emb=0

45.3 43.65 C=57=34 F=0 63+00 EXC.=216.7 Emb=0

93.4 97.48 No Overcut Allowed (Dirt) C=4=29 F=4 51+00 EXC.=6.5 Emb=8.3

79.3 80.07 C=8=18 F=26 54+10 EXC.=1.1 Emb=6.5

69.0 67.96 C=22=59 F=2 56+60 EXC.=5.9 Emb=4.1

57.8 56.60 C=40=71 F=0 59+50 EXC.=77.8 Emb=0.9

50.7 45.04 C=176=201 F=0 62+50 EXC.=323.2 Emb=0

90.1 00.29 No Overcut Allowed (Dirt) C=3=40 F=5 50+50 EXC.=33.4 Emb.=4.6

80.7 80.63 C=6=19 F=9 54+00 EXC.=18.5 Emb=8.3

66.9 68.37 C=10=24 F=20 56+50 EXC.=11.1 Emb=6.1

53.9 53.55 C=44=82 F=1 59+00 EXC.=43.5 Emb=7.2

52.6 46.35 C=173=209 F=0 62+00 EXC.=243.6 Emb=0

89.9 03.10 No Overcut Allowed (Dirt) C=33=91 F=0 50+00 EXC.=60.2 Emb=0

83.6 83.44 C=14=53 F=0 53+50 EXC.=19.4 Emb=2.8

70.4 69.01 C=30=71 F=2 56+35 EXC.=51.9 Emb=1.3

60.2 60.50 C=3=32 F=7 58+50 EXC.=5.6 Emb=13.0

51.8 48.80 C=70=119 F=0 61+50 EXC.=96.3 Emb=0

86.7 05.79 No Overcut Allowed (Dirt) C=32=61 F=0 49+50 EXC.=70.4 Emb=0

88.0 86.25 C=7=52 F=3 53+00 EXC.=7.4 Emb=17.6

72.0 70.54 C=50=95 F=0 56+00 EXC.=48.2 Emb=23.2

PLATE 3—CROSS SECTION OF P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

4317.15

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	I-H-H 1(6)A	1934	16	24

FINAL SURVEY — NOTE BOOK — NO. 294
SURVEYED: H.H.A. & H.C.
PLOTTED: A.H.H.
TEMPLATE: C.C.C.
AREAS: H.H.
AREAS CHECKED:
DATE: 4-34, 4-34, 4-34, 4-34

ORIGINAL SURVEY — NOTE BOOK — NO. 294
SURVEYED
PLOTTED
TEMPLATE
AREAS
AREAS CHECKED
BY
DATE

66+50
C = ~~10~~ = 30
F = 10
Exc. = 15.0
Emb. = 16.7

66+20
C = ~~17~~ = 40
F = 20
Exc. = 10.0
Emb. = 14.8

66+00
C = ~~10~~ = 43
F = 20
Exc. = 9.3
Emb. = 64.8

65+50
C = 0 = 2
F = 50
Exc. = 0
Emb. = 143.5

65+00
C = 0
F = 105
Exc. = 0
Emb. = 251.8

64+50
C = 0
F = 167
Exc. = 0
Emb. = 339.8

64+00
C = 0
F = 200
Exc. = 0
Emb. = 118.5

69+50
C = ~~3~~ = 26
F = 4
Exc. = 7.4
Emb. = 10.2

69+00
C = ~~5~~ = 29
F = 7
Exc. = 9.3
Emb. = 13.0

68+50
C = ~~5~~ = 36
F = 7
Exc. = 6.5
Emb. = 12.0

68+00
C = ~~2~~ = 23
F = 6
Exc. = 10.2
Emb. = 6.5

67+50
C = ~~9~~ = 41
F = 1
Exc. = 16.7
Emb. = 6.5

67+00
C = ~~9~~ = 34
F = 6
Exc. = 17.6
Emb. = 14.8

72+50
C = ~~38~~ = 84
F = 0
Exc. = 76.9
Emb. = 0

72+00
C = ~~45~~ = 91
F = 0
Exc. = 75.0
Emb. = 0

71+50
C = ~~36~~ = 89
F = 0
Exc. = 51.9
Emb. = 0

71+00
C = ~~30~~ = 65
F = 0
Exc. = 34.3
Emb. = 0

70+50
C = ~~17~~ = 33
F = 0
Exc. = 18.5
Emb. = 2.8

70+00
C = ~~8~~ = 25
F = 3
Exc. = 5.6
Emb. = 6.5

76+00
C = ~~30~~ = 70
F = 0
Exc. = 60.2
Emb. = 0

75+50
C = ~~35~~ = 80
F = 0
Exc. = 66.7
Emb. = 0

75+00
C = ~~32~~ = 78
F = 0
Exc. = 106.5
Emb. = 0

74+50
C = ~~78~~ = 122
F = 0
Exc. = 168.5
Emb. = 0

74+00
C = ~~98~~ = 119
F = 0
Exc. = 157.4
Emb. = 0

73+50
C = ~~58~~ = 132
F = 0
Exc. = 128.7
Emb. = 0

73+00
C = ~~57~~ = 98
F = 0
Exc. = 89.8
Emb. = 0

79+50
C = ~~0~~ = 37
F = 14
Exc. = 0
Emb. = 59.3

79+00
C = ~~0~~ = 18
F = 40
Exc. = 0
Emb. = 82.4

78+50
C = ~~0~~ = 12
F = 49
Exc. = 0
Emb. = 93.5

78+00
C = ~~0~~ = 3
F = 52
Exc. = 0
Emb. = 75.0

77+50
C = ~~0~~ = 2.3
F = 29
Exc. = 0
Emb. = 52.8

77+00
C = ~~0~~ = 11
F = 28
Exc. = 1.7
Emb. = 38.9

76+50
C = ~~3~~ = 41
F = 14
Exc. = 29.6
Emb. = 13.0

PLATE 3 — CROSS SECTION U. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.16

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	17	24

DATE	BY	
4-32	H.M.A.	
4-32	H.M.A.	
4-32	C.E.H.	
4-32	C.E.H.	

FINAL SURVEY — NOTE BOOK — NO. 294 — SURVEYED — PLOTTED — TEMPLATE — AREAS — AREAS CHECKED

ORIGINAL SURVEY — NOTE BOOK — NO. — SURVEYED — PLOTTED — TEMPLATE — AREAS — AREAS CHECKED

22.0 22.54
82+25
C = ~~0~~ = 23
F = 50
Exc. = 1.9
Emb. = 34.3

22.7 22.86
82+00
C = ~~4~~ = 48
F = 24
Exc. = 9.3
Emb. = 25.0

23.5 23.51
81+50
C = ~~6~~ = 52
F = 3
Exc. = 14.8
Emb. = 2.8

24.1 24.15
81+00
C = ~~10~~ = 60
F = 0
Exc. = 9.3
Emb. = 18.5

24.4 24.8
80+50
C = ~~0~~ = 29
F = 20
Exc. = 0
Emb. = 41.7

24.8 25.44
80+00
C = ~~0~~ = 27
F = 25
Exc. = 0
Emb. = 45.4

19.4 18.35
85+50
C = ~~26~~ = 67
F = 0
Exc. = 51.9
Emb. = 5.6

20.0 ~~19.94~~ 19.9
85+00
C = ~~90~~ = 81
F = 6
Exc. = 79.6
Emb. = 5.6

20.8 19.64
84+50
C = ~~56~~ = 105
F = 0
Exc. = 88.9
Emb. = 0

21.0 20.28
84+00
C = ~~40~~ = 100
F = 0
Exc. = 55.6
Emb. = 5.6

21.4 20.93
83+50
C = ~~20~~ = 46
F = 6
Exc. = 22.2
Emb. = 40.7

21.7 21.57
83+00
C = ~~4~~ = 32
F = 38
Exc. = 3.7
Emb. = 83.3

21.9 22.22
82+50
C = ~~0~~ = 24
F = 52
Exc. = 0
Emb. = 47.2

15.8 13.61
88+50
C = ~~46~~ = 100
F = 0
Exc. = 21.5
Emb. = 0

16.1 13.8
88+40
C = ~~70~~ = 137
F = 0
Exc. = 98.5
Emb. = 0.8

16.7 14.56
88+00
C = ~~63~~ = 115
F = 1
Exc. = 97.2
Emb. = 0.9

17.3 15.46
87+50
C = ~~42~~ = 90
F = 0
Exc. = 66.7
Emb. = 0

17.8 16.28
87+00
C = ~~32~~ = 36
F = 0
Exc. = 59.3
Emb. = 0

18.2 17.03
86+50
C = ~~34~~
F = 0
C = 95
Exc. = 50.9
Emb. = 8.3

18.5 17.7
86+00
C = ~~21~~ = 47
F = 9
Exc. = 43.5
Emb. = 8.3

05.7 05.52
92+00
C = ~~12~~ = 8.5
F = 0
Exc. = 34.3
Emb. = 15.7

06.5 06.72
91+50
C = ~~25~~ = 43
F = 17
Exc. = 75.9
Emb. = 15.7

07.7 07.92
91+00
C = ~~57~~ = 135
F = 0
Exc. = 94.4
Emb. = 0

09.0 09.12
90+50
C = ~~45~~
F = 0
C = 114
Exc. = 72.2
Emb. = 22.2

09.7 10.32
90+00
C = ~~33~~ = 73
F = 24
Exc. = 63.0
Emb. = 26.0

11.8 11.49
89+50
C = ~~35~~ = 80
F = 3
Exc. = 86.1
Emb. = 2.8

14.5 12.58
89+00
C = ~~58~~ = 126
F = 0
Exc. = 96.3
Emb. = 0

97.3 99.52
94+50
C = ~~0~~ = 16
F = 43
Exc. = 9.3
Emb. = 41.7

00.2 00.72
94+00
C = ~~12~~ = 86
F = 2
Exc. = 8.3
Emb. = 1.8

01.8 01.06
93+86
C = ~~22~~ = 42
F = 5
Exc. = 17.3
Emb. = 6.0

01.5 01.92
93+50
C = 4
F = 4
Exc. = 1.8
Emb. = 39.8

02.1 02.52
93+25
C = 0
F = 12
Exc. = 0
Emb. = 72.2

02.7 03.12
93+00
C = ~~0~~ = 6
F = 74
Exc. = 0.9
Emb. = 71.3

03.6 04.32
92+50
C = ~~1~~ = 44
F = 3
Exc. = 12.0
Emb. = 1.8

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO. NEW YORK

4317.17

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW	NRH 19A	1934	18	24

FINAL SURVEY — SURVEYED 4-30-34; PLOTTED 4-30-34; TEMPLATE 4-30-34; AREAS 4-30-34; AREAS CHECKED 4-30-34; NOTE BOOK —; NO. 294

ORIGINAL SURVEY — SURVEYED —; PLOTTED —; TEMPLATE —; AREAS —; AREAS CHECKED —; NOTE BOOK —; NO. —

BY — DATE

93.9 94.0
96+80
EXC.= 106.1
Emb.= 1.1
C= ~~3~~ = 89
F= 2

93.9 94.72
96+50
EXC.= 82.6
Emb.= 0
C= ~~188~~ = 266
F= 0

96.8 95.2
96+30
EXC.= 23.8
Emb.= 10.0
C= ~~35~~ = 138
F= 0

94.9 95.92
96+00
EXC.= 7.4
Emb.= 94.4
C= ~~8~~ = 44
F= 18

92.8 97.12
95+50
EXC.= 0
Emb.= 57.0
C= ~~0~~ 10
F= 84

96.5 97.72
95+25
EXC.= 0
Emb.= 53.2
C= ~~0~~ 15
F= 39

95.5 98.32
95+00
EXC.= 0
Emb.= 21.2
C= 0
F= 76

91.2 89.92
98+50
EXC.= 9.2
Emb.= 26.4
C= ~~20~~ 87
F= 1

88.4 90.52
98+25
EXC.= 0
Emb.= 43.5
C= ~~0~~ = 15
F= 56

89.6 91.12
98+00
EXC.= 33.8
Emb.= 17.6
C= ~~0~~ = 22
F= 38

93.5 91.72
97+75
EXC.= 38.4
Emb.= 0.5
C= 73
F= 0
C= 182

92.0 92.32
97+50
EXC.= 16.7
Emb.= 20.8
C= ~~70~~ = 102
F= 1

91.1 92.92
97+25
EXC.= 25.9
Emb.= 20.4
C= ~~26~~ = 89
F= 44

94.0 93.52
97+00
EXC.= 12.2
Emb.= 0.7
C= ~~30~~ = 102
F= 0

85.1 84.52
100+75
EXC.= 39.4
Emb.= 14.8
C= ~~82~~
F= 0
C= 168

83.6 85.12
100+50
EXC.= 91.7
Emb.= 29.6
C= ~~3~~ = 13
F= 32

90.5 86.32
100+00
EXC.= 35.9
Emb.= 16.3
C= ~~86~~ = 192
F= 0

86.6 86.80
99+80
EXC.= 2.8
Emb.= 32.8
C= ~~4~~ = 111
F= 44

86.7 87.52
99+50
EXC.= 3.7
Emb.= 32.4
C= 4 = 48
F= 15

87.5 88.72
99+25
EXC.= 53.8
Emb.= 7.4
C= 0
F= 20
C= 38

92.1 89.56
98+65
EXC.= 28.6
Emb.= 0.9
C= ~~83~~ = 185
F= 0

77.5 79.43
102+87
EXC.= 28.8
Emb.= 39.7
C= ~~2~~ 29
F= 58

81.2 80.32
102+50
EXC.= 63.0
Emb.= 12.0
C= ~~42~~ = 104
F= 0

81.7 81.52
102+00
EXC.= 47.0
Emb.= 4.8
C= ~~28~~ = 51
F= 13

85.4 82.0
101+80
EXC.= 78.9
Emb.= 0
C= ~~124~~ = 156
F= 0

84.4 82.72
101+50
EXC.= 95.8
Emb.= 0
C= ~~41~~ = 124
F= 0

88.9 83.32
101+25
EXC.= 119.9
Emb.= 0
C= ~~166~~ = 223
F= 0

86.9 83.92
101+00
EXC.= 80.8
Emb.= 0
C= ~~93~~ = 111
F= 0

75.7 73.19
105+50
EXC.= 92.6
Emb.= 6.5
C= ~~47~~ = 126
F= 0

76.8 74.34
105+00
EXC.= 88.9
Emb.= 15.7
C= ~~53~~ = 136
F= 7

74.8 75.53
104+50
EXC.= 74.1
Emb.= 27.8
C= ~~43~~ = 84
F= 10

75.5 76.72
104+00
EXC.= 34.3
Emb.= 50.0
C= ~~37~~ = 79
F= 20

75.7 77.92
103+50
EXC.= 11.1
Emb.= 59.3
C= ~~0~~ = 11
F= 34

73.5 79.12
103+00
EXC.= 2.9
Emb.= 21.2
C= ~~72~~ = 45
F= 30

PLATE 3—CROSS SECTION U. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.18

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 10A	1934	19	24

9

DATE 4-34 4-34 4-34 4-34 4-34

BY H.N.A. H.N.A. & H.C. H.N.A. C.C.H.

FINAL SURVEY — SURVEYED: PLOTTED: TEMPLATE: AREAS: AREAS CHECKED: NOTE BOOK NO. 294

ORIGINAL SURVEY — SURVEYED: PLOTTED: TEMPLATE: AREAS: AREAS CHECKED: NOTE BOOK NO.

DATE BY

68.6 65.26 C = ~~189~~ = 174 F = 0 109+00 Exc.= 219.4 Emb.= 0

71.4 66.37 C = ~~137~~ = 209 F = 0 108+50 Exc.= 271.3 Emb.= 0

72.5 67.48 C = ~~156~~ = 268 F = 0 108+00 Exc.= 237.0 Emb.= 0

72.8 68.6 C = ~~100~~ = 172 F = 0 107+50 Exc.= 159.3 Emb.= 0

73.1 69.72 C = ~~72~~ = 141 F = 0 107+00 Exc.= 159.3 Emb.= 6.5

73.5 70.86 C = ~~100~~ = 192 F = 7 106+50 Exc.= 147.2 Emb.= 6.5

74.3 72.01 C = ~~89~~ = 168 F = 0 106+00 Exc.= 98.2 Emb.= 0

60.4 59.71 C = ~~74~~ = 62 F = 16 111+50 Exc.= 13.0 Emb.= 27.8

60.0 60.82 C = ~~6~~ = 40 F = 14 111+00 Exc.= 0 Emb.= 64.8

55.7 61.35 C = 0 F = 126 110+75 Exc.= 0 Emb.= 80.8

55.5 61.93 C = 0 = 3 F = 70 110+50 Exc.= 0 Emb.= 44.4

61.1 62.49 C = 0 = 96 F = 26 110+25 Exc.= 0 Emb.= 22.7

61.5 63.04 C = 0 = 23 F = 23 110+00 Exc.= 50.9 Emb.= 21.3

65.2 64.15 C = ~~55~~ = 117 F = 0 109+50 Exc.= 143.5 Emb.= 0

56.0 55.27 C = ~~28~~ = 98 F = 0 113+50 Exc.= 55.0 Emb.= 0

55.5 55.94 C = ~~77~~ = 175 F = 0 113+20 Exc.= 33.7 Emb.= 0

56.8 56.38 C = ~~29~~ = 97 F = 0 113+00 Exc.= 18.5 Emb.= 37.0

55.1 57.49 C = 0 = 6 F = 40 112+50 Exc.= 10.2 Emb.= 41.7

57.4 58.6 C = ~~17~~ F = 5 C = 20 112+00 Exc.= 12.0 Emb.= 2.3

60.5 59.16 C = ~~43~~ = 93 F = 0 111+75 Exc.= 13.5 Emb.= 7.4

53.4 50.83 C = ~~78~~ = 172 F = 3 115+50 Exc.= 53.7 Emb.= 1.4

53.1 51.39 C = ~~43~~ = 88 F = 0 115+25 Exc.= 47.2 Emb.= 0

53.6 51.94 C = ~~59~~ F = 0 C = 162 115+00 Exc.= 119.4 Emb.= 0

55.9 53.05 C = ~~70~~ F = 0 C = 124 114+50 Exc.= 56.4 Emb.= 2.0

53.6 53.83 C = ~~17~~ F = 3 C = 116 114+15 Exc.= 27.5 Emb.= 0.8

56.6 54.16 C = ~~82~~ F = 0 C = 163 114+00 Exc.= 101.9 Emb.= 0

45.2 46.95 C = 0 F = 87 117+25 Exc.= 0 Emb.= 75.0

45.2 47.5 C = 0 F = 75 117+00 Exc.= 22.2 Emb.= 69.4

49.4 48.61 C = ~~24~~ = 98 F = 0 116+50 Exc.= 56.5 Emb.= 0

50.2 49.72 C = ~~27~~ = 112 F = 0 116+00 Exc.= 48.6 Emb.= 0

53.4 50.12 C = ~~186~~ = 191 F = 0 115+82 Exc.= 52.6 Emb.= 2.8

52.0 50.5 C = ~~67~~ = 156 F = 9 115+65 Exc.= 37.2 Emb.= 3.3

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.19

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NEH 18A	1934	20	24

10

FINAL SURVEY — NOTE BOOK: TEMPLATE, ISSUED, AREAS CHECKED, NO. 294 — BY: H.N.A., H.N.C., G.H.M., C.C.H. — DATE: 4-34, 4-34, 4-34, 4-34

ORIGINAL SURVEY — NOTE BOOK: SURVEYED, PLOTTED, TEMPLATE, ISSUED, AREAS CHECKED, NO. — BY: — DATE:

119+50
41.2 / 41.95
C = ~~0~~ = 46
F = 8
Exc. = 0.2
Emb. = 2.8

119+40
41.6 / 42.17
C = ~~4~~ = 57
F = 7
Exc. = 28.2
Emb. = 5.2

119+00
44.7 / 43.06
C = ~~37~~ = 100
F = 0
Exc. = 17.2
Emb. = 4.6

118+75
43.1 / 43.62
C = ~~0~~ = 72
F = 10
Exc. = 8.8
Emb. = 5.6

118+50
44.5 / 44.17
C = ~~17~~ = 75
F = 2
Exc. = 68.5
Emb. = 1.9

118+00
47.0 / 45.28
C = ~~56~~ = 137
F = 0
Exc. = 70.4
Emb. = 0

117+50
47.8 / 46.39
C = ~~21~~ = 99
F = 0
Exc. = 9.7
Emb. = 40.3

121+40
37.8 / 37.73
C = ~~12~~ = 46
F = 12
Exc. = 8.9
Emb. = 92.6

121+00
38.9 / 38.62
C = 0
F = 113
Exc. = 0
Emb. = 161.1

120+50
36.9 / 37.73
C = ~~0~~ = ~~22~~ = 0
F = 61
Exc. = 0
Emb. = 91.1

120+10
37.9 / 40.62
C = 0 = 22
F = 62
Exc. = 0.2
Emb. = 16.0

120+00
41.0 / 40.84
C = ~~4~~ = 29
F = 19
Exc. = 0.3
Emb. = 18.9

119+85
39.2 / 41.17
C = 0
F = 49
Exc. = 0
Emb. = 37.0

123+50
34.2 / 33.07
C = ~~32~~ = 96
F = 0
Exc. = 58.5
Emb. = 0

122+99
35.0 / 34.20
C = ~~30~~ = 104
F = 0
Exc. = 27.2
Emb. = 10.0

122+50
34.6 / 35.29
C = ~~0~~ = 45
F = 11
Exc. = 0.9
Emb. = 15.7

122+00
36.3 / 36.40
C = ~~4~~ = 59
F = 6
Exc. = 9.7
Emb. = 11.1

121+75
35.7 / 36.96
C = ~~20~~
F = 18
C = 95
Exc. = 11.3
Emb. = 3.3

121+65
38.9 / 37.18
C = ~~11~~
F = 0
C = 100
Exc. = 11.9
Emb. = 3.6

121+50
37.2 / 37.51
C = ~~2~~ = 61
F = 13
Exc. = 2.6
Emb. = 4.6

126+60
25.3 / 24.89
C = ~~22~~ = 88
F = 1
Exc. = 8.9
Emb. = 0.2

126+50
25.8 / 25.35
C = ~~26~~ = 125
F = 0
Exc. = 51.9
Emb. = 1.9

126+00
27.9 / 27.05
C = ~~30~~ = 84
F = 2
Exc. = 107.4
Emb. = 1.9

125+50
31.6 / 28.51
C = ~~36~~ = 154
F = 0
Exc. = 161.1
Emb. = 0

125+00
32.6 / 29.14
C = ~~38~~ = 168
F = 0
Exc. = 178.7
Emb. = 0

124+50
34.1 / 30.85
C = ~~105~~ = 193
F = 0
Exc. = 181.5
Emb. = 0

124+00
34.3 / 31.96
C = ~~91~~ = 162
F = 0
Exc. = 113.9
Emb. = 0

128+25
15.7 / 17.64
C = ~~3~~ = 22
F = 20
Exc. = 3.3
Emb. = 10.7

128+00
18.7 / 18.83
C = ~~4~~ = 61
F = 3
Exc. = 54.6
Emb. = 4.6

127+50
22.2 / 21.24
C = ~~55~~ = 115
F = 2
Exc. = 44.0
Emb. = 3.7

127+25
22.8 / 22.36
C = ~~48~~ = 92
F = 6
Exc. = 40.3
Emb. = 2.8

127+00
25.1 / 23.41
C = ~~47~~ = 124
F = 0
Exc. = 58.8
Emb. = 0

126+75
26.7 / 24.41
C = ~~86~~ = 178
F = 0
Exc. = 28.3
Emb. = 0.3

PLATE 3—CROSS SECTION U. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.20

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NEA 10A	1934	21	24

(11)

DATE: 4-34, 4-34, 4-34, 4-34

BY: H.W.A., H.N.A., C.H.&H.C., C.C.H.

FINAL SURVEY — SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED — NOTE BOOK NO. 294

ORIGINAL SURVEY — DATE, BY, SURVEYED, PLOTTED, TEMPLATE, AREAS, AREAS CHECKED, NOTE BOOK NO.

131+00
EXC.= 252.8
Emb.= 0
C=~~165~~ = 251
F=0

130+50
EXC.= 262.0
Emb.= 0
C=~~115~~ = 187
F=0

130+00
EXC.= 199.1
Emb.= 0
C=~~97~~ = 171
F=0

129+50
EXC.= 109.2
Emb.= 6.5
C=~~21~~ = 94
F=7

129+00
EXC.= 27.3
Emb.= 4.2
C=~~38~~ = 110
F=2

128+75
EXC.= 28.3
Emb.= 1.9
C=~~23~~ = 90
F=2

128+50
EXC.= 12.1
Emb.= 10.2

133+00
EXC.= 91.6
Emb.= 0
C=~~44~~ = 73
F=0

132+50
EXC.= 178.5
Emb.= 0
C=~~58~~ = 115
F=0

132+10
EXC.= 68.7
Emb.= 0
C=~~186~~ = 239
F=0

132+00
EXC.= 136.9
Emb.= 0
C=~~167~~ = 261
F=0

131+79
EXC.= 168.1
Emb.= 0
C=~~146~~ = 252
F=0

131+50
EXC.= 66.9
Emb.= 0
C=~~95~~ = 253
F=0

131+35
EXC.= 131.6
Emb.= 0

136+00
EXC.= 0.9
Emb.= 24.1
C=~~0~~ = 28
F=14

135+50
EXC.= 0.9
Emb.= 52.8
C=~~7~~ = 33
F=12

135+00
EXC.= 0
Emb.= 64.8
C=~~0~~ = 15
F=45

134+50
EXC.= 0
Emb.= 100.9
C=~~0~~ = 29
F=25

134+00
EXC.= 0
Emb.= 189.2
C=~~0~~ = 84
F=0

133+50
EXC.= 0
Emb.= 86.1
C=~~0~~ = 88
F=0

133+20
EXC.= 16.3
Emb.= 25.9
C=~~0~~ = 19
F=70

138+75
EXC.= 13.9
Emb.= 30.1
C=~~0~~ = 31
F=65

138+50
EXC.= 62.0
Emb.= 1.8
C=~~30~~ = 135
F=0

138+00
EXC.= 22.7
Emb.= 6.6
C=~~37~~ = 137
F=2

137+75
EXC.= 5.6
Emb.= 24.5
C=~~12~~ = 75
F=12

137+50
EXC.= 0
Emb.= 72.2
C=~~0~~ = 11
F=41

137+00
EXC.= 0
Emb.= 71.3
C=~~0~~ = 18
F=37

136+50
EXC.= 0
Emb.= 50.0
C=~~0~~ = 18
F=40

141+00
EXC.= 88.0
Emb.= 1.9
C=~~80~~ = 167
F=0

140+50
EXC.= 20.4
Emb.= 3.7
C=~~12~~ = 77
F=2

140+00
EXC.= 41.7
Emb.= 1.7
C=~~7~~ = 67
F=2

139+55
EXC.= 7.1
Emb.= 0.1
C=~~43~~ = 146
F=0

139+50
EXC.= 7.6
Emb.= 6.4
C=~~34~~ = 101
F=1

139+38
EXC.= 0
Emb.= 55.6
C=~~0~~ = 52
F=28

139+00
EXC.= 0
Emb.= 53.7
C=~~50~~ = 10
F=51

PLATE 3—CROSS SECTION U. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.21

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	22	24

DATE 4-33 4-34 4-34 4-34 4-34
BY H.N.A. H.N.A. G.H.W. & H.C. C.C.H. C.C.H.

FINAL SURVEY — SURVEYED, PLOTTED, NOTE BOOK, NO. 234, TEMPLATE, AREAS, AREAS CHECKED

ORIGINAL SURVEY — SURVEYED, PLOTTED, NOTE BOOK, NO., TEMPLATE, AREAS, AREAS CHECKED

DATE, BY




PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.22

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	23	24

FINAL SURVEY — NOTE BOOK — NO. 294 — SURVEYED — PLOTTED — TEMPLATE — AREAS — AREAS CHECKED — BY — DATE

H.N.A. 4-34
H.N.A. 4-34
D.H.W. & H.C. 4-34
C.C.H. 4-34

157+25
Exc. = 0
Emb. = 226.8

157+00
Exc. = 0
Emb. = ~~601.9~~ = 450.9

156+50
Exc. = 0
Emb. = ~~583.3~~ = 450.9

Emb. = 621.3

Invt. = 16.0
24" Metal pipe culvert 58' long
Str. Exc. = 4.0 Cu. Yd.

156+15
Exc. = 0
Emb. = 288.9

156+00
Exc. = 0
Emb. = ~~768.5~~ = 554.6

155+50
Exc. = 0
Emb. = ~~545.2~~

160+50
C = 0
F = 230
Exc. = ~~287.0~~ = 155.6
Emb. = 0

160+00
Exc. = ~~166.6~~ = 39.8
Emb. = ~~0~~ = 6.5
C = 0
F = ~~260~~ = 205
Exc. = ~~47.0~~ = 13.0
Emb. = ~~287~~ = 55.6

159+50
C = 0
F = ~~390~~ = 282

159+00
Exc. = 0
Emb. = ~~750.6~~ = 170.4

158+50
C = 0
F = 510
Exc. = 0
Emb. = ~~315.7~~ = 302.8

158+00
C = 0
F = 530 = 389
Exc. = 0
Emb. = ~~337.9~~ = 287.0

157+50
C = 0
F = ~~390~~ = 282
Exc. = 0
Emb. = ~~178.2~~ = 295.4

164+00
C = ~~175~~ = 85
F = 0
Exc. = ~~377.8~~ = 66.7
Emb. = 0

163+50
C = ~~135~~ 83
F = 0
Exc. = 368.5 = 86.1
Emb. = 0

163+00
C = ~~0~~ = 0
F = ~~91~~ = 53
Exc. = 379.6 = 110.2
Emb. = 0

162+50
C = ~~214~~ = 75
F = 0
Exc. = ~~417.6~~ = 160.2
Emb. = 0

162+00
C = 0
F = 1.31
Exc. = ~~460.2~~ = 208.3
Emb. = 0

161+50
C = ~~210~~
F = 196
Exc. = ~~441.4~~ = 225.9
Emb. = 0

161+00
C = 0
F = ~~155~~
F = 114
Exc. = ~~365.7~~ = 187.0
Emb. = 0

166+50
C = ~~206~~ = 23
F = 0
Exc. = ~~77.87~~ = 63.9
Emb. = ~~0~~ = 8.3

166+00
C = ~~202~~ = 49
F = 0
Exc. = ~~80.2~~ = 73.2
Emb. = 0

165+75
C = ~~166~~ = 44
F = 0
Exc. = 66.2
Emb. = 0

165+50
C = 0
F = ~~390~~ = 282
Exc. = ~~158.3~~ = 38.0
Emb. = 0

165+00
C = ~~260~~ = 127
F = 0
Exc. = ~~73.4~~ = 52.8
Emb. = 0

164+75
C = 0
F = ~~390~~ = 282
Exc. = 139.8
Emb. = 0

164+50
C = ~~220~~ = 117
F = 0
Exc. = ~~328.6~~ = 56.5
Emb. = 0

169+50
C = ~~65~~ = 57
F = 0
Exc. = 287.0
Emb. = 0

169+00
C = 65
F = 0
Exc. = 303.7
Emb. = 0

168+50
C = ~~78~~ = 22
F = 0
Exc. = ~~373.0~~ = 313.0
Emb. = 0

168+00
C = ~~93~~ = 19
F = 0
Exc. = ~~254.6~~ = 237.0
Emb. = 0

167+50
C = ~~152~~
F = 0
Exc. = ~~157.4~~ = 120.4
Emb. = 0

167+00
C = ~~68~~ = 14
F = 0
Exc. = ~~178.7~~ = 51.9
Emb. = ~~0~~ = 8.3

170+00
C = 137
F = 0
Exc. = 265.7
Emb. = 0

169+50
C = 150
F = 0
Exc. = 287.0
Emb. = 0

169+00
C = 160
F = 0
Exc. = 303.7
Emb. = 0

168+50
C = 168
F = 0
Exc. = ~~373.0~~ = 313.0
Emb. = 0

168+00
C = 170
F = 0
Exc. = ~~254.6~~ = 237.0
Emb. = 0

167+50
C = ~~705~~ = 86
F = 0
Exc. = ~~157.4~~ = 120.4
Emb. = 0

167+00
C = ~~68~~ = 14
F = 0
Exc. = ~~178.7~~ = 51.9
Emb. = ~~0~~ = 8.3

PLATE 3—CROSS SECTION C. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.23

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	NRH 18A	1934	24	24

DATE 4-34 4-34 4-34 4-34
BY H.N.A. H.N.A. & H.C. C.C.H.
FINAL SURVEY SURVEYED PLOTTED TEMPLATE AREAS AREAS CHECKED NOTE BOOK NO. 294
ORIGINAL SURVEY SURVEYED PLOTTED TEMPLATE AREAS AREAS CHECKED NOTE BOOK NO.
DATE BY




PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

4317.24