

GENERAL NOTES

1. The scope of work for this project consists of constructing a pedestrian bridge (separate from Waikolu Bridge) and appurtenant walkways at approaches to the bridge.
2. The Contractor is reminded of the requirements of Subsection 108.01 - Subletting of Contract, which requires him to perform work amounting to not less than 50 percent of the total contract cost less deductible items. Non-compliance with this Subsection may be grounds for rejection of bid.
3. The Contractor's attention is directed to the following Sections of the Special Provisions : Subsection 107.13 - Public Convenience and Safety; Subsection 107.21 - Contractor's Responsibility For Utility Property And Services; and Section 645 -Traffic Control.
4. At the end of each day's work, the Contractor shall remove all equipment and other obstructions to permit free and safe passage of public traffic.
5. The existence and location of underground utilities, manholes, monuments and structures as shown on the plans are from the latest available data but the accuracy is not guaranteed. The encountering of other obstacles during the course of work is possible. The Contractor shall be held liable for any damages incurred to the existing facilities and/or improvements as a result of his operations.
6. The Contractor shall notify the Engineer in writing, two (2) weeks prior to starting paving operations.
7. Dressing at footpath shall consists of clearing, grubbing, grading, reshaping and compacting the unpaved footpath with suitable excavated material as shown on the plans and/or as directed by the Engineer. The Contractor shall dress the footpath to maintain the existing general flow pattern of the area. This work shall be considered incidental to A.C. footpath and will not be paid for separately.
8. The contractor shall provide for access to and from all existing side streets at all times.

FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	19H-02-93	1994	3	10

LEGEND

—e—	Existing Electrical Line	—Δ-12—	Existing Sewer Line
—E—	New Electrical Line	—S-12—	New 12" Sewer Line
°j _{pp}	Existing Joint Pole	°Δ _{smh}	Existing Sewer Manhole
°p _{pp}	Existing Power Pole	•SMH	Adjusted Sewer MH Frame/Cover
°emh	Existing Electric Manhole	•SMH	New Sewer Manhole
•EMH	Adjusted Elec. MH Frame/Cover	—g-6—	Existing 6" Gas Line
•EMH	New Electric Manhole	—G-6—	New 6" Gas Line
—t—	Existing Telephone Line	°g _v	Existing Gas Valve Box
—T—	New Telephone Line	•GV	Adjusted Gas Valve Box
°ip	Existing Telephone Pole	•GV	New Gas Valve Box
°tmh	Existing Telephone Manhole	°gmh	Existing Gas Manhole
•TMH	Adjusted Tele. MH Frame/Cover	•GMH	Adjusted Gas MH Frame/Cover
•TMH	New Telephone Manhole	•GMH	New Gas Manhole
—Δc—	Existing Signal Corps Line	°mon.	Existing Monument
—SC—	New Signal Corps Line	•MON.	Adjusted Monument
—tv—	Existing TV Cable	•MON.	New Monument
—TV—	New TV Cable	---d--24---	Existing 24" Drain Line
—w-12—	Existing 12" Water Line	<u>24" RCP</u>	New 24 " RCP Drain Line
—W-12—	New 12" Water Line	°Δ _{dsmh}	Existing Storm Drain Manhole
°wmh	Existing Water Manhole	•SDMH	Adjusted Storm Drain MH Frame/Cover
•WMH	Adjusted Water MH Frame/Cover	•SDMH	New Storm Drain Manhole
•WMH	New Water Manhole	□g _{di}	Existing Grated Drop Inlet
°av	Existing Water Air Valve	cb	Existing Catch Basin
•AV	Adjusted Water Air Valve	ro	Existing Traffic Sign
•AV	New Water Air Valve	p	Existing Highway Lighting Standard
°wv	Existing Water Valve Box	○	
•WV	Adjusted Water Valve Box		
•WV	New Water Valve Box		
□wv	Existing Water Meter		
▢WV	Adjusted Water Meter		
▣WV	New Water Meter		
•fh	Existing Fire Hydrant		
•FH	New Fire Hydrant		

ORIGINAL PLAN	SURVEY PLOTTED BY	DATE
NOTE BOOK	DRAWN BY	5-17-94
003/violet	TRACED BY	
003/violet	DESIGNED BY	
003/violet	QUANTITIES BY	
003/violet	CHECKED BY	

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

GENERAL NOTES AND LEGEND

HAWAII BELT ROAD
Pedestrian Bridge at Waikolu Stream
Project No. 19H-02-93

Date: May, 1994

SHEET No. 1 OF 1 SHEETS