




		FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
		HAWAII	HAW.	19H—01—99M	1999	21	32
· []	RM-3 (Bi) (12)				1	*	
	<u>p.p60g</u>				155400		
						Š	
	p.p. 600		-3 (9)	~			
	R1-1 36"x36"				1		
	EQ. B. P.O.T. STA. B. P.O.T. STA.		3k.)=				
(1)	RM-3 (Bi)	5,00 (111.)					
						1+00	
<u> </u>		<u> </u>	  		ш — <u> </u>	E STA.	
	p.p. 5 	56 /				M.L.	
	LICENSED		DEPARTI		ANSPOR		
	THIS WORK WAS PREPARED BY		HAWAII	HIGHWAYS DIV AGE AND MARKING BELT ROAD	PAVER PLAN RESUR	F <u>ACING</u>	, ;
	OR UNDER MY SUPERVISION.		<u>cinity</u> d	of Waipunalei ject No. 19H	<u>to Kik</u> I-01-9	<u>au Gul</u> 19 <u>M</u>	
			SHEET			SHEET	




**STO**  $\langle 4 \rangle$ R1-1 36"x36" (9)RM-3 (Bi) -[] RM-3 (Bi) (12) HAWAII ROAD |BELT 5+00 × hēādwall ŵv p.p. 53 p.p. 54 -[] RM-3 (Bi) (9) (1) Exist. Sign(s) & Post(s) to Remain 2 Remove Exist. Sign(s) w/ Post(s) (3) Remove Exist. Sign(s) & Install New Sign(s) on Exist. Post(s) (4) Remove Exist. Sign(s) w/ Post(s) & Install New Sign(s) w/ Post(s) 5 Install New Sign(s) w/ Post(s) 6 Remove Exist. Sign(s) & Install New Sign(s) 8 Remove Exist. Sign(s) & Reinstall 9 Remove Exist. Marker(s) w/ Post(s) & Install New Marker(s) w/ Flexible Post(s) (10) Install New Marker(s) w/ Flexible Post(s) (1) Remove Exist. Marker(s) w/ Post(s) & Install New Marker(s) w/ Steel Post(s) (12) Install New Marker(s) w/ Steel Post(s) /--[] RM-3 (Bi) (11) --{12> RM-3 (Bi) [----(12) RM-2 HAWAIIBELT ROAD \_\_\_\_15+00 (12) RM-3 (Bi) p.p. 51 p.p. (12) RM-3 (Bi) [-STOF (4) R1-1 36"x36" (4) SPEED LIMIT 45 R2—1 36"x48" 30"x30"

		FED. ROAD DIST. NO.	STATE	PROJ. NO.	FIS YE	
		HAWAI	HAW.	19H-01-99M	15	
		@ 100' 0.0	$\sqrt{1}$		DQ	
	<i>RM-2</i>	@ 100 0.0			2+00	
<u></u>	<u></u> <u></u> <u></u> <u></u>	<u></u> 	ī <u>f</u> Ш	ш о		
0 10 	0 0 	0 		- 0 0 	 N	
	5.9	The second secon	┝			
	p.p. 52	$\longrightarrow$	_ \_[	] <i>RM-2 (11</i> )	M.L	
		Υ.	-[] <i>RM</i> -	-3 (Bi) (11)		
					I	
		-3	R2- 36 x		M.L. & STA. 23+00	
└ <u> </u> RM-3 (9)						
	Y. To.	Γ		OT 1 TO 1 1 1		
	LICENSED PROFESSIONAL		DEPARTI	HIGHWAYS DIV	ANSPORTATION /ISION	
	$\left( \begin{array}{c} \star \\ \star \\ NO. 4129-C \end{array} \right) \right) $				PAVEMENT	
	HAMAIL U.S.M.			MARKING		
	THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION.		<u>cinity</u> c	of Waipunalei	<u>RESURFACING</u> to Kilau Gulc	h
	Dr. n ~		Pro	ject No. 19F	<u>H-01-99M</u>	
	Wom y Somita	Scale:	As Sho SHEET	-	Date: May, = 5 SHEETS	1999
				2	22	
	·					








JOT-HWY\RT19H\19h-2125.dwg Tue Jun 15 14:47:45 1999 R Asar

(1) Exist. Sign(s) & Post(s) to Remain Remove Exist. Sign(s) w/ Post(s)
Remove Exist. Sign(s) & Install New Sign(s) on Exist. Post(s)  $\overline{4}$  Remove Exist.  $\frac{1}{3}$  ign(s) w/ Post(s) & Install New Sign(s) w/ Post(s) (5) Install New Sign(s) w/ Post(s)  $\langle 6 \rangle$  Remove Exist. Sign(s) & Install New Sign(s)  $\langle 7 \rangle$  Install New Sign(s)  $\langle 8 \rangle$  Remove Exist. Sign(s) & Reinstall  $\langle 9 \rangle$  Remove Exist. Marker(s) w/ Post(s) & Install New Marker(s) w/ Flexible Post(s) 10 Install New Marker(s) w/ Flexible Post(s) (1) Remove Exist. Marker(s) w/ Post(s) & Install New Marker(s) w/ Steel Post(s) W2—1L 30"x30" (12) Install New Marker(s) w/ Steel Post(s) HAWAII BELT ROAD 10° 50+00 W2-1L 30"x30" (9)(2) RM-3 (Bi) W13-1 24"x24" <u>М.Р.</u>н SAR (1) RM-2 [p.C.C. M1-6 24"x24" -[] *RM-2* (11) -[] RM-3 (Bi) (11) HAWAI. BFI ] RM-3 (Bi) (11) (1) RM-3 (Bi)



<u>B</u> S.T. Sta. 65+78.32 +30 -(1) RM-2 [- (1) RM-3 (Bi) [-M.L R4–3 24"x30" SLOWER TRAFFIC KEEP RIGHT └──[] RM−2 ([1)─┘ (12) RM-3 (Bi) TRUE NORTHAD  $\square$ SCHERT HORITH W1-8 18"x24" (4) W1-8 18"x24" (4) . . . . . . SURVEY FLUILE DRAWN BY TRACED BY DESIGNED BY QUANTITIES BY SIN -31/ 3×50

