

### PROPOSAL SCHEDULE

| ITEM NO. | ITEM                                               | APPROX.<br>QUANTITY | UNIT      | UNIT PRICE | AMOUNT       |
|----------|----------------------------------------------------|---------------------|-----------|------------|--------------|
| 209.0100 | Water Pollution and Erosion Control                | F.A.                | F.A.      | F.A.       | \$ 40,000.00 |
| 305.1000 | Aggregate Subbase                                  | 4,125               | C.Y.      | \$ _____   | \$ _____     |
| 306.1100 | Untreated Permeable Base Course                    | 4,125               | C.Y.      | \$ _____   | \$ _____     |
| 312.0100 | Plant Mix Glassphalt Concrete Base Course          | 12,310              | Ton       | \$ _____   | \$ _____     |
| 401.0400 | Asphalt Concrete Pavement, Mix No. IV              | 9,740               | Ton       | \$ _____   | \$ _____     |
| 401.0502 | Asphalt Concrete Pavement, Mix No. V               | 1,270               | Ton       | \$ _____   | \$ _____     |
| 401.0600 | Pavement Smoothness Incentive                      | Allowance           | Allowance | Allowance  | \$ 30,000.00 |
| 503.1000 | Concrete for Slab (Kawaili Bridge)                 | L.S.                | L.S.      | L.S.       | \$ _____     |
| 503.1001 | Concrete for Slab (Kekualele Bridge)               | L.S.                | L.S.      | L.S.       | \$ _____     |
| 507.7000 | Type I Concrete Bridge Railing                     | 1,100               | L.F.      | \$ _____   | \$ _____     |
| 507.7001 | Type II Concrete Bridge Railing                    | 70                  | L.F.      | \$ _____   | \$ _____     |
| 507.7002 | Type III Concrete Bridge Railing                   | 160                 | L.F.      | \$ _____   | \$ _____     |
| 507.7003 | Concrete Wing Wall Railing                         | 45                  | L.F.      | \$ _____   | \$ _____     |
| 507.7004 | Steel Bicycle Railing (Mohuna and Kukaiau Bridges) | 890                 | L.F.      | \$ _____   | \$ _____     |
| 507.7005 | Concrete End Post, Type I                          | L.S.                | L.S.      | L.S.       | \$ _____     |
| 507.7006 | Concrete End Post, Type II                         | L.S.                | L.S.      | L.S.       | \$ _____     |
| 507.7007 | Concrete End Post, Type III                        | L.S.                | L.S.      | L.S.       | \$ _____     |
| 570.1000 | Bridge Deck Patch                                  | F.A.                | F.A.      | F.A.       | \$ 20,000.00 |

| ITEM NO. | ITEM                                              | APPROX.<br>QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|---------------------------------------------------|---------------------|------|------------|----------|
| 602.1000 | Reinforcing Steel for Slab (Kawailii Bridge)      | L.S.                | L.S. | L.S.       | \$ _____ |
| 602.1001 | Reinforcing Steel for Slab (Kekualele Bridge)     | L.S.                | L.S. | L.S.       | \$ _____ |
| 604.1000 | Grating (Type 61614P)                             | 1                   | Each | \$ _____   | \$ _____ |
| 604.1500 | Replacing Inlet Frame and Grating                 | 3                   | Each | \$ _____   | \$ _____ |
| 604.2000 | Adjusting Water Manhole Frame and Cover           | 4                   | Each | \$ _____   | \$ _____ |
| 604.4000 | Adjusting Water Valve Box Frame and Cover         | 7                   | EA   | \$ _____   | \$ _____ |
| 605.1000 | 6-Inch Perforated Underdrain Pipe                 | 17,800              | L.F. | \$ _____   | \$ _____ |
| 605.1500 | 6-Inch Non-Perforated Underdrain Pipe             | 685                 | L.F. | \$ _____   | \$ _____ |
| 605.2000 | Cleanout                                          | 70                  | Each | \$ _____   | \$ _____ |
| 606.3100 | Reset Guardrail Post and Replace Spacer Block     | 130                 | Each | \$ _____   | \$ _____ |
| 606.3111 | Guardrail Type 3 - Strong Post W-Beam             | 3,506               | L.F. | \$ _____   | \$ _____ |
| 606.3220 | Guardrail Type 3 - Thrie Beam with Pedestal Posts | 964                 | L.F. | \$ _____   | \$ _____ |
| 606.3310 | Guardrail Type 3 - Thrie Beam Transition          | 27                  | Each | \$ _____   | \$ _____ |
| 606.7000 | Terminal Section, Type FLEAT - 350                | 14                  | Each | \$ _____   | \$ _____ |
| 606.7010 | Terminal Section, Modified Type "G"               | 11                  | Each | \$ _____   | \$ _____ |
| 606.7020 | Terminal Section, ET-2000 PLUS or SKT-350         | 2                   | Each | \$ _____   | \$ _____ |
| 606.7030 | End Anchorage - Modified Type "A-1" Flare         | 16                  | Each | \$ _____   | \$ _____ |
| 606.8000 | Portable Concrete Barrier                         | 50                  | Each | \$ _____   | \$ _____ |

| ITEM NO. | ITEM                                                                | APPROX.<br>QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|---------------------------------------------------------------------|---------------------|------|------------|----------|
| 606.8010 | Sand Filled Crash Barrels                                           | 9                   | Each | \$ _____   | \$ _____ |
| 612.0100 | Grouted Rubble Paving for Subdrain                                  | 210                 | S.F. | \$ _____   | \$ _____ |
| 613.0110 | Reconstruct Centerline and Reference Survey Monuments               | 7                   | Each | \$ _____   | \$ _____ |
| 621.4040 | Reflector Marker (RM-4) with Post                                   | 30                  | Each | \$ _____   | \$ _____ |
| 621.4130 | Reflector Marker (RM-3) Bi-Directional with Flex Post               | 6                   | Each | \$ _____   | \$ _____ |
| 621.4140 | Type II Object Marker with Flex Post                                | 7                   | Each | \$ _____   | \$ _____ |
| 621.4145 | Reflector Marker (RM-2) with Flex Post                              | 79                  | Each | \$ _____   | \$ _____ |
| 621.5100 | Regulatory and Warning Sign (10 Square Feet or Less) with Post      | 25                  | Each | \$ _____   | \$ _____ |
| 621.5150 | Regulatory and Warning Sign (10 Square Feet or Less) without Post   | 6                   | Each | \$ _____   | \$ _____ |
| 621.5200 | Regulatory and Warning Sign (Greater than 10 Square Feet) with Post | 7                   | Each | \$ _____   | \$ _____ |
| 621.6110 | State Route Marker Assembly (Type A) with Post                      | 6                   | Each | \$ _____   | \$ _____ |
| 621.7120 | Construction Sign with Two Posts                                    | 10                  | Each | \$ _____   | \$ _____ |
| 621.7121 | Portable Construction Sign                                          | 18                  | Each | \$ _____   | \$ _____ |
| 621.7130 | Construction Sign without Post                                      | 14                  | Each | \$ _____   | \$ _____ |
| 621.7610 | Mile Post Marker and Route Number Plate with Post (Bi-Directional)  | 2                   | Each | \$ _____   | \$ _____ |

| ITEM NO. | ITEM                                                                    | APPROX.<br>QUANTITY | UNIT | UNIT PRICE | AMOUNT        |
|----------|-------------------------------------------------------------------------|---------------------|------|------------|---------------|
| 624.1791 | Stainless Steel Pipe Hanger                                             | 5                   | Each | \$ _____   | \$ _____      |
| 624.5000 | Water System                                                            | F.A.                | F.A. | F.A.       | \$ 25,000.00  |
| 629.1000 | 4-inch Pavement Striping, White (Thermoplastic Extrusion)               | 31,080              | L.F. | \$ _____   | \$ _____      |
| 629.1010 | 4-inch Pavement Striping, Yellow<br>(Thermoplastic Extrusion)           | 4,919               | L.F. | \$ _____   | \$ _____      |
| 629.1100 | 8-Inch Pavement Striping (Thermoplastic Extrusion)                      | 2,206               | L.F. | \$ _____   | \$ _____      |
| 629.1200 | 12-Inch Pavement Striping (Thermoplastic Extrusion)                     | 142                 | L.F. | \$ _____   | \$ _____      |
| 629.1300 | Double 4-Inch Pavement Striping (Thermoplastic Extrusion)               | 5,088               | L.F. | \$ _____   | \$ _____      |
| 629.2020 | Type "C" Pavement Marker                                                | 784                 | Each | \$ _____   | \$ _____      |
| 629.2030 | Type "D" Pavement Marker                                                | 507                 | Each | \$ _____   | \$ _____      |
| 629.2040 | Type "H" Pavement Marker                                                | 125                 | Each | \$ _____   | \$ _____      |
| 629.2050 | Type "J" Pavement Marker                                                | 1,055               | Each | \$ _____   | \$ _____      |
| 636.1000 | Field Office (Not to exceed \$32,000)                                   | L.S.                | L.S. | L.S.       | \$ _____      |
| 645.0200 | Additional Police Officers and/or Additional Traffic Control<br>Devices | F.A.                | F.A. | F.A.       | \$ 150,000.00 |
| 645.2000 | Portable Traffic Signal System                                          | F.A.                | F.A. | F.A.       | \$ 85,000.00  |
| 645.5000 | Temporary Roadway Lighting                                              | F.A.                | F.A. | F.A.       | \$ 75,000.00  |

| ITEM NO.                                                                                                                                                   | ITEM                                                                                                                                       | APPROX.<br>QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------|------------|----------|
| 648.1000                                                                                                                                                   | Permeable Separator                                                                                                                        | 30,165              | S.Y. | \$ _____   | \$ _____ |
| 650.1000                                                                                                                                                   | Curb Ramp, Modified Type "D"                                                                                                               | 16                  | Each | \$ _____   | \$ _____ |
| 651.1000                                                                                                                                                   | Excavation for Reconstruction of Weakened Pavement Area                                                                                    | 15,470              | C.Y. | \$ _____   | \$ _____ |
| 652.0100                                                                                                                                                   | Cold-Planing                                                                                                                               | 1,700               | S.Y. | \$ _____   | \$ _____ |
| 655.1000                                                                                                                                                   | Drilling Holes and Installing Dowel Reinforcing Bars for Slab (Kawaii Bridge)                                                              | 180                 | Each | \$ _____   | \$ _____ |
| 655.1001                                                                                                                                                   | Drilling Holes and Installing Dowel Reinforcing Bars for Slab (Kekualele Bridge)                                                           | 420                 | Each | \$ _____   | \$ _____ |
| 660.1000                                                                                                                                                   | Repair of Expansion Joint                                                                                                                  | L.S.                | L.S. | L.S.       | \$ _____ |
| 699.1000                                                                                                                                                   | Mobilization (Not to Exceed 10 Percent of the Sum of All Items Excluding the Bid Price of this Item, Field Office and Force Account Items) | L.S.                | L.S. | L.S.       | \$ _____ |
| a. Sum of All Items .....                                                                                                                                  |                                                                                                                                            |                     |      |            | \$ _____ |
| b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or<br>Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) ..... |                                                                                                                                            |                     |      |            | \$ _____ |
| c. Amount for Comparison of Bids (a + b) .....                                                                                                             |                                                                                                                                            |                     |      |            | \$ _____ |
| All bidders must fill in b and complete c                                                                                                                  |                                                                                                                                            |                     |      |            |          |
| NOTE: Bidders must complete all units prices and amounts. Failure to do so maybe grounds for rejection of bid.                                             |                                                                                                                                            |                     |      |            |          |

## **PROPOSAL SCHEDULE**

The bidder is directed to Subsection 108.01 – Subcontracts.

The bidder's attention is directed to Sections 636 - Field Office and Project Site Laboratory, and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Subsections 106.12 - Recycling of Waste Glass.

## **INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS FOR FOREIGN STEEL**

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Domestic Materials.