

**STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION**

**ADDENDUM NO. 1  
FOR  
KEEAU-PAHOA ROAD, INTERSECTION IMPROVEMENS  
AT OLD GOVERNMENT ROAD  
FAP NO. HSIP-0130 (031)**

The following amendments shall be made to the Bid Documents:

**A. SPECIFICATIONS**

1. Replace Table of Contents pages 1 through 4 dated 11/6/13 with the attached pages 1 through 4 dated r1/7/14
2. Add the attached Special Provision Section 305 – Aggregate Subbase Course dated r2/7/14
3. Add the attached Special Provision Section 630 – Traffic Control Guide Signs dated 1/2/14
4. Revise Special Provision Section 645 by deleting the paragraph (II) (4), page 645-1h lines 26-28.

**B. PROPOSAL**

1. Replace Pages P-8 through P-15 dated 11/6/13 with the attached pages P-8 through P-15 dated r2/7/14

**C. PLANS**


1. Replace Plan Sheet Nos. 2, 4, 20-22, 25-27, 35, 36, 38-40, 59, 68, 103, 105 and 108 with the attached Plan Sheet Nos. ADD. 2, 4, 20-22, 25-27, 35, 36, 38-40, 59, 68, 103, 105 and 108.
2. Revise Plan Sheets 63 and 64 by replacing size of signs W2-6 and W13-1(20)-A along Pāhoa Bypass Road (Route 130) from “36”x36”” and “24”x24”” to “48”x48”” and “30”x30””, respectively.

Addendum No. 1  
February 7, 2014

**D. PRE-BID MEETING MINUTES**

1. Meeting minutes are attached for information and shall include a list of attendees.

Please acknowledge receipt of this Addendum No. 1 by recording the date of its receipt in the space provided on page P-4 of the Proposal.



---

Glenn M. Okimoto, Ph.D.  
Director of Transportation

## TABLE OF CONTENTS

Notice To Bidders

Instructions for Contractor's Licensing

Notice of Requirement for Affirmative Action to Ensure  
Equal Employment Opportunity (Executive Order 11246)

Disadvantaged Business Enterprise (DBE) Requirements

Required Federal-Aid Contract Provisions

Special Provisions Title Page

Special Provisions:

<b>DIVISION 100 - GENERAL PROVISIONS</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
102	Bidding Requirements and Conditions	102-1a – 102-8a
103	Award And Execution of Contract	103-1a – 103-5a
104	Scope of Work	104-1a – 104-2a
105	Control of Work	105-1a – 105-3a
106	Material Restrictions and Requirements	106-1a
107	Legal Relations and Responsibility To Public	107-1a
108	Prosecution And Progress	108-1a – 108-2a
109	Measurement and Payment	109-1a

<b>DIVISION 200 - EARTHWORK</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
203	Excavation And Embankment	203-1a
209	Temporary Water Pollution, Dust, and Erosion Control	209-1a
212	Archaeological Monitoring	212-1a – 212-3a
213	Reinforced Soil Slope	213-1a – 213-7a

<b>DIVISION 300 - BASES</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
301	Hot Mix Asphalt Base Course	301-1a – 301-2a
305	Aggregate Subbase Course	305-1a
312	Hot Mix Glassphalt Base Course	312-1a – 312-2a

<b>DIVISION 400 - PAVEMENTS</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
401	Hot Mix Asphalt Pavement	401-1a – 401-4a
411	Portland Cement Concrete Pavement	411-1a – 411-2a
413	Truck Apron Brick	413-1a – 413-2a
415	Cold Planing of Existing Pavement	415-1a

<b>DIVISION 500 – STRUCTURES</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
503	Concrete Structures	503-1a
511	Drilled Shafts	511-1a

<b>DIVISION 600 - INCIDENTAL CONSTRUCTION</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
602	Reinforcing Steel	602-1a
603	Culverts and Storm Drains	603-1a
604	Manholes Inlets and Catch Basins	604-1a
611	Hand-laid Riprap	611-1a
617	Planting Soil	617-1a – 617-3a
619	Planting	619-1a – 619-13a
622	Roadway Lighting System	622-1a – 622-5a
623A	Temporary Traffic Signal System	623-1a – 623-3a
624	Water System	624-1a
628	Shotcrete	628-1a
629	Pavement Markings	629-1a
630	Traffic Control Guide Signs	630-1a
645	Work Zone Traffic Control	645-1h
651	Hydro-Sprigging	651-1a – 651-6a
680	Electric and Communication Systems	680-1a – 680-14a
699	Mobilization	699-1a

<b>DIVISION 700 - MATERIALS</b>		
<b>Section</b>	<b>Description</b>	<b>Pages</b>
702	Bituminous Materials	702-1a
703	Aggregates	703-1a
712	Miscellaneous	
	Frames, Grates, Covers and Ladder Rungs	712.07-1a
717	Cullet And Cullet-Made Materials	717-1a – 717-2a
719	Macro-Synthetic Fibers for Concrete Reinforcement	719-1a
750	Traffic Control Sign and Marker Materials	750-1a
755	Pavement Marking Materials	755-1
760	Roadway and Sign Lighting Systems Materials	760-1 – 760-6

Requirement of Chapter 104, HRS  
Wages and Hours of Employees on Public Works Law

Federal Wage Rates

Proposal Title Page

Proposal .....P-1 - P-7  
 Proposal Schedule .....P-8 - P-16  
 Supplement to Proposal Schedule .....P-17 - P-21

Confirmation by DBE

Surety Bid Bond

Sample Forms

Contract

Performance Bond (Surety)

Performance Bond

Labor and Material Payment Bond (Surety)

Labor and Material Payment Bond

Disclosure of Lobbying Activities  
Standard Form - LLL and LLL-A

Statement of Compliance  
Form WH-348

DBE Participation Report & Prompt Payment Certification

Chapter 104, HRS Compliance Certificate

Certification of Compliance for Final Payment

**END OF TABLE OF CONTENTS**

1                                   **SECTION 305 – AGGREGATE SUBBASE COURSE**

2  
3    Make the following amendments to said Sections:

4  
5    **(I)**    Amend **Section 305.04 Measurement** from lines 54 to 55 to read as  
6 follows:

7  
8    **“305.04        Measurement.**

9  
10            The Engineer will measure aggregate subbase course per cubic yard in  
11 accordance with contract documents.”

12  
13  
14    **(II)**    Amend **Section 305.05 Payment**, from lines 57 to 69 to read as follows:

15  
16    **“305.05        Payment.** The Engineer will pay for the accepted pay items listed  
17 below at the contract price per pay unit, as shown in the proposal schedule.  
18 Payment will be full compensation for the work prescribed in this section and the  
19 contract documents.

20  
21            The Engineer will pay for one of the following pay items when included in  
22 the proposal schedule:

23

<b>Pay Item</b>	<b>Pay Unit</b>
Aggregate Subbase Course	C.Y.

24  
25  
26  
27  
28

29                                   **END OF SECTION 305**



**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
201.0100	Clearing and Grubbing	L.S.	L.S.	L.S.	\$ _____
203.0100	Roadway Excavation	3,400	C.Y.	\$ _____	\$ _____
205.1001	Structure Excavation for Fiber Reinforced Shotcrete Facing, Ditch and Sidewalk	L.S.	L.S.	L.S.	\$ _____
205.1002	Structure Backfill for Fiber Reinforced Shotcrete Facing, Ditch and Sidewalk	L.S.	L.S.	L.S.	\$ _____
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>
212.0100	Archaeological Monitoring	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>
213.0100	Reinforced Soil Slope	L.S.	L.S.	L.S.	\$ _____
301.0100	Hot Mix Asphalt Base Course	L.S.	L.S.	L.S.	\$ _____
305.0100	Aggregate Subbase	1,250	C.Y.	\$ _____	\$ _____
306.0100	Untreated Permeable Base	L.S.	L.S.	L.S.	\$ _____
401.0100	HMA Pavement, Mix No. IV	L.S.	L.S.	L.S.	\$ _____
411.0100	Concrete Pavement	L.S.	L.S.	L.S.	\$ _____
411.0200	Transverse Contraction Joint	L.S.	L.S.	L.S.	\$ _____

HSIP-0130(031)

r2/7/14

P-8

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
413.0100	Truck Apron Paving Brick	L.S.	L.S.	L.S.	\$ _____
415.0100	Cold Planing	L.S.	L.S.	L.S.	\$ _____
503.0100	Concrete Lined Ditch and Integral Sidewalk/Gutter	L.S.	L.S.	L.S.	\$ _____
511.0100	Street Lightpole Drilled Shaft Concrete Foundations	L.S.	L.S.	L.S.	\$ _____
603.0100	Sidewalk Culvert	L.S.	L.S.	L.S.	\$ _____
603.0200	48-inch Spiral Rib Aluminum Pipe, No. 10 Gage	L.S.	L.S.	L.S.	\$ _____
603.0210	60-inch Spiral Rib Aluminum Pipe, No. 10 Gage	L.S.	L.S.	L.S.	\$ _____
603.0300	12-inch High Density Polyethylene (HDPE) Pipe, Type S	L.S.	L.S.	L.S.	\$ _____
603.1000	Cleaning Existing Culverts	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>
604.0100	Type 1A-9 Drop Inlet, 2 feet to 4 feet	1	Each	\$ _____	\$ _____
604.0200	60-inch and 48-inch CMP Culvert Concrete Support	L.S.	L.S.	L.S.	\$ _____
605.0100	6-inch Underdrain	L.S.	L.S.	L.S.	\$ _____
605.0200	Type Riprap Underdrain Outlet	L.S.	L.S.	L.S.	\$ _____
605.0300	Cleanout	L.S.	L.S.	L.S.	\$ _____

**HSIP-0130(031)**

**r2/7/14**

**P-9**

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
606.0100	Guardrail, Type 3	L.S.	L.S.	L.S.	\$ _____
606.0200	Terminal Section, Type G Flare	L.S.	L.S.	L.S.	\$ _____
607.0100	4-foot Chain-Link Fence	L.S.	L.S.	L.S.	\$ _____
611.0100	Hand-Laid Riprap	L.S.	L.S.	L.S.	\$ _____
616.0100	Temporary Irrigation System	L.S.	L.S.	L.S.	\$ _____
617.0100	Imported Planting Soil	L.S.	L.S.	L.S.	\$ _____
619.0100	Tree (Hapu'u – <i>Cibotium glaucum</i> , Field Stock)	L.S.	L.S.	L.S.	\$ _____
619.0200	Shrub ('Uki'uki – <i>Dianella sandwicensis</i> , 6" Pots)	L.S.	L.S.	L.S.	\$ _____
619.0300	Ground Cover ( <i>Carex</i> – <i>Carex wahuensis</i> , 4" Pots)	L.S.	L.S.	L.S.	\$ _____
619.0400	Ground Cover ('Ilie'e – <i>Plumbago zeylanica</i> , 4" Pots)	L.S.	L.S.	L.S.	\$ _____
622.0010	Roadway Lighting Standard, 30-Foot (Nominal) Mounting Height, 6-Foot, 24-Inch Rise Luminaire Arm, 75 Watt Luminaire, LED, Photocell, Wiring, Ground Rod(s), Connections & Non Break-Away Transformer Base, Mounted on Concrete Foundation.	L.S.	L.S.	L.S.	\$ _____
622.0101	2-Inch PVC Schedule 40 Conduits, Concrete Encased	L.S.	L.S.	L.S.	\$ _____

HSIP-0130(031)

r2/7/14

P-10

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
622.0102	2-2-Inch PVC Schedule 40 Conduits, Concrete Encased	L.S.	L.S.	L.S.	\$ _____
622.0103	4-2-Inch PVC Schedule 40 Conduits, Concrete Encased	L.S.	L.S.	L.S.	\$ _____
622.0201	Roadway Light Conductors - #8 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.0202	Roadway Light Conductors - #4 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.0203	Roadway Light Ground Conductors - #8 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.0204	Electrical Service Conductors - #2 RHW-USE	L.S.	L.S.	L.S.	\$ _____
622.0301	Type B Highway Light Pullbox	L.S.	L.S.	L.S.	\$ _____
622.0401	Electrical Metering and Lighting Controller Equipment, Wiring, Cabinet and Concrete Foundation	L.S.	L.S.	L.S.	\$ _____
622.0402	Overhead Roadway Light Conductors, #2	L.S.	L.S.	L.S.	\$ _____
622.0403	New 75 Watt LED Street Light Luminaire, 6-Foot, 24-Inch Rise Luminaire Arm, Photocell, Wiring, Ground Rod(s), Mounted on Existing Wood Pole	L.S.	L.S.	L.S.	\$ _____
622.0404	Remove LPS Luminaire on Existing Wood Pole	L.S.	L.S.	L.S.	\$ _____
622.0501	Remove Existing Roadway Light Standard	L.S.	L.S.	L.S.	\$ _____
622.0502	Remove Existing Roadway Light Conductors	L.S.	L.S.	L.S.	\$ _____

HSIP-0130(031)

r2/7/14

P-11

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
622.0600	Temporary Lighting System	L.S.	L.S.	L.S.	\$ _____
623.0100	Temporary Traffic Signal System	L.S.	L.S.	L.S.	\$ _____
624.0100	Water System	L.S.	L.S.	L.S.	\$ _____
628.0100	Shotcrete for Reinforced Slope (8" thick conc.)	L.S.	L.S.	L.S.	\$ _____
629.0100	4-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0200	8-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0300	12-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0400	4-inch Yellow Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0500	8-inch Yellow Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0600	12-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0700	4-inch Double Yellow Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.0800	Type A Raised Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.0900	Type C Raised Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.1000	Type D Raised Pavement Markers	L.S.	L.S.	L.S.	\$ _____

**HSIP-0130(031)**

**r2/7/14**

**P-12**

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1100	Type H Raised Pavement Markers	L.S.	L.S.	L.S.	\$ _____
629.1200	Crosswalk Markings (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1300	Pavement Word (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1400	Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
630.0100	Panel for Destination Sign	L.S.	L.S.	L.S.	\$ _____
630.0100	Breakaway Steel Post and Foundations for Ground-Mounted Destination Signs	L.S.	L.S.	L.S.	\$ _____
631.0100	Regulatory Signs (10 Square Feet or less)	L.S.	L.S.	L.S.	\$ _____
631.0200	Guide Signs (Greater than 10 Square Feet)	L.S.	L.S.	L.S.	\$ _____
631.0300	Warning Signs (10 Square Feet or less)	L.S.	L.S.	L.S.	\$ _____
631.0400	Relocation of Existing Signs	L.S.	L.S.	L.S.	\$ _____
632.0100	Reflector Markers (RM3), Yellow & White; 48" Ground Mounted w/flexible posts	L.S.	L.S.	L.S.	\$ _____
632.0300	Milepost Marker with Post (Bi-Directional)	L.S.	L.S.	L.S.	\$ _____
634.0100	Portland Cement Concrete Sidewalk	L.S.	L.S.	L.S.	\$ _____
638.0100	Curb, Type 2D	L.S.	L.S.	L.S.	\$ _____

**PROPOSAL SCHEDULE**

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
638.0200	Curb and Gutter, Type 2DG	L.S.	L.S.	L.S.	\$ _____
638.0300	Curb, Type 3D	L.S.	L.S.	L.S.	\$ _____
638.0400	Curb and Gutter, Mountable	L.S.	L.S.	L.S.	\$ _____
639.0100	AC Curb, Type 6	L.S.	L.S.	L.S.	\$ _____
645.1000	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$ _____
650.0100	Curb Ramps, Modified Type "B"	L.S.	L.S.	L.S.	\$ _____
650.0200	Curb Ramps, Type "C"	L.S.	L.S.	L.S.	\$ _____
650.0300	Curb Ramps, Type "D"	L.S.	L.S.	L.S.	\$ _____
650.0400	Curb Ramps, Modified Type "D"	L.S.	L.S.	L.S.	\$ _____
650.0500	Curb Ramps, Combination Type	L.S.	L.S.	L.S.	\$ _____
651.0100	Hydro-Mulch Sprigging	L.S.	L.S.	L.S.	\$ _____
680.0101	3-Inch PVC Schedule 40 HELCO Conduits	L.S.	L.S.	L.S.	\$ _____

HSIP-0130(031)

r2/7/14

P-14

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
680.0301	2-Foot x 4-Foot HELCO Handhole	L.S.	L.S.	L.S.	\$ _____
680.0401	3-Inch HELCO Conduit Pole Riser	L.S.	L.S.	L.S.	\$ _____
680.9999	Allowance for Utility Charges for Electric Services	L.S.	L.S.	L.S.	\$ _____
696.0000	Maintenance of Trailers	L.S.	L.S.	L.S.	\$ _____
696.0200	Field Office Trailer (Not to Exceed \$32,000.00)	L.S.	L.S.	L.S.	\$ _____
696.0300	Project Site Laboratory Trailer (Not to Exceed \$22,000.00)	L.S.	L.S.	L.S.	\$ _____
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$ _____
a. Sum of All Items .....					\$ _____
b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a) .....					\$ _____
c. Amount for Comparison of Bids (a + b) .....					\$ _____
All bidders must fill in b and complete c					
NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.					

## PRE-BID MEETING AGENDA

Project: Keaau-Pahoa Road, Intersection Improvements at Old Government Road  
Federal-aid Project No. HSIP-0130(031)

Subject: Non-mandatory Pre-bid Conference

Date/Time: January 28, 2014 at 9:00 AM

Held: State Department of Transportation, Highways Division,  
Office of the District Engineer - Hawaii  
50 Makaala Street, Hilo, Hawaii 96720

Present: See attached lists of attendees

Discussed:

- A. Steven Yoshida opens meeting at 9:10 A.M. via Videoconference from Kapolei, Oahu after waiting to see if others will show. He introduced himself as the HDOT design project manager and had each meeting participant do the same as well.
- B. The following was announced once the meeting began:
  1. Pre-bid conference is non-mandatory and is intended for clarification purposes only prior to bidding.
  2. If you haven't done yet, please sign in.
  3. Announcement: "Anything said at this meeting is for clarification only, the bid documents shall govern over anything said today and discrepancies shall be clarified by addendum."
  4. Bidders have until 12:00 PM Noon, Tuesday, February 11, 2014, to submit any further questions.
  5. The minutes to this meeting and the sign-in sheet will be distributed by addendum prior to bid opening.
  6. Announcement: "Confirmation of DBE forms are due at the time of bid opening. See "PROPOSAL REQUIREMENTS" of the REGULATORY REQUIREMENTS FOR FEDERAL AID PROJECRS REGARDING DISADVANTAGED BUSINESS ENTERPRISES (DBEs)" section of the Special Provisions."
  7. Bid opening is scheduled for 2:00 P.M., Thursday, February 20, 2014 at the Contracts Office, Department of Transportation, 869 Punchbowl Street, Honolulu, HI 96813 and the Office of the District Engineer – Hawaii, 50 Makaala Street, Hilo, Hawaii 96720.
  8. Bidders are directed to section 212 – Archeological Monitoring of the Special Provisions. As described in subsection 212.01(a), "The Contractor shall obtain the

## PRE-BID MEETING MINUTES

Keaau-Paho Road, Intersection Improvements at Old Government Road  
Federal-aid Project No. HSIP-0130(031)

services of an Archaeologist or firm with an approved permit from the Department of Land and Natural Resources (DLNR) for conducting archaeological activities in the State of Hawaii to be present during all ground-altering activities conducted in the project area in order to document any historic properties which may be encountered during the proposed undertaking and to provide mitigation measures as necessary. Current list of Archaeological Consultants in the State of Hawaii for the calendar year is available at the link in the DLNR State Historic Preservation Division (SHPD) website. If the Archaeologist or firm is not on the current list, the Archaeologist or firm shall obtain the annual permit from DLNR at time of bid opening. Application for a permit could also be obtained at the link in the DLNR SHPD website. Monitoring must be done by, or under the direct supervision of, a person or persons meeting the professional qualifications for an Archaeologist listed in the Secretary of the Interior's Professional Qualifications Standards (36 Code of Federal Regulations Part 61 and Chapter 13-281 Hawaii Administrative Rules (HAR)). The supervising archaeologist must be present at the job site for the duration of the monitoring program." More details can be found in said section 212.

9. Bidders are directed to section 760 – Roadway and Sign Lighting Systems Materials, subsection 760.03(A) Luminaires for Roadway Lighting of the Special Provisions. As described in said subsection, "Luminaires for roadway lighting shall be light emitting diode (LED) lamps, employing filters to lower "blue light content" to less than 2% between 400nm and 500nm, to meet the County of Hawaii requirements. Blue light content shall be maintained for a minimum of 5 years. UL listed for wet locations."

### C. Open discussion with prospective bidder:

1. Contractor question: When will the first addendum be issued? HDOT response: before bid opening, see item 4 above.
2. Contractor question: When is construction expected to start? HDOT response: Summer 2014.
3. Contractor question: What permits is the contractor expected to secure? HDOT response: HDOT has only secured the NPDES permit related to construction activities (NOI Form C). The contractor is expected to secure all other permits, including but not limited to grading permit, a permit to perform work upon State Highway from Hawaii District, and the required permit under Chapter 22, Article 4, Division 1 of Hawaii County Code for the work within the County right-of-way.
4. Contractor question: Are sites designated for the contractor to stage his work? HDOT response: No. The Contractor is responsible for the required staging area.
5. Contractor question: Will HDOT provide utilities for the contractor? For example: water supply. HDOT response: No. However, the contractor is expected to provide utilities for the state field office trailer under section 696 of the standard specifications.
6. HDOT announced: Initial contractor inquiry by email prior to the pre-bid meeting will be included in Addendum No. 1

PRE-BID MEETING MINUTES

Keaau-Pahoa Road, Intersection Improvements at Old Government Road  
Federal-aid Project No. HSIP-0130(031)

D. Responses to advanced questions from Contractors:

1. Contractor question: Sheet 39 of the plans there is a note: "Route 130 new BL Sta. 19+92.47 o/s 37.60 rt. Begin existing guardrail to remain" please clarify this note, is there any new guardrail to be installed in this area of the roadway?  
There is another note on sheet 38 at station 18+99.66 which states "End removal of existing guardrail" do these notes tie into each other somehow?  
HDOT response: See revised plan sheets 38 & 39
2. Contractor question: Sheet 76 of the plans details an Anchor Block for the end of the guardrail. Is this to be installed anywhere on the project? There are no indications of this being installed. If it is to be used please specify where?  
HDOT response: See revised plan sheets 39 and 40
3. Contractor question: In regards to the new chain link fence to be installed on the project. It appears that the new fence is installed within the new concrete sidewalk, please confirm this and provide details on how the post are installed in relation to the new sidewalk. The only details for the fence post installation are on sheet 80, but this is only for the reinforced slope section of the project?  
HDOT response: See revised plan sheet 68a
4. Contractor question: Sheet 65 of the plans show the new sign panels to be installed, please provide information on the type of post required to be used for these signs. If standard metal post are to be used per standard plans TE-20 please indicate which signs if any will required break-a-way footings per TE-21  
HDOT response: The posts for destination signs shall be steel post and footings shall be breakaway.
5. Contractor question: On the proposal schedule items 632.0100 and 632.0200 Reflector Marker, Yellow; 48" Ground mounted w 3"x12" reflector. Please clarify what this is. Is the supposed to be flexible delineators with RM-3's? There are Delineator post shown on sheet 62 of the plans which do not provide any detail or bid item, is this what is these items are for?  
HDOT response: Items 632.0100 and 632.0200 Reflectors Marker, White & Yellow, 48" Ground Mounted w3"x12" reflector, are referred to RM-3s reflector markers with flexible posts. The delineator posts shown in plan sheet 62 are referred to these reflector markers. See revised proposal schedule item 632.0100.
6. Contractor question: On the proposal schedule item 632.0300 Milepost marker with post- we do not see any milepost markers on the plans to be installed, please provide a quantity or locations of where these are installed.  
HDOT response: See plan sheet 64 for mile 10 marker.

Meeting Adjourned at 9:25 A.M.

PRE-BID MEETING MINUTES

Keaau-Pahoa Road, Intersection Improvements at Old Government Road  
Federal-aid Project No. HSIP-0130(031)

Correction to item 4 above was emailed to meeting participants and B. Lee of Choice Fence, Inc. on Tuesday, January 28, 2014:

"Mr. Contractor,

I am making a correction to the statement regarding submittal of any further questions, which was said at today's pre-bid meeting for the subject project. The bidders actually have until **12:00 PM Noon, Thursday, February 6, 2014, to submit any further questions.** Therefore, please disregard what was said at today's meeting and utilize this email as the reference to submit any further questions. The first addendum for the project will be submittal shortly afterwards."

Mahalo,  
Steven Yoshida P.E.  
State of Hawaii, Department of Transportation  
Highways Division, Traffic Branch, Traffic Design Section  
601 Kamokila Blvd, Rm 602  
Kapolei, HI 96707  
Phone No.: (808) 692-7682  
Fax No.: (808) 692-7690

This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information. Any review, use, disclosure, or distribution by unintended recipient(s) is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

Prepared by: Steven Yoshida

# PRE-BID CONFERENCE ATTENDANCE LIST

PROJECT NO.: HSIP-0130(031) PROJECT NAME: KEAAU-PAHOA ROAD, INTERSECTION IMPROVEMENTS AT OLD GOVERNMENT ROAD

DATE: JANUARY 28, 2014 TIME: 9:00 AM LOCATION: STATE OF HAWAII, DOT, OFFICE OF THE DISTRICT ENGINEER - HAWAII  
50 MAKAALA STREET, HILO, HAWAII 96720\*

CALLED BY: STEVEN YOSHIDA  
**PLEASE PRINT**

\* Participants below attended via videoconference from Kapolei, Hi, 96707

PARTICIPANTS	COMPANY / ORGANIZATION	ADDRESS (Including City and Zip Code)	TELEPHONE NUMBER
1 MING DING	AG COM	1001 Bishop St. Suite 1600, Honolulu, HI 96813	808-529-7240
2 Jessica Samura	AECOM	1001 Bishop St. Suite 1600, Honolulu, HI 96813	808-529-7260
3 Steven Yoshida	HDOT	601 Kamehaha Bldg Rm 602, Kapolei, HI 96707	808-892-7682
4			
5			
6			
7			
8			
9			
10			
11			
12			

# PRE-BID CONFERENCE ATTENDANCE LIST

PROJECT NO.: HSIP-0130(031) PROJECT NAME: KEAAU-PAHOA ROAD, INTERSECTION IMPROVEMENTS AT OLD GOVERNMENT ROAD

DATE: JANUARY 28, 2014 TIME: 9:00 AM LOCATION: STATE OF HAWAII, DOT, OFFICE OF THE DISTRICT ENGINEER - HAWAII  
50 MAKAAALA STREET, HILO, HAWAII 96720

CALLED BY: STEVEN YOSHIDA

**PLEASE PRINT**

PARTICIPANTS	COMPANY / ORGANIZATION	ADDRESS (Including City and Zip Code)	TELEPHONE NUMBER
1 Randy Yumul	Nan Inc.	(yumul@nanhawaii.com) 636 LAUMAKA ST., HONOLULU, HI 96819	(808) 936-7691
2 LARRY TAGORDA	DOT HAWAII DISTRICT	50 MAKAAALA ST.	(808) 932-9204
3 Robert Taira	DOT HWYS	" " " "	(808) 933-8866
4 JASON TAGAWA	ISEMOTO	jason@ihawaii.net 648 PIIKANI ST., HILO, HI 96720	(808) 935-7194
5 EDDIE PAALUHI	LELEIWI ELEC	LELEIWI ELECTRIC @ HAWAIIAN TEL. BIZ	933 1811
6 TOM BRAINERD	Pacific Conc. Cutting & Grading	PCCZ @ HAWAII-PC. COM	960-6567
7 Rob Lee	DOT-HWYS.	50 MAAKAAALA ST.	(808) 938-9205
8			
9			
10			
11			
12			
13			