· · · · · · · · · · · · · · · · · · ·	PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
201.0100	Clearing and Grubbing	L.S.	L.S.	L.S.	\$			
203.0100	Roadway Excavation	3,400	C.Y.	\$	\$			
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$			
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>			
212.0100	Archaeological Monitoring	F.A.	F.A.	F.A.	\$			
213.0100	Reinforced Soil Slope	L.S.	L.S.	L.S.	\$			
301.0100	Hot Mix Asphalt Base Course	L.S.	L.S.	L.S.	\$			
305.0100	Aggregate Subbase	1,250	C.Y.	\$	\$			
306.0100	Untreated Permeable Base	L.S.	L.S.	L.S.	\$			
401.0100	HMA Pavement, Mix No. IV	L.S.	L.S.	L.S.	\$			
411.0100	Concrete Pavement	L.S.	L.S.	L.S.	\$			
411.0200	Transverse Contraction Joint	L.S.	L.S.	L.S.	\$			
413.0100	Truck Apron Paving Brick	L.S.	L.S.	L.S.	\$			
415.0100	Cold Planing	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
503.0100	Concrete Lined Ditch and Integral Sidewalk/Gutter	L.S.	L.S.	L.S.	\$			
511.0100	Street Lightpole Drilled Shaft Concrete Foundations	L.S.	L.S.	L.S.	\$			
603.0100	Sidewalk Culvert	L.S.	L.S.	L.S.	\$			
603.0200	48-inch Spiral Rib Aluminum Pipe, No. 10 Gage	L.S.	L.S.	L.S.	\$			
603.0210	60-inch Spiral Rib Aluminum Pipe, No. 10 Gage	L.S.	L.S.	L.S.	\$			
603.0300	12-inch High Density Polyethylene (HDPE) Pipe, Type S	L.S.	L.S.	L.S.	\$			
603.1000	Cleaning Existing Culverts	F.A.	F.A.	F.A.	\$			
604.0100	Type 1A-9 Drop Inlet, 2 feet to 4 feet	1	Each	\$	\$			
604.0200	60-inch and 48-inch CMP Culvert Concrete Support	L.S.	L.S.	L.S.	\$			
605.0100	6-inch Underdrain	L.S.	L.S.	L.S.	\$			
605.0200	Type Riprap Underdrain Outlet	L.S.	L.S.	L.S.	\$			
605.0300	Cleanout	L.S.	L.S.	L.S.	\$			
606.0100	Guardrail, Type 3	L.S.	L.S.	L.S.	\$			
606.0200	Terminal Section, Type G Flare	L.S.	L.S.	L.S.	\$			

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
607.0100	4-foot Chain-Link Fence	L.S.	L.S.	L.S.	\$		
611.0100	Hand-Laid Riprap	L.S.	L.S.	L.S.	\$		
616.0100	Temporary Irrigation System	L.S.	L.S.	L.S.	\$		
617.0100	Imported Planting Soil	L.S.	L.S.	L.S.	\$		
619.0100	Tree (Hapuʻu – <i>Cibotium glaucum,</i> Field Stock)	L.S.	L.S.	L.S.	\$		
619.0200	Shrub ('Uki'uki – <i>Dianella sandwicensis</i> , 6" Pots)	L.S.	L.S.	L.S.	\$		
619.0210	Shrub (Koki'o Kea – <i>Hibiscus waimeae</i> , 3 Gallon Pots)	L.S.	L.S.	L.S.	\$		
619.0300	Ground Cover (Carex – <i>Carex wahuensis</i> , 4" Pots)	L.S.	L.S.	L.S.	\$		
619.0400	Ground Cover ('llie'e – <i>Plumbago zeylanica</i> , 4" Pots)	L.S.	L.S.	L.S.	\$		
622.0010	Roadway Lighting Standard, 30-Foot (Nominal) Mounting Height, 6-Foot, 24-Inch Rise Luminaire Arm, 75 Watt Luminaire, LED, Photocell, Wiring, Ground Rod(s), Connections & Non Break-Away Transformer Base, Mounted on Concrete Foundation.	L.S.	L.S.	L.S.	\$		
622.0101	2-Inch PVC Schedule 40 Conduits, Concrete Encased	L.S.	L.S.	L.S.	\$		
622.0102	2-2-Inch PVC Schedule 40 Conduits, Concrete Encased	L.S.	L.S.	L.S.	\$		

	PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT			
622.0103	4-2-Inch PVC Schedule 40 Conduits, Concrete Encased	L.S.	L.S.	L.S.	\$			
622.0201	Roadway Light Conductors - #8 RHW-USE	L.S.	L.S.	L.S.	\$			
622.0202	Roadway Light Conductors - #4 RHW-USE	L.S.	L.S.	L.S.	\$			
622.0203	Roadway Light Ground Conductors - #8 RHW-USE	L.S.	L.S.	L.S.	\$			
622.0204	Electrical Service Conductors - #2 RHW-USE	L.S.	L.S.	L.S.	\$			
622.0301	Type B Highway Light Pullbox	L.S.	L.S.	L.S.	\$			
622.0401	Electrical Metering and Lighting Controller Equipment, Wiring, Cabinet and Concrete Foundation	L.S.	L.S.	L.S.	\$			
622.0402	Overhead Roadway Light Conductors, #2	L.S.	L.S.	L.S.	\$			
622.0403	New 75 Watt LED Street Light Luminaire, 6-Foot, 24-Inch Rise Luminaire Arm, Photocell, Wiring, Ground Rod(s), Mounted on Existing Wood Pole	L.S.	L.S.	L.S.	\$			
622.0404	Remove LPS Luminaire on Existing Wood Pole	L.S.	L.S.	L.S.	\$			
622.0501	Remove Existing Roadway Light Standard	L.S.	L.S.	L.S.	\$			
622.0502	Remove Existing Roadway Light Conductors	L.S.	L.S.	L.S.	\$			
623.0100	Temporary Traffic Signal System	L.S.	L.S.	L.S.	\$			

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
624.0100	Water System	L.S.	L.S.	L.S.	\$		
628.0100	Shotcrete for Reinforced Slope (8" thick conc.)	L.S.	L.S.	L.S.	\$		
629.0100	4-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0200	8-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0300	12-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0400	4-inch Yellow Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0500	8-inch Yellow Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0600	12-inch White Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0700	4-inch Double Yellow Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.0800	Type A Raised Pavement Markers	L.S.	L.S.	L.S.	\$		
629.0900	Type C Raised Pavement Markers	L.S.	L.S.	L.S.	\$		
629.1000	Type D Raised Pavement Markers	L.S.	L.S.	L.S.	\$		
629.1100	Type H Raised Pavement Markers	L.S.	L.S.	L.S.	\$		

TEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1200	Crosswalk Markings (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$
629.1300	Pavement Word (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$
629.1400	Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$
630.0100	Panel for Destination Sign	L.S.	L.S.	L.S.	\$
630.0200	Breakaway Steel Post and Foundations for Ground- Mounted Destination Signs	L.S.	L.S.	L.S.	\$
631.0100	Regulatory Signs (10 Square Feet or less)	L.S.	L.S.	L.S.	\$
631.0200	Guide Signs (Greater than 10 Square Feet)	L.S.	L.S.	L.S.	\$
631.0300	Warning Signs (10 Square Feet or less)	L.S.	L.S.	L.S.	\$
631.0400	Relocation of Existing Signs	L.S.	L.S.	L.S.	\$
632.0100	Reflector Markers (RM3), Yellow & White; 48" Ground Mounted w/flexible posts	L.S.	L.S.	L.S.	\$
632.0300	Milepost Marker with Post (Bi-Directional)	L.S.	L.S.	L.S.	\$
634.0100	Portland Cement Concrete Sidewalk	L.S.	L.S.	L.S.	\$
638.0100	Curb, Type 2D	L.S.	L.S.	L.S.	\$

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
638.0200	Curb and Gutter, Type 2DG	L.S.	L.S.	L.S.	\$		
638.0400	Curb and Gutter, Mountable	L.S.	L.S.	L.S.	\$		
639.0100	AC Curb, Type 6	L.S.	L.S.	L.S.	\$		
645.1000	Traffic Control	L.S.	L.S.	L.S.	\$		
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$ <u>50,000.0</u>		
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$		
650.0100	Curb Ramps, Modified Type "B"	L.S.	L.S.	L.S.	\$		
650.0200	Curb Ramps, Type "C"	L.S.	L.S.	L.S.	\$		
650.0300	Curb Ramps, Type "D"	L.S.	L.S.	L.S.	\$		
650.0400	Curb Ramps, Modified Type "D"	L.S.	L.S.	L.S.	\$		
650.0500	Curb Ramps, Combination Type	L.S.	L.S.	L.S.	\$		
651.0100	Hydro-Mulch Sprigging	L.S.	L.S.	L.S.	\$		
680.0101	3-Inch PVC Schedule 40 HELCO Conduits	L.S.	L.S.	L.S.	\$		
680.0301	2-Foot x 4-Foot HELCO Handhole	L.S.	L.S.	L.S.	\$		

PROPOSAL SCHEDULE						
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT	
680.0401	3-Inch HELCO Conduit Pole Riser	L.S.	L.S.	L.S.	\$	
680.9999	Utility Charges for Electric Services	F.A.	F.A.	F.A.	<u>\$ 25,000.0</u>	
696.0000	Maintenance of Trailers	L.S.	L.S.	L.S.	\$	
696.0200	Field Office Trailer (Not to Exceed \$32,000.00)	L.S.	L.S.	L.S.	\$	
696.0300	Project Site Laboratory Trailer (Not to Exceed \$22,000.00)	L.S.	L.S.	L.S.	\$	
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$	
	<ul> <li>a. Sum of All Items</li> <li>b. Either Furnish Foreign Steel Not to Exceed Minimal An Furnish Foreign Steel in Excess of Minimal Amount (Fi</li> </ul>	nount (Fill in '0')	or		\$	
c. Amount for Comparison of Bids (a + b)						
All I	bidders must fill in b and complete c					
NOTE: Bide	ders must complete all unit prices and amounts. Failure to o	do so may be gr	ounds for r	ejection of bid.		

## PROPOSAL SCHEDULE

The bidder is directed to Subsection 105.16 – Subcontracts.

The bidder's attention is directed to Sections 696 - Field Office and Project Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

9 If the bid price for any proposal item having a maximum allowable bid 10 indicated therefore in any of the contract documents is in excess of such a 11 maximum amount, the bid price for such proposal item shall be adjusted to 12 reflect the limitation thereon. The comparison of bids to determine the 13 successful bidder and the amount of contract to be awarded shall be determined 14 after such adjustments are made, and such adjustments shall be binding upon 15 the bidder.

17 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials 18 regarding recycling of waste glass.

19

16

1 2 3

4 5

6

7

8

## 20 INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS 21 FOR FOREIGN STEEL

22

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Steel and Iron Construction Material.

30

07/01/10