

PAVEMENT RECONSTRUCTION SCHEDULE

RECONSTRUCTION AREA SCHEDULE							
PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)	APPROX. AREA (SQ. FT.)
			LEFT	RIGHT			
HAWAII BELT ROAD	A	642+44	8.5		25	6	150
	A	643+61	9		18	6	108
	B	643+88		8	14	6	84
	B	644+90	7		31	6	186
	A	645+46	1.5		16	6	96
	A	649+62	8		214	6	1284
	A	652+09	8		24	6	144
	A	656+02.50	5		17	8	136
	B	656+66.50	7		9	6	54
	B	669+50.50	7.5		29	6	174
	B	664+36	7.5		18	6	108
	B	665+64	7.5		91	6	546
	B	667+42.50	8		11	6	66
	A	675+91	9		26	6	156
	A	676+25	9.5		18	6	108
	B	678+23	7.5		158	6	948
	B	678+12	7.5		43	6	258
	A	684+26		7	32	6	192
	A	693+09	7		309	6	1854
	A	694+43		9	53	6	318
	B	697+25	7.5		20	6	120
	B	699+31	6		101	9	909
	B	700+30	5		69	9	621
	A	700+56		8	20	12	240
	B	700+80	5		9	6	54
	B	701+10	7.5		23	6	138
	B	703+58	6.5		38	6	228
	A	704+54	7		36	6	216
	B	705+40	7		72	6	432
	B	705+57	5		37	9	333
	B	706+22	7		18	6	108
	B	707+07	7		102	6	612
	B	708+55	7		132	6	792

PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)	APPROX. AREA (SQ. FT.)
			LEFT	RIGHT			
HAWAII BELT ROAD	A	710+71	7		266	6	1596
	B	712+26	7.5		38	6	228
	B	713+82.50	7.5		177	6	1062
	B	715+17.50	7.5		67	6	402
	B	715+58		8	25	6	150
	B	718+49	9		105	6	630
	B	718+28		6.5	40	6	240
	B	719+38	9		22	8	132
	B	719+74		6	12	6	72
	B	719+82	9		45	6	270
	A	720+80	6.5		159	6	954
	A	717+16		7.5	46	6	276
	B	717+69		7.5	34	6	204
	B	717+88	8		43	6	258
	B	719+94	8		12	6	72
	B	722+62		7.5	64	6	384
	B	724+93	8		16	6	96
	A	727+40	8		19	6	114
	A	728+57	8		54	6	324
	B	729+69	9		14	6	84
	B	731+19	9		109	6	654
	B	732+71	6		42	6	252
	B	733+00	5		15	9	135
	B	732+72		6	56	6	336
	A	736+46	10		120	6	720
	B	737+32	7		34	6	204
TOTAL							21622

ORIGINAL PLAN	SURVEY PLOTTED BY	DATE
NOTE BOOK	DRAWN BY	
No.	DESIGNED BY	
	QUANTITIES BY	
	CHECKED BY	

Refer to sheet 115-1 through 115-5 for revised schedule.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
RECONSTRUCTION
AREA SCHEDULE
ROUTE 190
HAWAII BELT ROAD RESURFACING
KEAMUKU TO PUUANAHULU
Project No. 190C-01-00M
Scale: None Date: May, 2000
SHEET No. 1 OF 5 SHEETS

"AS-BUILT"

FILE: 190DRAS.DWG

FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	190C-01-00M	2000	8	66

PAVEMENT RECONSTRUCTION SCHEDULE

RECONSTRUCTION AREA SCHEDULE						
PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)
			LEFT	RIGHT		
HAWAII BELT ROAD	B	738+19	8		15	6
	B	738+00	3.5		10	6
	B	739+07	7.5		34	6
	B	738+90		8	23	6
	A	742+97	7		37	6
	A	742+89		7.5	29	6
	A	744+34	7		165	6
	A	745+56	7		24	6
	B	747+25	6.5		16	6
	A	750+26	7.5		15	6
	A	751+74	7		80	6
	B	752+56	3		31	6
	B	756+26	9		22	6
	A	756+26	9		149	6
	B	757+80	2		123	6
	B	762+54		1	43	6
	B	762+62	6.5		28	11
	A	763+02	1.5		54	6
	A	763+60	7		21	6
	B	765+25	5		56	9
	B	766+87	7.5		56	6
	A	767+88	7		9	6
	B	768+33	1.5		47	6
	A	768+50	7.5		26	8
	B	768+98		7.5	67	6
	A	768+27		7	67	6
	A	768+91	6.5		33	6
	B	769+65	2		22	6
	B	769+98	4.5		45	9
	B	770+88	2		89	6
	B	771+44	4.5		27	10
	B	771+91	8		30	6
	B	772+31	5		29	9

PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)	APPROX. AREA (SQ. FT.)
			LEFT	RIGHT			
HAWAII BELT ROAD	B	772+56	7.5		20	6	120
	B	772+75	5		18	9	162
	B	772+91	7.5		14	6	84
	B	773+25	5		31	9	279
	B	773+87		7.5	145	6	870
	B	773+91	7		99	6	594
	B	779+35	7.5		103	6	618
	B	781+03	7.5		39	6	234
	B	781+85	7.5		54	6	324
	B	781+87	1		23	6	138
	B	783+49	7.5		31	6	186
	B	783+93	0		46	6	276
	A	784+17	7		75	6	450
	A	784+68	6		26	14	364
	B	784+76		7.5	35	6	210
	A	784+99	9		38	7	266
	A	785+32	7.5		30	6	180
	B	785+69	2		15	6	90
	B	786+17	6		89	6	534
	B	787+04	8		26	6	156
	B	787+46	7.5		35	6	210
	B	788+87		8	30	6	180
	B	789+72		7	20	6	120
	B	790+16		7.5	18	6	108
	B	791+94		5	103	9	927
	B	6+13		3	24	6	144
TOTAL							38968

ORIGINAL PLAN

DATE

SURVEY PLOTTED BY

DESIGNED BY

TRACED BY

NOTE BOOK

QUANTITIES BY

CHECKED BY

No.

Refer to sheet 115-1 through 115-5 for revised schedule.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
RECONSTRUCTION
AREA SCHEDULE
ROUTE 190
HAWAII BELT ROAD RESURFACING
KEAMUKU TO PUUANAHULU
Project No. 190C-01-00M
Scale: None Date: April, 2000
SHEET No. 2 OF 5 SHEETS

"AS-BUILT"

FILE: 190DRAS.DWG

PAVEMENT RECONSTRUCTION SCHEDULE

RECONSTRUCTION AREA SCHEDULE						
PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)
			LEFT	RIGHT		
HAWAII BELT ROAD	B	6+28		8	16	6
	A	10+73	11		28	6
	B	12+55	8.5		19	6
	B	13+51	6		155	12
	B	14+35	9.5		16	6
	B	15+49	8		22	6
	B	15+78	5.5		37	9
	B	16+16	8		42	6
	B	16+65	5.5		56	10
	B	16+72		3	82	6
	B	17+15	8		42	6
	A	19+36		2.5	40	6
	A	20+12		2.5	42	6
	B	21+83		2.5	28	6
	B	22+34	5.5		82	11
	B	23+25		2.5	18	6
	B	25+49		3	65	6
	A	27+47	5		104	18
	A	28+05	7		14	14
	B	32+01	5		46	9
	B	32+30	3		14	13
	B	32+43	7		15	6
	B	33+36	5		55	10
	B	34+71	5		53	10
	B	35+20		10	7	6
	B	35+47	7		29	13
	B	35+68	5		13	10
	B	36+20	5		50	10
	A	37+57		8	7	6
	B	39+41	2.5		10	6
	B	39+73	5		55	10
	B	40+89	7		55	6
	A	44+59	5		58	7

PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)	APPROX. AREA (SQ. FT.)
			LEFT	RIGHT			
HAWAII BELT ROAD	B	46+73		3	27	6	162
	A	47+11		6	12	10	120
	A	47+86	10		20	8	160
	A	50+23	5		38	10	380
	A	50+53	7		22	13	286
	A	50+76	5		22	10	220
	A	52+17	8.5		41	6	246
	B	53+05		3	26	6	156
	B	53+71	5.5		56	9	504
	B	54+13	8		33	6	198
	B	54+53	5.5		48	9	432
	B	54+87	8		21	6	126
	B	55+09	5.5		23	10	230
	B	55+12		5.5	17	9	153
	B	56+36	5.5		54	10	540
	B	56+80	8		33	6	198
	B	57+21	5.5		50	10	500
	B	57+67	8		41	6	246
	B	61+11	5.5		28	9	252
	B	61+33	8		17	6	102
	B	62+86	5.5		39	9	351
	B	70+72	5.5		37	10	370
	B	71+12	2.5		44	6	264
	B	71+53		3	40	6	240
	B	71+86	8		74	6	444
	A	72+01		2	32	6	192
TOTAL							58726

SURVEY PLOTTED BY	DATE
DRAWN BY	
DESIGNED BY	
QUANTITIES BY	
CHECKED BY	
ORIGINAL PLAN	No.

Refer to sheet 115-1 through 115-5 for revised schedule.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
**RECONSTRUCTION
AREA SCHEDULE**
ROUTE 190
HAWAII BELT ROAD RESURFACING
KEAMUKU TO PUUANAHULU
Project No. 190C-01-00M
Scale: None Date: April, 2000
SHEET No. 3 OF 5 SHEETS

PAVEMENT RECONSTRUCTION SCHEDULE

RECONSTRUCTION AREA SCHEDULE						
PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)
			LEFT	RIGHT		
HAWAII BELT ROAD	B	74+73	7.5		24	6
	B	75+45	5		24	10
	A	80+87	0		31	21
	B	81+20	6		35	10
	B	81+32		4	28	6
	B	84+92	2		73	6
	A	88+00	5		76	10
	B	90+62		2	135	6
	B	91+88	3.5		118	13
	A	94+15	0		24	6
	A	94+33	8.5		57	6
	B	94+78		9	31	6
	A	94+89	5		55	9
	A	95+33		2	51	6
	B	95+36	8		60	7
	B	97+22	8.5		78	6
	B	98+14	8.5		25	6
	B	99+33	5.5		63	10
	B	99+81	8		32	6
	B	100+28	5.5		64	10
	B	100+94		8	41	6
	B	101+10	8		100	6
	B	101+71	5.5		23	10
	B	102+11	8		57	6
	B	102+71	5		65	11
	B	103+64		5	16	9
	B	103+73	6.5		139	14
	B	105+28	9.5		174	9
	B	106+32	7		35	13
	B	107+34	9.5		153	7
	B	109+06	7		208	13
	B	110+33	5.5		49	9
	B	110+76	8		38	6

PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)	APPROX. AREA (SQ. FT.)
			LEFT	RIGHT			
HAWAII BELT ROAD	B	111+12	0		34	20	680
	A	111+44	7		32	11	352
	B	112+08	9.5		95	7	665
	A	112+36		3	18	6	108
	A	112+51	3.5		18	6	108
	A	112+90		8.5	18	6	108
	A	113+36	8		162	6	972
	B	114+39	9.5		43	6	258
	B	115+36	8		151	6	906
	B	115+96		7.5	81	6	486
	B	116+97	5.5		79	10	790
	B	117+65		4.5	39	12	468
	B	117+73	5.5		73	10	730
	B	126+76	8		109	6	654
	B	127+52	5		45	10	450
	B	127+85	8		22	6	132
	A	130+74	2		13	6	78
	A	131+21	6		50	12	600
	A	131+83	6		57	11	627
	A	132+77	8		48	6	288
	A	132+33		10	56	6	336
	A	133+58	5		21	12	252
	A	133+83	2		34	6	204
	A	134+17	8.5		14	6	84
	A	134+40	5.5		32	11	352
	A	134+86	8.5		62	6	372
TOTAL							89542

ORIGINAL PLAN

SURVEY PLOTTED BY

DESIGNED BY

TRACED BY

NOTE BOOK

DESIGNED BY

QUANTITIES BY

CHECKED BY

No.

DATE

Refer to sheet 115-1 through 115-5 for revised schedule.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
RECONSTRUCTION
AREA SCHEDULE
ROUTE 190
HAWAII BELT ROAD RESURFACING
KEAMUKU TO PUUANAHULU
Project No. 190C-01-00M
Scale: None Date: April, 2000
SHEET No. 4 OF 5 SHEETS

PAVEMENT RECONSTRUCTION SCHEDULE

RECONSTRUCTION AREA SCHEDULE							
PROJECT NO.	PAVEMENT CONDITION	OFFSET STATION	OFFSET FROM RD. # TO CENTER RECON. AREA (L.F.)		LENGTH (L.F.)	WIDTH (L.F.)	APPROX. AREA (SQ. FT.)
			LEFT	RIGHT			
HAWAII BELT ROAD	B	135+47	5.5		35	12	420
	B	136+18	9		19	6	114
	A	137+24	8		43	6	258
	A	137+52	5.5		13	11	143
	A	137+67	9		17	6	102
	A	137+88	6		26	11	286
	B	138+70	9		142	6	852
	A	140+18	6		24	9	216
	A	140+84	7		109	11	1199
	A	141+48	9		18	6	108
	A	141+84	6.5		56	10	560
	A	142+18	8.5		19	6	114
	A	142+48	6		39	11	429
	A	143+69	8		188	11	2820
	A	144+80	5.5		50	21	1050
	A	145+40	6		72	11	792
	B	151+81	8.5		207	6	1242
	B	154+67	9		74	8	592
	A	159+33	10		378	10	3780
	A	162+67	8		48	13	624
	A	163+05	6		27	10	270
	A	163+55	8.5		20	13	260
	A	163+87	11		44	9	396
	A	164+52	8.5		85	6	510
	A	165+06	6		23	10	230
	A	165+59	8.5		83	6	498
	A	166+18	6		37	10	370
	A	166+44	8.5		17	6	102
	A	166+79	6		53	9	477
	A	167+26	8.5		44	6	264
	A	167+69	6		44	9	396
	A	168+08	8.5		32	6	192
A	175+89		8	55	6	330	

[illegible]

ORIGINAL PLAN	SURVEY PLOTTED BY _____ DATE _____
NOTE BOOK	DRAWN BY _____ "
	TRACED BY _____ "
	DESIGNED BY _____ "
	QUANTITIES BY _____ "
No. _____	CHECKED BY _____

Refer to sheet 115-1 through
115-5 for revised schedule.

AS-BUILT