




| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | S-0270(7) | 1972 | 20 | 76 |



| STATION | DESCRIPTION | TYPE D | TYPE H | TYPE J |
|-----------------------------------|------------------------------------|---------|--------|-----------|
| -8+50 to 9+92 | NO PASSING - BOTH SIDES | 33 | 0 | 0 |
| 9+92 to 20+93 | NO PASSING - LEFT, PASSING RIGHT | 27 | 28 | 168 |
| SUMMARY - PAVEMENT MARKERS | | | | |
| 20+93 STATION | DESCRIPTION | TYPE D | TYPE H | TYPE J |
| -8+50 to 48+44.11 | PASSING - BOTH SIDES | 69 | 57 | 0 |
| 48+44.11 to 54+04.11 | PASSING - LEFT, NO PASSING - RIGHT | 13 | 7 | 14 |
| 54+04.11 to 60+22.5 | NO PASSING - LEFT, PASSING RIGHT | 13 | 8 | 14 |
| 60+22.5 to 147+00 | PASSING - BOTH SIDES | 218 | 0 | 0 |
| TEMP CONNECTION 147+00 to 149+60 | PASSING - BOTH SIDES | 0 | 4 | 0 |
| TOTALS | | 373 | 56 | 2,052 |
| | | 185 EA. | 42 EA. | 8,184 EA. |

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

**PAVEMENT MARKERS
AND SIGNS LAYOUT**



MAHUKONA - HAWI ROAD
FAS PROJECT No. S-0270(7)
North Kohala, Hawaii

Scale: 1"=100' Date: Sept. 1971

SHEET No. 1 OF 10 SHEETS

SURVEY PLOTTED BY: _____
 DATE: _____
 DRAWN BY: _____
 DESIGNED BY: _____
 NOTE BOOK: _____
 QUANTITIES BY: _____
 CHECKED BY: _____
 No. _____

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | S-0270(7) | 1972 | 21 | 76 |



STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

**PAVEMENT MARKERS
AND SIGNS LAYOUT**




MAHUKONA-HAWI ROAD
FAS PROJECT No. S-0270(7)
North Kohala, Hawaii

Scale: 1"=100' Date: Sept. 1971


SHEET No. 2 OF 10 SHEETS

| | |
|-------------------|------|
| SURVEY PLOTTED BY | DATE |
| DRAWN BY | |
| DESIGNED BY | |
| QUANTITIES BY | |
| CHECKED BY | |
| ORIGINAL PLAN | |
| NOTE BOOK | |
| No. | |

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | 5-0270(7) | 1972 | 22 | 76 |




HEIGHT AND LATERAL LOCATION OF SIGNS - TYPICAL INSTALLATION




Galv. flanged channel 1/8" x 3/16" rolled section post with a minimum weight of 2 lbs. per ft. Upper 2 ft shall have a single row of 3/8" holes centered in the web at 1" o.c.

TYPICAL SECTION OF ROAD DELINEATOR



TYPICAL DETAIL
HORIZONTAL REFLECTOR MARKER
RM-3H



TYPICAL BAND BRACKET FOR
MOUNTING TRAFFIC SIGNS

GENERAL NOTES:

- Sign posts shall be 2" galv. standard pipe or 2" x 2" galv. sq. tube post.
- Signs 48" and wider or larger than 10 sq. ft. in area shall be mounted on two 2" galv. standard pipe or two 2" x 2" galv. sq. tube post or 4" x 4" redwood post S4S.
- Signs shall be attached to post with 5/16" galv. bolts with nuts and 7/8" x 0.06 stainless steel washers with neoprene rubber gasket.
- Sign posts shall extend 3 1/2" above sign where required for City and County street name signs.
- Reflector markers RM-1, 2, 3 shall be glass sphere reflector markers with 4" x 5" reflector units (as shown) or plastic prismatic reflector markers with 3" diameter reflector units.
- Clearance markers (RM-3, RM-4) shall be installed with the edge of the marker in line with the inner edge of the obstruction.
- (R) or (L) indicates right or left and shall be as shown on the plans.

APPROVAL RECOMMENDED:
Eishi Tanaka 12/29/69
TRAFFIC ENGINEER DATE

APPROVED:
[Signature] 12-30-69
ASSISTANT CHIEF, ENGINEERING DATE


| NO. | REVISION | APPROVED BY | DATE |
|-----|----------|-------------|------|
| | | | |

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

STANDARD DETAILS
MISCELLANEOUS SIGN DETAILS


Not to scale March, 1968

SURVEY PLOTTED BY: _____ DATE: _____
 DRAWN BY: _____
 CHECKED BY: _____
 QUANTITIES BY: _____
 NOTE BOOK No. _____




REFLECTOR MARKERS


| | | | | | |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
| HAWAII | HAW. | 6-0270(?) | 1972 | 23 | 76 |




R1-1 30"x 30"




R1-2 36"x36"x36"
R1-2-E 48"x48"x48"
R1-2-I 60"x60"x60"




R2-1(50) 24"x30"
R2-1(50)-E 36"x48"
R2-1(50)-I 48"x60"




R2-2(40) 24"x24"
R2-2(40)-E 36"x36"
R2-2(40)-I 48"x48"




R2-4(40) 24"x30"
R2-4(40)-E 36"x48"
R2-4(40)-I 48"x60"




R2-5 24"x30"
R2-5-E 36"x48"
R2-5-I 48"x60"




R2-6(25) 24"x30"
R2-6(25)-E 36"x48"
R2-6(25)-I 48"x60"



R2-7 24"x30"
R2-7-E 36"x48"
R2-7-I 48"x60"




R3-1 24"x30"
R3-1-E 36"x48"



R3-2 24"x30"
R3-2-E 36"x48"




R3-3 24"x24"




R3-4 24"x30"
R3-4-E 36"x48"
R3-4-I 48"x60"




R3-5(L) 30"x36"



R3-6(L) 30"x36"



R3-7(R) 30"x30"




R3-8(L) 30"x30"



R4-1 24"x30"




R4-2 24"x30"




R4-3 24"x30"
R4-3-E 36"x48"
R4-3-I 48"x60"



R4-4 24"x30"
R4-4-E 36"x48"
R4-4-I 48"x60"



R4-5 24"x30"
R4-5-E 36"x48"



R4-6 24"x30"
R4-6-E 36"x48"



R4-7(R) 24"x30"
R4-7(R)-E 36"x48"



R5-1 24"x24"



R6-1(R) 36"x12"




R6-2(R) 18"x24"



R6-3 24"x30"




R6-4 24"x30"



R6-5 24"x30"



R7-1 12"x18"



R7-4 12"x18"
R7-4-E 24"x30"




R7-107(R) 12"x18"



R7-201 12"x6"



R8-1 24"x30"
R8-1-E 36"x48"
R8-1-I 48"x60"



R8-2 24"x30"
R8-2-E 36"x48"




R8-3 24"x30"
R8-3-E 36"x48"



R8-4 24"x30"
R8-4-E 36"x48"
R8-4-I 48"x36"




R9-1 18"x24"




R9-2 12"x18"




R9-3 12"x18"




R9-4 12"x18"



R9-5 12"x18"



R9-6 9"x12"




R9-7 9"x12"



R10-1 24"x30"
R10-1-E 36"x48"
R10-1-I 48"x60"



R10-2 48"x30"



R10-3(10) 60"x30"



R10-4(10) 18"x24"

NOTE:

- The shape, color, dimensions, symbols, wording, lettering and reflectorization of all signs shall be in accordance with the "Manual on Uniform Traffic Control Devices for Streets and Highways," dated June 1961 and the BPR manual "Standard Highway Signs," dated September 1961 unless otherwise specified.
- All regulatory signs shall be reflectorized unless otherwise specified.
- All regulatory signs shall have 3/8" bolt holes drilled at appropriate locations unless otherwise noted.
- The suffix "E" denotes Expressway signs and "I" denotes Interstate signs.
- For R2 signs, number in () indicates speed and shall be as shown on the plans.
- (R) or (L) indicates right or left and shall be as shown on the plans.
- For R10-4 sign, number in () indicates weight and shall be as shown on the plan.

APPROVAL RECOMMENDED:

Eishi Tanaka 12/29/69
TRAFFIC ENGINEER DATE

APPROVED:

John J. DeLoe 12-30-69
ASSISTANT CHIEF, ENGINEERING DATE

| NO. | REVISION | APPROVED BY | DATE |
|-----|----------|-------------|------|
| | | | |


STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

STANDARD DETAILS
REGULATORY SIGNS


NOT TO SCALE

DATE: _____
DRAWN BY: _____
DESIGNED BY: _____
CHECKED BY: _____
NO. _____


| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | 6-0270(7) | 1972 | 24 | 76 |



R3-9 30" x 30"




R3-10 36" x 30"




R5-5(1) 24" x 18"
R5-5(2) 36" x 24"


NOTE:
White legend and border
on Red background.




R15-1 24" x 30"




R16-1 24" x 30"



R16-2 24" x 30"




R17-1 18" x 24"




R17-2 18" x 24"




R18-1 36" x 30"



R19-1 18" x 24"




R2-5A(25) 24" x 30"



W4-2A(R) 36" x 36"




W4-2B(R) 36" x 36"




R5-1A 30" x 30"


- NOTE:
- The shape, color, plate details, lettering and reflectorization of Regulatory signs (Prefix R) and Warning signs (Prefix W) shall be in accordance with the "Manual on Uniform Traffic Control Devices for Streets and Highways," dated June 1961 and the BPR manual "Standard Highway Signs," dated September 1961 unless otherwise specified.
 - All regulatory and warning signs shall be reflectorized unless otherwise specified.
 - All regulatory and warning signs shall have 3/8" bolt holes drilled at appropriate locations unless otherwise specified.
 - For R2-5A sign, number in () indicates speed and shall be as shown on the plans.
 - (R) or (L) indicates Right or Left and shall be as shown on the plans.



W13-4 24" x 24"



W15-1 24" x 24"



W15-2 24" x 24"



W4-2C(L) 36" x 36"



W13-4A 30" x 30"

APPROVAL RECOMMENDED:
Eishi Tanaka 12/29/69
TRAFFIC ENGINEER DATE

APPROVED:
John J. Selig 12-29-69
ASSISTANT CHIEF, ENGINEERING DATE


| NO. | REVISION | APPROVED BY | DATE |
|-----|---|-------------|---------|
| 1 | Added R2-5A(25), R5-1A, W4-2A(R), W4-2B(R), W4-2C(L), W13-4A, R18-1A, Notes 4 & 5 | H.C. | 5/21/71 |

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
STANDARD DETAILS
MISCELLANEOUS
REGULATORY & WARNING SIGNS
Scale: 1" = 1'-0"

| | |
|-------------------|--|
| DATE | |
| SURVEY PLOTTED BY | |
| DRAWN BY | |
| DESIGNED BY | |
| QUANTITIES BY | |
| CHECKED BY | |
| ORIGINAL PLAN | |
| NOTE BOOK | |
| NO. | |

UNLICENSED VEHICLES BICYCLES, CYCLES
3" Series C
SUPPLEMENTARY PLATE
R18-1A 17" x 36"

| Shield Size | Multiply Dimensions by | Numeral Size |
|-------------|------------------------|--------------|
| 16" | 1 | 6" Series D |
| 21" | 1.3 | 8" Series D |
| 32" | 2.0 | 12" Series D |
| 42" | 2.63 | 15" Series D |
| 48" | 3 | 18" Series D |



**STATE ROUTE MARKER
FOR
DESTINATION & EXPRESSWAY SIGNS**


Scale: Half Size

NOTE:

1. State Route Markers on Destination and Expressway signs shall have black numerals and borders on a white reflectorized background mounted on a flat aluminum cut-out.
2. All numerals shall be Series "D" from the "Standard Alphabets for Highway Signs," Bureau of Public Roads, 1966.
3. All Cut-outs shall be fastened on sign panel with Aluminum blind rivets. See Standard Specification.

| | |
|-------------|------|
| DESIGNED BY | DATE |
| DRAWN BY | |
| CHECKED BY | |
| APPROVED BY | |
| NO. | |

| RADII FOR SIGNS | | |
|-------------------------|----|-----|
| Least Dimension of Sign | W | R |
| 2'-0" to 4'-6" | 2" | 3" |
| 4'-9" to 5'-6" | 2" | 6" |
| 5'-9" to 7'-6" | 2" | 9" |
| 7'-9" and greater | 2" | 12" |



**BORDER DETAIL
FOR
DESTINATION & EXPRESSWAY SIGNS**

No Scale

NOTE:

1. Area outside corner radius need not be trimmed.
2. All borders shall be embossed cut-outs, white and reflectorized.
3. All signs shall have borders.

APPROVAL RECOMMENDED:
Etsuki Tanaka 12/29/69
TRAFFIC ENGINEER DATE


APPROVED:
John J. Selvi 12/29/69
ASSISTANT CHIEF, ENGINEERING DATE

| NO. | REVISION | APPROVED BY | DATE |
|-----|----------|-------------|------|
| | | | |


STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
DESTINATION & EXPRESSWAY SIGNS
**STATE ROUTE MARKER
AND
BORDER DETAIL**
Scale: As Shown

25


| | | | | | |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
| HAWAII | HAW. | 6-0270(7) | 1972 | 26 | 76 |




**TWO-LANE
PASSING PERMITTED AND PASSING PROHIBITED**




**TWO-LANE
PASSING PROHIBITED ZONES**




**MULTI-LANE
LANE LINES AND CENTER LINE**



FREEWAY LANE LINES



**CHANNELIZING LINES
OR SOLID LANE LINES**



MEDIAN NOSE DELINEATION


NOTE: Type H (Reflective surface facing oncoming traffic)

TWO - LANE


MULTI - LANE

FREEWAY


MISCELLANEOUS




**TYPE A
NON-REFLECTIVE WHITE MARKER**




**TYPE J
NON-REFLECTIVE YELLOW MARKER**



**TYPE C
RED-CLEAR REFLECTIVE MARKER**



**TYPE D
TWO-WAY YELLOW REFLECTIVE MARKER**



**TYPE H
ONE-WAY YELLOW REFLECTIVE MARKER**

GENERAL NOTES

1. Painted stripes to be done by State forces.

APPROVAL RECOMMENDED:
Eiichi Tanaka 11/18/71
TRAFFIC ENGINEER DATE

APPROVED:
Shelton Zaleski 11/18/71
ASSISTANT CHIEF, ENGINEERING DATE

| No. | REVISION | APPROVED BY | DATE |
|-----|----------|-------------|------|
| | | | |

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION


**STANDARD DETAILS
RAISED PAVEMENT MARKERS**

Not to Scale October 1971

SHEET No. 7 OF 10 SHEETS DT 300


ORIGINAL PLAN
 SURVEY PLOTTED BY
 DRAWN BY
 CHECKED BY
 DATE
 QUANTITIES BY
 No.

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | 6-0270(7) | 1972 | 27 | 76 |



PLAN VIEW


- GENERAL NOTES**
1. The Contractor shall construct, install and maintain the wood barricades at the locations shown on the Plans.
 2. The permanent wood barricades shall be left in place or relocated upon completion of the project as ordered by the Engineer and are to become State property.
 3. The black and white stripes shall slant downward toward the side on which traffic is to pass.




FRONT VIEW

CLASS I BARRICADE


Scale: 1/2" = 1'-0"



END VIEW



PLAN VIEW




FRONT VIEW

END VIEW


CLASS II BARRICADE

Scale: 1/2" = 1'-0"



FRONT VIEW


Scale: 1/2" = 1'-0"



SIDE VIEW

(SIGN FRAME WEIGHTED DOWN)

Scale: 1/2" = 1'-0"




SIDE VIEW

(SIGN FRAME ANCHORED IN GROUND)

Scale: 1/2" = 1'-0"

CONSTRUCTION IDENTIFICATION SIGN


Scale: As Shown



SIGN PANEL

PRIMARY AND SECONDARY SYSTEMS

Scale: 3/4" = 1'-0"



SIGN PANEL

NON-FEDERAL AID PROJECT

Scale: 3/4" = 1'-0"

GENERAL NOTES

1. The sign legend shall be black on white background.
2. The Contractor shall construct, install and maintain the project signs at the locations shown on the plans and as ordered by the Engineer.
3. Letters shall be Series "C" of the sizes shown on the plan and shall conform with the "Standard Alphabet for Highway Signs", Bureau of Public Roads, 1966
4. The Contractor shall fill in the proper numerals in place of ciphers as ordered by the Engineer.

APPROVAL RECOMMENDED:
Eishi Tanaka 12/29/69
 TRAFFIC ENGINEER DATE

APPROVED:
John S. S. S. 12/29/69
 ASSISTANT CHIEF, ENGINEERING DATE


| NO. | REVISION | APPROVED BY | DATE |
|-----|---------------------------------|-------------|---------|
| 1 | Delete "Bureau of Public Roads" | H.T. | 4-29-70 |
| 2 | Add Note No.3 for Barricades | H.T. | 5-4-71 |

STATE OF HAWAII
 DEPARTMENT OF TRANSPORTATION
 HIGHWAYS DIVISION


TYPICAL DETAILS
 CONSTRUCTION IDENTIFICATION SIGN
 AND
 WOOD BARRICADES

DATE
 SURVEY PLOTTED BY
 PLAN
 TRACKED BY
 DESIGNED BY
 NOTE BOOK
 QUANTITIES BY
 CHECKED BY
 No.


| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | 6-0270(7) | 1972 | 28 | 76 |




FRONT VIEW
Scale: 1/2" = 1'-0"



BLACK LEGEND ON YELLOW BACKGROUND
USE SERIES "D" LETTERS



SIDE VIEW
(SIGN SUPPORT AND FRAME WEIGHTED DOWN)
Scale: 1/2" = 1'-0"



SIDE VIEW
(SIGN SUPPORT AND FRAME ANCHORED IN GROUND)
Scale: 1/2" = 1'-0"

SIGN SUPPORT AND FRAME
Scale: As Shown

NOTES

| | |
|-------------------|------|
| SURVEY PLOTTED BY | DATE |
| DRAWN BY | |
| DESIGNED BY | |
| CHECKED BY | |
| ORIGINAL PLAN | |
| NOTE BOOK | |
| No. | |


STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

TYPICAL DETAILS


PROJECT INFORMATION SIGN

Scale: As Shown
SHEET No. 28 OF 10 SHEETS

| FED. ROAD DIST. NO. | STATE | FED. AID PROJ. NO. | FISCAL YEAR | SHEET NO. | TOTAL SHEETS |
|---------------------|-------|--------------------|-------------|-----------|--------------|
| HAWAII | HAW. | 9-0270(7) | 1972 | 29 | 76 |



FEDERAL AID MARKER
Scale: $\frac{1}{2}$ " = 1' - 0"



METHOD OF MARKING F.A. PROJECTS AT OVERLAPS
(USING NUMBER SUFFIX ON NEW WORK)

NOTE: Federal Aid Markers should be placed at the termini of suffix designated sections. Intermediate letter designated markers of adjacent sections located within the limits of new improvements should be moved to the terminus of the new work. The same procedure should be followed on each successive improvement until all markers for letter designated sections are eventually eliminated.

| | |
|-------------------|--|
| DATE | |
| SURVEY PLOTTED BY | |
| FRACED BY | |
| DESIGNED BY | |
| QUANTITIES BY | |
| CHECKED BY | |
| ORIGINAL PLAN | |
| NOTE BOOK | |
| No. | |

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

MISCELLANEOUS DETAILS

FEDERAL AID MARKER