

















FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	2000E-01-00	2000	28	60

STRIPING LEGEND

- 
4 each Type A Raised Pavement Markers
Type C Raised Pavement Markers @ 40'-0" o.c.
- 
4" Double Solid Yellow Centerline Stripes with
Type D Raised Pavement Markers @ 20'-0" o.c.
(Thermoplastic Extrusion)
- 
4" Single Solid Yellow Transverse Median Stripes or
Transverse Shoulder Stripes with Type H Raised
Pavement Markers @ 20'-0" (Thermoplastic Extrusion)
- 
4" or 8" White Edge Stripe with Type C Raised
Pavement Markers @ 40'-0" o.c.
(Thermoplastic Extrusion)
- 
8" White Channelizing Stripe with Type C Raised
Pavement Markers @ 20'-0" o.c. (Thermoplastic
Extrusion)
- 
Traverse Median Diagonal Marking 12" Wide
@ 20'-0" o.c. (Thermoplastic Extrusion)
- 
Channelizing Island or Deceleration Lane Gore
(Thermoplastic Extrusion)
- 
4 Each Type A Raised Pavement Markers
10' wide (See Std. Plan TE-31)
Type C Raised Pavement Markers @ 20'-0" o.c.
4" Single Solid White Stripe
(Thermoplastic Extrusion)
- 
4" White Guide Lines, 2' Stripe with 4'-0" space
(Thermoplastic Extrusion)
- 
Pavement Arrow (Thermoplastic Extrusion)
- 
Pavement Word (Thermoplastic Extrusion)
- 
4" Double Solid Yellow Traverse Median Stripes
with Type H Raised Pavement Markers @
20'-0" o.c. (Thermoplastic Extrusion)
- 
Lane Drop Striping. See Detail on this Sheet.
- 
Bike Lane Striping. See Detail on this Sheet.
- 
4" Double Solid Yellow Stripes with
Type H Raised Pavement Markers @ 20'-0" o.c.
(Thermoplastic Extrusion)


GENERAL NOTES

1. Layout of pavement markings and striping shall be done by the Contractor and approved by the Engineer prior to any installation work.
2. Existing pavement markings not incorporated in the final traffic pattern shall be removed as directed by the Engineer. Cost shall be incidental to the various pavement marking items.
3. Raised pavement markers shall be installed within crosswalks.
4. Final locations of all signs shall be approved by the Engineer prior to any installation work.
5. Existing signs not shown on these plans shall remain as posted unless otherwise directed by the Engineer. Removal and disposal of existing signs and/or posts as designated on these plans or directed by the Engineer shall be considered incidental to the various signing items.
6. Final locations of all Stop Lines shall be approved by the Engineer prior to installation.
7. All pavement striping shall be as noted on the Legend or plans.
8. Removal of existing delineators and posts as directed by the Engineer shall be considered incidental to the various signing items.
9. Existing signs that are to be replaced shall not be removed until new signs are installed as replacements, or the messages are no longer valid or necessary.
10. All new and relocated signs and markers installed on pipe post or light standard are to be mounted with band brackets and steel braces.
11. Contractor shall obtain blue raised pavement markers from the County of Hawaii Fire Department and install them at the direction of the Engineer. The cost of installing the markers shall be incidental to the various signing items.




CROSSWALK STRIPING DETAIL

Not to Scale




BIKE LANE STRIPING

Not to Scale



D3-1




D3-2

NOTE:
Provide the same message on the front and back side of the sign.

COLORS:
Legend - White (Refl.)
Background - Green (Refl.)


TYPICAL PANEL LAYOUT FOR STREET NAME ON TRAFFIC SIGNAL MAST ARM

Scale: 1"=1'-0"



LANE DROP MARKING

Not to Scale



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY OBSERVATION.

DATE: _____

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

PAVEMENT MARKING & SIGNING

LEGEND & NOTES

PUAINAKO STREET IMPROVEMENTS, PHASE I
Kilauea Ave. to Kanoehua Ave.
Project No. 2000E-01-00
Scale: N.T.S. Date: May, 2000

SHEET No. 1 OF 1 SHEETS

SURVEY PLOTTED BY	DATE
DRAWN BY	
DESIGNED BY	
QUANTITIES BY	
CHECKED BY	
ORIGINAL PLAN	
NOTE BOOK	
No.	

98060/4/2000ms/DCN