

## PROPOSAL SCHEDULE – AREA 1

| ITEM NO. | ITEM                                                                                 | APPROX.<br>QUANTITY<br>(A) | UNIT  | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|--------------------------------------------------------------------------------------|----------------------------|-------|----------------------|-------------------|
| 201.0100 | Clearing and Grubbing                                                                | FA                         | FA    | FA                   | \$ 50,000.00      |
| 209.0100 | Installation, Maintenance, Monitoring, and Removal of BMP                            | FA                         | FA    | FA                   | \$ 100,000.00     |
| 301.0100 | Hot Mix Asphalt Base Course (up to 6" thickness)<br>(489 – 1,916 TN)                 | 1,916                      | TN    | \$ _____             | \$ _____          |
| 301.0102 | Hot Mix Asphalt Base Course (greater than 6" up to 12" thickness) (2,146 – 5,001 TN) | 5,001                      | TN    | \$ _____             | \$ _____          |
| 401.0400 | HMA Pavement, Mix No. IV (up to 3" thickness)<br>(1,062 – 2,475 TN)                  | 2,475                      | TN    | \$ _____             | \$ _____          |
| 401.0402 | HMA Pavement, Mix No. IV (greater than 3" up to 6" thickness) (2,120 – 4,941 TN)     | 4,941                      | TN    | \$ _____             | \$ _____          |
| 401.0410 | PMA Pavement, Mix No. IV PG 64E-22<br>(4,249 – 8,955 TN)                             | 8,955                      | TN    | \$ _____             | \$ _____          |
| 401.0500 | HMA Pavement, Mix No. V Leveling<br>(2,797 – 6,518 TN)                               | 6,518                      | TN    | \$ _____             | \$ _____          |
| 401.0900 | Pavement Smoothness Incentive                                                        | Allow                      | Allow | Allow                | \$ 100,000.00     |
| 401.0910 | Third-Party Profile Testing and Equipment                                            | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 401.0920 | Third-Party Dispute Resolution Profile Testing                                       | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 404.0100 | Slurry Seal (6,333 – 12,500 SY)                                                      | 12,500                     | SY    | \$ _____             | \$ _____          |
| 408.0100 | Crack Sealing – Less than 1/2" (750 – 1,500 LF)                                      | 1,500                      | LF    | \$ _____             | \$ _____          |
| 408.0200 | Crack Sealing – 1/2" to 3/4" (750 – 1,500 LF)                                        | 1,500                      | LF    | \$ _____             | \$ _____          |
| 414.0110 | Excavation of Weakened Pavement Areas<br>(1,467 – 2,442 CY)                          | 2,442                      | CY    | \$ _____             | \$ _____          |
| 415.0110 | Cold Planing (23,467 – 54,677 SY)                                                    | 54,677                     | SY    | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 1

| ITEM NO. | ITEM                                                                              | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|-----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 604.4010 | Adjusting Manhole Cast Iron Frame and Cover<br>(1 – 10 EA)                        | 10                         | EA   | \$ _____             | \$ _____          |
| 613.0100 | Centerline and Reference Survey Monuments<br>(6 – 12 EA)                          | 12                         | EA   | \$ _____             | \$ _____          |
| 613.0200 | Reconstructing Centerline and Reference Survey<br>Monuments (6 – 12 EA)           | 12                         | EA   | \$ _____             | \$ _____          |
| 615.0100 | 16-Inch Milled Rumble Strip, Centerline<br>(750 – 2,500 LF)                       | 2,500                      | LF   | \$ _____             | \$ _____          |
| 615.0110 | 12-Inch Milled Rumble Strip, Edgeline<br>(500 – 2,500 LF)                         | 2,500                      | LF   | \$ _____             | \$ _____          |
| 627.0100 | Vehicular Counting and Classification System Sensor<br>Replacement                | FA                         | FA   | FA                   | \$ 50,000.00      |
| 629.1000 | 4-Inch Pavement Striping (Thermoplastic Extrusion)<br>(50 – 880 LF)               | 880                        | LF   | \$ _____             | \$ _____          |
| 629.1006 | 4-Inch Pavement Striping (Thermoplastic Hot Spray)<br>(10 – 100 LF)               | 100                        | LF   | \$ _____             | \$ _____          |
| 629.1008 | 4-Inch Pavement Striping (Profiled Thermoplastic)<br>(125 – 630 LF)               | 630                        | LF   | \$ _____             | \$ _____          |
| 629.1010 | Double 4-Inch Pavement Striping (Thermoplastic<br>Extrusion) (10,560 – 20,592 LF) | 20,592                     | LF   | \$ _____             | \$ _____          |
| 629.1016 | Double 4-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (750 – 2,000 LF)     | 2,000                      | LF   | \$ _____             | \$ _____          |
| 629.1020 | 6-Inch Pavement Striping (Thermoplastic Extrusion)<br>(21,120 – 41,184 LF)        | 41,184                     | LF   | \$ _____             | \$ _____          |
| 629.1026 | 6-Inch Pavement Striping (Thermoplastic Hot Spray)<br>(500 – 1,500 LF)            | 1,500                      | LF   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 1

| ITEM NO. | ITEM                                                                   | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.1030 | 8-Inch Pavement Striping (Thermoplastic Extrusion)<br>(50 – 150 LF)    | 150                        | LF   | \$ _____             | \$ _____          |
| 629.1036 | 8-Inch Pavement Striping (Thermoplastic Hot Spray)<br>(700 – 1,450 LF) | 1,450                      | LF   | \$ _____             | \$ _____          |
| 629.1050 | 12-Inch Pavement Striping (Thermoplastic Extrusion)<br>(80 – 240 LF)   | 240                        | LF   | \$ _____             | \$ _____          |
| 629.1100 | Pavement Word (Thermoplastic Extrusion)<br>(1 – 10 EA)                 | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1110 | Pavement Arrow (Thermoplastic Extrusion)<br>(1 – 10 EA)                | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1120 | Pavement Symbol (Thermoplastic Extrusion)<br>(1 – 10 EA)               | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1130 | Yield Line (Thermoplastic Extrusion) (1 – 10 LN)                       | 10                         | LN   | \$ _____             | \$ _____          |
| 629.1140 | Crosswalk Marking (Thermoplastic Extrusion)<br>(1 – 10 LN)             | 10                         | LN   | \$ _____             | \$ _____          |
| 629.1150 | Thermoplastic Rumble Bars (360 – 720 LF)                               | 720                        | LF   | \$ _____             | \$ _____          |
| 629.2020 | Type C Pavement Marker (1,056 – 2,060 EA)                              | 2,060                      | EA   | \$ _____             | \$ _____          |
| 629.2030 | Type D Pavement Marker (2,112 – 4,120 EA)                              | 4,120                      | EA   | \$ _____             | \$ _____          |
| 629.2040 | Type F Pavement Marker (4 – 8 EA)                                      | 8                          | EA   | \$ _____             | \$ _____          |
| 629.2050 | Type H Pavement Marker (1 – 100 EA)                                    | 100                        | EA   | \$ _____             | \$ _____          |
| 629.3100 | Removing and Disposing of Existing Pavement<br>Striping (1 – 100 LF)   | 100                        | LF   | \$ _____             | \$ _____          |
| 629.3110 | Removing and Disposing of Existing Pavement<br>Words (1 – 10 EA)       | 10                         | EA   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 1

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.3120 | Removing and Disposing of Existing Pavement Arrows (1 – 10 EA)                   | 10                         | EA   | \$ _____             | \$ _____          |
| 629.3130 | Removing and Disposing of Existing Pavement Symbols (1 – 10 EA)                  | 10                         | EA   | \$ _____             | \$ _____          |
| 629.3140 | Removing and Disposing of Existing Yield Line Markings (1 – 10 LN)               | 10                         | LN   | \$ _____             | \$ _____          |
| 629.3150 | Removing and Disposing of Existing Crosswalk Markings (1 – 10 LN)                | 10                         | LN   | \$ _____             | \$ _____          |
| 629.3200 | Removing and Disposing of Existing Pavement Markers (1 – 100 EA)                 | 100                        | EA   | \$ _____             | \$ _____          |
| 632.0122 | Reflector Marker (RM-3) with flexible Delineator (50 – 70 EA)                    | 70                         | EA   | \$ _____             | \$ _____          |
| 636.1000 | Additional E-Construction Programs, Additional Licenses, or Additional Equipment | FA                         | FA   | FA                   | \$ 10,000.00      |
| 645.2000 | Traffic Control                                                                  | FA                         | FA   | FA                   | \$ 100,000.00     |
| 671.1000 | Protection of Threatened and Endangered Species                                  | FA                         | FA   | FA                   | \$ 50,000.00      |
| 697.1000 | Surveying                                                                        | FA                         | FA   | FA                   | \$ 50,000.00      |

## PROPOSAL SCHEDULE – AREA 1

| ITEM NO. | ITEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
|          | Total Amount for Comparison of Bids – Area 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                            |      |                      | \$ _____          |
|          | <p>NOTE:</p> <ol style="list-style-type: none"><li>1. Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</li><li>2. Bids shall include all Federal, State, County and other applicable taxes and fees.</li><li>3. The Total Amount for Comparison of Bids will be used to determine the lowest responsible bidder per area.</li><li>4. If a discrepancy occurs between Unit Price (B) and the Amount (A x B), the Unit Price (B) shall govern.</li></ol> |                            |      |                      |                   |

## PROPOSAL SCHEDULE – AREA 2

| ITEM NO. | ITEM                                                                               | APPROX.<br>QUANTITY<br>(A) | UNIT  | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|------------------------------------------------------------------------------------|----------------------------|-------|----------------------|-------------------|
| 201.0100 | Clearing and Grubbing                                                              | FA                         | FA    | FA                   | \$ 50,000.00      |
| 203.0100 | Installation, Maintenance, Monitoring, and Removal of BMP                          | FA                         | FA    | FA                   | \$ 100,000.00     |
| 301.0100 | Hot Mix Asphalt Base Course (up to 6" thickness) (306 – 919 TN)                    | 919                        | TN    | \$ _____             | \$ _____          |
| 301.0102 | Hot Mix Asphalt Base Course (greater than 6" up to 12" thickness) (613 – 1,839 TN) | 1,839                      | TN    | \$ _____             | \$ _____          |
| 401.0400 | HMA Pavement, Mix No. IV (up to 3" thickness) (364 – 1,092 TN)                     | 1,092                      | TN    | \$ _____             | \$ _____          |
| 401.0402 | HMA Pavement, Mix No. IV (greater than 3" up to 6" thickness) (606 – 1,817 TN)     | 1,817                      | TN    | \$ _____             | \$ _____          |
| 401.0410 | PMA Pavement, Mix No. IV PG 64E-22 (442 – 2,239 TN)                                | 2,239                      | TN    | \$ _____             | \$ _____          |
| 401.0500 | HMA Pavement, Mix No. V Leveling (350 – 1,629 TN)                                  | 1,629                      | TN    | \$ _____             | \$ _____          |
| 401.0900 | Pavement Smoothness Incentive                                                      | Allow                      | Allow | Allow                | \$ 100,000.00     |
| 401.0910 | Third-Party Profile Testing and Equipment                                          | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 401.0920 | Third-Party Dispute Resolution Profile Testing                                     | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 404.0100 | Slurry Seal (50,000 – 150,000 SY)                                                  | 150,000                    | SY    | \$ _____             | \$ _____          |
| 408.0100 | Crack Sealing – Less than 1/2" (6,000 – 18,000 LF)                                 | 18,000                     | LF    | \$ _____             | \$ _____          |
| 408.0200 | Crack Sealing – 1/2" to 3/4" (6,000 – 18,000 LF)                                   | 18,000                     | LF    | \$ _____             | \$ _____          |
| 414.0110 | Excavation of Weakened Pavement Areas (419 – 1,257 CY)                             | 1,257                      | CY    | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 2

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 415.0110 | Cold Planing (1,005 – 3,016 SY)                                                  | 3,016                      | SY   | \$ _____             | \$ _____          |
| 604.4010 | Adjusting Manhole Cast Iron Frame and Cover<br>(1 – 10 EA)                       | 10                         | EA   | \$ _____             | \$ _____          |
| 613.0100 | Centerline and Reference Survey Monuments<br>(1 – 10 EA)                         | 10                         | EA   | \$ _____             | \$ _____          |
| 613.0200 | Reconstructing Centerline and Reference Survey<br>Monuments (1 – 10 EA)          | 10                         | EA   | \$ _____             | \$ _____          |
| 615.0100 | 16-Inch Milled Rumble Strip, Centerline<br>(10,000 – 30,000 LF)                  | 30,000                     | LF   | \$ _____             | \$ _____          |
| 615.0110 | 12-Inch Milled Rumble Strip, Edgeline<br>(14,000 – 42,000 LF)                    | 42,000                     | LF   | \$ _____             | \$ _____          |
| 627.0100 | Vehicular Counting and Classification System<br>Sensor Replacement               | FA                         | FA   | FA                   | \$ 50,000.00      |
| 629.1000 | 4-Inch Pavement Striping (Thermoplastic Extrusion)<br>(50 – 880 LF)              | 880                        | LF   | \$ _____             | \$ _____          |
| 629.1006 | 4-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (10 – 100 LF)              | 100                        | LF   | \$ _____             | \$ _____          |
| 629.1008 | 4-Inch Pavement Striping (Profiled Thermoplastic)<br>(125 – 630 LF)              | 630                        | LF   | \$ _____             | \$ _____          |
| 629.1010 | Double 4-Inch Pavement Striping (Thermoplastic<br>Extrusion) (1,000 – 3,000 LF)  | 3,000                      | LF   | \$ _____             | \$ _____          |
| 629.1016 | Double 4-Inch Pavement Striping (Thermoplastic<br>Hot Spray) (6,650 – 19,950 LF) | 19,950                     | LF   | \$ _____             | \$ _____          |
| 629.1020 | 6-Inch Pavement Striping (Thermoplastic Extrusion)<br>(16,920 – 50,760 LF)       | 50,760                     | LF   | \$ _____             | \$ _____          |
| 629.1026 | 6-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (2,000 – 6,000 LF)         | 6,000                      | LF   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 2

| ITEM NO. | ITEM                                                                      | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|---------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.1030 | 8-Inch Pavement Striping (Thermoplastic Extrusion) (200 – 600 LF)         | 600                        | LF   | \$ _____             | \$ _____          |
| 629.1036 | 8-Inch Pavement Striping (Thermoplastic Hot Spray) (3,080 – 9,240 LF)     | 9,240                      | LF   | \$ _____             | \$ _____          |
| 629.1050 | 12-Inch Pavement Striping (Thermoplastic Extrusion) (10 – 30 LF)          | 30                         | LF   | \$ _____             | \$ _____          |
| 629.1100 | Pavement Word (Thermoplastic Extrusion) (1 – 10 EA)                       | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1110 | Pavement Arrow (Thermoplastic Extrusion) (1 – 10 EA)                      | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1120 | Pavement Symbol (Thermoplastic Extrusion) (1 – 10 EA)                     | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1130 | Yield Line (Thermoplastic Extrusion) (1 – 10 LN)                          | 10                         | LN   | \$ _____             | \$ _____          |
| 629.1140 | Crosswalk Marking (Thermoplastic Extrusion) (1 – 10 LN)                   | 10                         | LN   | \$ _____             | \$ _____          |
| 629.1150 | Thermoplastic Rumble Bars (360 – 1,080 LF)                                | 1,080                      | LF   | \$ _____             | \$ _____          |
| 629.2020 | Type C Pavement Marker (1,200 – 3,600 EA)                                 | 3,600                      | EA   | \$ _____             | \$ _____          |
| 629.2030 | Type D Pavement Marker (1,600 – 4,800 EA)                                 | 4,800                      | EA   | \$ _____             | \$ _____          |
| 629.2040 | Type F Pavement Marker (4 – 12 EA)                                        | 12                         | EA   | \$ _____             | \$ _____          |
| 629.2050 | Type H Pavement Marker (1 – 100 EA)                                       | 100                        | EA   | \$ _____             | \$ _____          |
| 629.3100 | Removing and Disposing of Existing Pavement Striping (30,000 – 90,000 LF) | 90,000                     | LF   | \$ _____             | \$ _____          |
| 629.3110 | Removing and Disposing of Existing Pavement Words (1 – 10 EA)             | 10                         | EA   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 2

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.3120 | Removing and Disposing of Existing Pavement Arrows (1 – 10 EA)                   | 10                         | EA   | \$ _____             | \$ _____          |
| 629.3130 | Removing and Disposing of Existing Pavement Symbols (1 – 10 EA)                  | 10                         | EA   | \$ _____             | \$ _____          |
| 629.3140 | Removing and Disposing of Existing Yield Line Markings (1 – 10 LN)               | 10                         | LN   | \$ _____             | \$ _____          |
| 629.3150 | Removing and Disposing of Existing Crosswalk Markings (1 – 10 LN)                | 10                         | LN   | \$ _____             | \$ _____          |
| 629.3200 | Removing and Disposing of Existing Pavement Markers (1 – 100 EA)                 | 100                        | EA   | \$ _____             | \$ _____          |
| 632.0122 | Reflector Marker (RM-3) with flexible Delineator (1 – 10 EA)                     | 10                         | EA   | \$ _____             | \$ _____          |
| 636.1000 | Additional E-Construction Programs, Additional Licenses, or Additional Equipment | FA                         | FA   | FA                   | \$ 10,000.00      |
| 645.2000 | Traffic Control                                                                  | FA                         | FA   | FA                   | \$ 100,000.00     |
| 671.1000 | Protection of Threatened and Endangered Species                                  | FA                         | FA   | FA                   | \$ 50,000.00      |
| 697.1000 | Surveying                                                                        | FA                         | FA   | FA                   | \$ 50,000.00      |

## PROPOSAL SCHEDULE – AREA 2

| ITEM NO. | ITEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
|          | Total Amount for Comparison of Bids – Area 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                            |      |                      | \$ _____          |
|          | <p>NOTE:</p> <ol style="list-style-type: none"><li>1. Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</li><li>2. Bids shall include all Federal, State, County and other applicable taxes and fees.</li><li>3. The Total Amount for Comparison of Bids will be used to determine the lowest responsible bidder per area.</li><li>4. If a discrepancy occurs between Unit Price (B) and the Amount (A x B), the Unit Price (B) shall govern.</li></ol> |                            |      |                      |                   |

## PROPOSAL SCHEDULE – AREA 3

| ITEM NO. | ITEM                                                                                | APPROX.<br>QUANTITY<br>(A) | UNIT  | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|-------------------------------------------------------------------------------------|----------------------------|-------|----------------------|-------------------|
| 201.0100 | Clearing and Grubbing                                                               | FA                         | FA    | FA                   | \$ 50,000.00      |
| 203.0100 | Installation, Maintenance, Monitoring, and Removal of BMP                           | FA                         | FA    | FA                   | \$ 100,000.00     |
| 301.0100 | Hot Mix Asphalt Base Course (up to 6" thickness) (185 – 6,225 TN)                   | 6,225                      | TN    | \$ _____             | \$ _____          |
| 301.0102 | Hot Mix Asphalt Base Course (greater than 6" up to 12" thickness) (429 – 12,548 TN) | 12,548                     | TN    | \$ _____             | \$ _____          |
| 401.0400 | HMA Pavement, Mix No. IV (up to 3" thickness) (220 – 6,412 TN)                      | 6,412                      | TN    | \$ _____             | \$ _____          |
| 401.0402 | HMA Pavement, Mix No. IV (greater than 3" up to 6" thickness) (366 – 12,300 TN)     | 12,300                     | TN    | \$ _____             | \$ _____          |
| 401.0410 | PMA Pavement, Mix No. IV PG 64E-22 (1,769 – 16,362 TN)                              | 16,362                     | TN    | \$ _____             | \$ _____          |
| 401.0500 | HMA Pavement, Mix No. V Leveling (1,399 – 12,938 TN)                                | 12,938                     | TN    | \$ _____             | \$ _____          |
| 401.0900 | Pavement Smoothness Incentive                                                       | Allow                      | Allow | Allow                | \$ 100,000.00     |
| 401.0910 | Third-Party Profile Testing and Equipment                                           | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 401.0920 | Third-Party Dispute Resolution Profile Testing                                      | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 404.0100 | Slurry Seal (25,330 – 218,640 SY)                                                   | 218,640                    | SY    | \$ _____             | \$ _____          |
| 408.0100 | Crack Sealing – Less than 1/2" (3,000 – 27,500 LF)                                  | 27,500                     | LF    | \$ _____             | \$ _____          |
| 408.0200 | Crack Sealing – 1/2" to 3/4" (3,000 – 27,500 LF)                                    | 27,500                     | LF    | \$ _____             | \$ _____          |
| 414.0110 | Excavation of Weakened Pavement Areas (253 – 8,508 CY)                              | 8,508                      | CY    | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 3

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 415.0110 | Cold Planing (608 – 112,672 SY)                                                  | 112,672                    | SY   | \$ _____             | \$ _____          |
| 604.4010 | Adjusting Manhole Cast Iron Frame and Cover<br>(1 – 10 EA)                       | 10                         | EA   | \$ _____             | \$ _____          |
| 613.0100 | Centerline and Reference Survey Monuments<br>(2 – 107 EA)                        | 107                        | EA   | \$ _____             | \$ _____          |
| 613.0200 | Reconstructing Centerline and Reference Survey<br>Monuments (2 – 107 EA)         | 107                        | EA   | \$ _____             | \$ _____          |
| 615.0100 | 16-Inch Milled Rumble Strip, Centerline<br>(3,000 – 39,000 LF)                   | 39,000                     | LF   | \$ _____             | \$ _____          |
| 615.0110 | 12-Inch Milled Rumble Strip, Edgeline<br>(2,000 – 10,000 LF)                     | 10,000                     | LF   | \$ _____             | \$ _____          |
| 627.0100 | Vehicular Counting and Classification System<br>Sensor Replacement               | FA                         | FA   | FA                   | \$ 50,000.00      |
| 629.1000 | 4-Inch Pavement Striping (Thermoplastic Extrusion)<br>(200 – 17,600 LF)          | 17,600                     | LF   | \$ _____             | \$ _____          |
| 629.1006 | 4-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (10 – 100 LF)              | 100                        | LF   | \$ _____             | \$ _____          |
| 629.1008 | 4-Inch Pavement Striping (Profiled Thermoplastic)<br>(500 – 8,300 LF)            | 8,300                      | LF   | \$ _____             | \$ _____          |
| 629.1010 | Double 4-Inch Pavement Striping (Thermoplastic<br>Extrusion) (280 – 81,020 LF)   | 81,020                     | LF   | \$ _____             | \$ _____          |
| 629.1016 | Double 4-Inch Pavement Striping (Thermoplastic<br>Hot Spray) (3,000 – 41,088 LF) | 41,088                     | LF   | \$ _____             | \$ _____          |
| 629.1020 | 6-Inch Pavement Striping (Thermoplastic Extrusion)<br>(7,760 – 170,216 LF)       | 170,216                    | LF   | \$ _____             | \$ _____          |
| 629.1026 | 6-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (2,000 – 10,000 LF)        | 10,000                     | LF   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 3

| ITEM NO. | ITEM                                                                          | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|-------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.1030 | 8-Inch Pavement Striping (Thermoplastic Extrusion)<br>(200 – 19,900 LF)       | 19,900                     | LF   | \$ _____             | \$ _____          |
| 629.1036 | 8-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (2,800 – 5,800 LF)      | 5,800                      | LF   | \$ _____             | \$ _____          |
| 629.1050 | 12-Inch Pavement Striping (Thermoplastic<br>Extrusion) (40 – 12,720 LF)       | 12,720                     | LF   | \$ _____             | \$ _____          |
| 629.1100 | Pavement Word (Thermoplastic Extrusion)<br>(2 – 58 EA)                        | 58                         | EA   | \$ _____             | \$ _____          |
| 629.1110 | Pavement Arrow (Thermoplastic Extrusion)<br>(4 – 232 EA)                      | 232                        | EA   | \$ _____             | \$ _____          |
| 629.1120 | Pavement Symbol (Thermoplastic Extrusion)<br>(8 – 30 EA)                      | 30                         | EA   | \$ _____             | \$ _____          |
| 629.1130 | Yield Line (Thermoplastic Extrusion) (1 – 15 LN)                              | 15                         | LN   | \$ _____             | \$ _____          |
| 629.1140 | Crosswalk Marking (Thermoplastic Extrusion)<br>(5 – 114 LN)                   | 114                        | LN   | \$ _____             | \$ _____          |
| 629.1150 | Thermoplastic Rumble Bars (360 – 4,320 LF)                                    | 4,320                      | LF   | \$ _____             | \$ _____          |
| 629.2020 | Type C Pavement Marker (528 – 11,274 EA)                                      | 11,274                     | EA   | \$ _____             | \$ _____          |
| 629.2030 | Type D Pavement Marker (656 – 35,334 EA)                                      | 35,334                     | EA   | \$ _____             | \$ _____          |
| 629.2040 | Type F Pavement Marker (2 – 51 EA)                                            | 51                         | EA   | \$ _____             | \$ _____          |
| 629.2050 | Type H Pavement Marker (160 – 4,220 EA)                                       | 4,220                      | EA   | \$ _____             | \$ _____          |
| 629.3100 | Removing and Disposing of Existing Pavement<br>Striping (23,300 – 221,700 LF) | 221,700                    | LF   | \$ _____             | \$ _____          |
| 629.3110 | Removing and Disposing of Existing Pavement<br>Words (4 – 51 EA)              | 51                         | EA   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 3

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.3120 | Removing and Disposing of Existing Pavement Arrows (23 – 219 EA)                 | 219                        | EA   | \$ _____             | \$ _____          |
| 629.3130 | Removing and Disposing of Existing Pavement Symbols (8 – 30 EA)                  | 30                         | EA   | \$ _____             | \$ _____          |
| 629.3140 | Removing and Disposing of Existing Yield Line Markings (1 – 15 LN)               | 15                         | LN   | \$ _____             | \$ _____          |
| 629.3150 | Removing and Disposing of Existing Crosswalk Markings (5 – 109 LN)               | 109                        | LN   | \$ _____             | \$ _____          |
| 629.3200 | Removing and Disposing of Existing Pavement Markers (2,161 – 7,701 EA)           | 7,701                      | EA   | \$ _____             | \$ _____          |
| 632.0122 | Reflector Marker (RM-3) with flexible Delineator (20 – 155 EA)                   | 155                        | EA   | \$ _____             | \$ _____          |
| 636.1000 | Additional E-Construction Programs, Additional Licenses, or Additional Equipment | FA                         | FA   | FA                   | \$ 10,000.00      |
| 645.2000 | Traffic Control                                                                  | FA                         | FA   | FA                   | \$ 100,000.00     |
| 671.1000 | Protection of Threatened and Endangered Species                                  | FA                         | FA   | FA                   | \$ 50,000.00      |
| 697.1000 | Surveying                                                                        | FA                         | FA   | FA                   | \$ 50,000.00      |

## PROPOSAL SCHEDULE – AREA 3

| ITEM NO. | ITEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
|          | Total Amount for Comparison of Bids – Area 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                            |      |                      | \$ _____          |
|          | <p>NOTE:</p> <ol style="list-style-type: none"><li>1. Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</li><li>2. Bids shall include all Federal, State, County and other applicable taxes and fees.</li><li>3. The Total Amount for Comparison of Bids will be used to determine the lowest responsible bidder per area.</li><li>4. If a discrepancy occurs between Unit Price (B) and the Amount (A x B), the Unit Price (B) shall govern.</li></ol> |                            |      |                      |                   |

## PROPOSAL SCHEDULE – AREA 4

| ITEM NO. | ITEM                                                                                  | APPROX.<br>QUANTITY<br>(A) | UNIT  | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|---------------------------------------------------------------------------------------|----------------------------|-------|----------------------|-------------------|
| 201.0100 | Clearing and Grubbing                                                                 | FA                         | FA    | FA                   | \$ 50,000.00      |
| 203.0100 | Installation, Maintenance, Monitoring, and Removal of BMP                             | FA                         | FA    | FA                   | \$ 100,000.00     |
| 301.0100 | Hot Mix Asphalt Base Course (up to 6" thickness)<br>(995 – 7,666 TN)                  | 7,666                      | TN    | \$ _____             | \$ _____          |
| 301.0102 | Hot Mix Asphalt Base Course (greater than 6" up to 12" thickness) (1,990 – 15,331 TN) | 15,331                     | TN    | \$ _____             | \$ _____          |
| 401.0400 | HMA Pavement, Mix No. IV (up to 3" thickness)<br>(985 – 7,589 TN)                     | 7,589                      | TN    | \$ _____             | \$ _____          |
| 401.0402 | HMA Pavement, Mix No. IV (greater than 3" up to 6" thickness) (1,966 – 15,147 TN)     | 15,147                     | TN    | \$ _____             | \$ _____          |
| 401.0410 | PMA Pavement, Mix No. IV PG 64E-22<br>(3,280 – 25,270 TN)                             | 25,270                     | TN    | \$ _____             | \$ _____          |
| 401.0500 | HMA Pavement, Mix No. V Leveling<br>(2,594 – 19,981 TN)                               | 19,981                     | TN    | \$ _____             | \$ _____          |
| 401.0900 | Pavement Smoothness Incentive                                                         | Allow                      | Allow | Allow                | \$ 100,000.00     |
| 401.0910 | Third-Party Profile Testing and Equipment                                             | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 401.0920 | Third-Party Dispute Resolution Profile Testing                                        | Allow                      | Allow | Allow                | \$ 20,000.00      |
| 404.0100 | Slurry Seal (6,333 – 12,500 SY)                                                       | 12,500                     | SY    | \$ _____             | \$ _____          |
| 408.0100 | Crack Sealing – Less than 1/2" (750 – 1,500 LF)                                       | 1,500                      | LF    | \$ _____             | \$ _____          |
| 408.0200 | Crack Sealing – 1/2" to 3/4" (750 – 1,500 LF)                                         | 1,500                      | LF    | \$ _____             | \$ _____          |
| 414.0110 | Excavation of Weakened Pavement Areas<br>(1,360 – 10,476 CY)                          | 10,476                     | CY    | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 4

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 415.0110 | Cold Planing (21,760 – 167,622 SY)                                               | 167,622                    | SY   | \$ _____             | \$ _____          |
| 604.4010 | Adjusting Manhole Cast Iron Frame and Cover<br>(1 – 10 EA)                       | 10                         | EA   | \$ _____             | \$ _____          |
| 613.0100 | Centerline and Reference Survey Monuments<br>(2 – 20 EA)                         | 20                         | EA   | \$ _____             | \$ _____          |
| 613.0200 | Reconstructing Centerline and Reference Survey<br>Monuments (2 – 20 EA)          | 20                         | EA   | \$ _____             | \$ _____          |
| 615.0100 | 16-Inch Milled Rumble Strip, Centerline<br>(4,000 – 8,000 LF)                    | 8,000                      | LF   | \$ _____             | \$ _____          |
| 615.0110 | 12-Inch Milled Rumble Strip, Edgeline<br>(4,300 – 10,600 LF)                     | 10,600                     | LF   | \$ _____             | \$ _____          |
| 627.0100 | Vehicular Counting and Classification System<br>Sensor Replacement               | FA                         | FA   | FA                   | \$ 50,000.00      |
| 629.1000 | 4-Inch Pavement Striping (Thermoplastic Extrusion)<br>(700 – 3,520 LF)           | 3,520                      | LF   | \$ _____             | \$ _____          |
| 629.1006 | 4-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (10 – 100 LF)              | 100                        | LF   | \$ _____             | \$ _____          |
| 629.1008 | 4-Inch Pavement Striping (Profiled Thermoplastic)<br>(1,200 – 2,520 LF)          | 2,520                      | LF   | \$ _____             | \$ _____          |
| 629.1010 | Double 4-Inch Pavement Striping (Thermoplastic<br>Extrusion) (1,440 – 43,010 LF) | 43,010                     | LF   | \$ _____             | \$ _____          |
| 629.1016 | Double 4-Inch Pavement Striping (Thermoplastic<br>Hot Spray) (4,000 – 8,000 LF)  | 8,000                      | LF   | \$ _____             | \$ _____          |
| 629.1020 | 6-Inch Pavement Striping (Thermoplastic Extrusion)<br>(2,880 – 75,056 LF)        | 75,056                     | LF   | \$ _____             | \$ _____          |
| 629.1026 | 6-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (3,200 – 11,200 LF)        | 11,200                     | LF   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 4

| ITEM NO. | ITEM                                                                     | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|--------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.1030 | 8-Inch Pavement Striping (Thermoplastic Extrusion)<br>(200 – 5,170 LF)   | 5,170                      | LF   | \$ _____             | \$ _____          |
| 629.1036 | 8-Inch Pavement Striping (Thermoplastic Hot<br>Spray) (2,800 – 8,400 LF) | 8,400                      | LF   | \$ _____             | \$ _____          |
| 629.1050 | 12-Inch Pavement Striping (Thermoplastic<br>Extrusion) (30 – 6,230 LF)   | 6,230                      | LF   | \$ _____             | \$ _____          |
| 629.1100 | Pavement Word (Thermoplastic Extrusion)<br>(10 – 30 EA)                  | 30                         | EA   | \$ _____             | \$ _____          |
| 629.1110 | Pavement Arrow (Thermoplastic Extrusion)<br>(2 – 30 EA)                  | 30                         | EA   | \$ _____             | \$ _____          |
| 629.1120 | Pavement Symbol (Thermoplastic Extrusion)<br>(1 – 10 EA)                 | 10                         | EA   | \$ _____             | \$ _____          |
| 629.1130 | Yield Line (Thermoplastic Extrusion) (1 – 10 LN)                         | 10                         | LN   | \$ _____             | \$ _____          |
| 629.1140 | Crosswalk Marking (Thermoplastic Extrusion)<br>(4 – 22 LN)               | 22                         | LN   | \$ _____             | \$ _____          |
| 629.1150 | Thermoplastic Rumble Bars (360 – 1,800 LF)                               | 1,800                      | LF   | \$ _____             | \$ _____          |
| 629.2020 | Type C Pavement Marker (144 – 4,584 EA)                                  | 4,584                      | EA   | \$ _____             | \$ _____          |
| 629.2030 | Type D Pavement Marker (400 – 7,265 EA)                                  | 7,265                      | EA   | \$ _____             | \$ _____          |
| 629.2040 | Type F Pavement Marker (2 – 18 EA)                                       | 18                         | EA   | \$ _____             | \$ _____          |
| 629.2050 | Type H Pavement Marker (200 – 1,240 EA)                                  | 1,240                      | EA   | \$ _____             | \$ _____          |
| 629.3100 | Removing and Disposing of Existing Pavement<br>Striping (1 – 100 LF)     | 100                        | LF   | \$ _____             | \$ _____          |
| 629.3110 | Removing and Disposing of Existing Pavement<br>Words (1 – 10 EA)         | 10                         | EA   | \$ _____             | \$ _____          |

## PROPOSAL SCHEDULE – AREA 4

| ITEM NO. | ITEM                                                                             | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
| 629.3120 | Removing and Disposing of Existing Pavement Arrows (1 – 10 EA)                   | 10                         | EA   | \$ _____             | \$ _____          |
| 629.3130 | Removing and Disposing of Existing Pavement Symbols (1 – 10 EA)                  | 10                         | EA   | \$ _____             | \$ _____          |
| 629.3140 | Removing and Disposing of Existing Yield Line Markings (1 – 10 LN)               | 10                         | LN   | \$ _____             | \$ _____          |
| 629.3150 | Removing and Disposing of Existing Crosswalk Markings (1 – 10 LN)                | 10                         | LN   | \$ _____             | \$ _____          |
| 629.3200 | Removing and Disposing of Existing Pavement Markers (1 – 100 EA)                 | 100                        | EA   | \$ _____             | \$ _____          |
| 632.0122 | Reflector Marker (RM-3) with flexible Delineator (5 – 25 EA)                     | 25                         | EA   | \$ _____             | \$ _____          |
| 636.1000 | Additional E-Construction Programs, Additional Licenses, or Additional Equipment | FA                         | FA   | FA                   | \$ 10,000.00      |
| 645.2000 | Traffic Control                                                                  | FA                         | FA   | FA                   | \$ 100,000.00     |
| 671.1000 | Protection of Threatened and Endangered Species                                  | FA                         | FA   | FA                   | \$ 50,000.00      |
| 697.1000 | Surveying                                                                        | FA                         | FA   | FA                   | \$ 50,000.00      |

## PROPOSAL SCHEDULE – AREA 4

| ITEM NO. | ITEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | APPROX.<br>QUANTITY<br>(A) | UNIT | UNIT<br>PRICE<br>(B) | AMOUNT<br>(A x B) |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------|----------------------|-------------------|
|          | Total Amount for Comparison of Bids – Area 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                            |      |                      | \$ _____          |
|          | <p>NOTE:</p> <ol style="list-style-type: none"><li>1. Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</li><li>2. Bids shall include all Federal, State, County and other applicable taxes and fees.</li><li>3. The Total Amount for Comparison of Bids will be used to determine the lowest responsible bidder per area.</li><li>4. If a discrepancy occurs between Unit Price (B) and the Amount (A x B), the Unit Price (B) shall govern.</li></ol> |                            |      |                      |                   |

## PROPOSAL SCHEDULE – SUMMARY

|  | ITEM                                         |  |  |  | AMOUNT   |
|--|----------------------------------------------|--|--|--|----------|
|  | TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 1 |  |  |  | \$ _____ |
|  | TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 2 |  |  |  | \$ _____ |
|  | TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 3 |  |  |  | \$ _____ |
|  | TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 4 |  |  |  | \$ _____ |

1 **PROPOSAL SCHEDULE**

2  
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4  
5 If the bid price for any proposal item having a maximum allowable bid  
6 indicated therefore in any of the contract documents is in excess of such a  
7 maximum amount, the bid price for such proposal item shall be adjusted to reflect  
8 the limitation thereon. The comparison of bids to determine the successful bidder  
9 and the amount of contract to be awarded shall be determined after such  
10 adjustments are made, and such adjustments shall be binding upon the bidder.

11  
12 The "TOTAL AMOUNT FOR COMPARISON OF BIDS" will be used to  
13 determine the lowest responsible bidder per area.

14  
15 Notes:

- 16  
17 1. Bid prices are for travel time, mileage and furnishing all labor, tools,  
18 traffic controls, all applicable taxes, fees and equipment necessary  
19 for all work shown and called for in accordance with the true intent  
20 and meaning of the specifications.  
21  
22 2. Bidder may bid on any or all areas. To be considered, bidder must  
23 submit a bid for all items within an area. Separate contracts will be  
24 awarded for each area. If a bidder is determined the lowest bidder  
25 for multiple areas, one combined contract will be awarded.  
26  
27 3. Any contract which is awarded shall be an open-ended contract since  
28 the exact value of work to be performed during the contract period  
29 cannot be determined beforehand. The unit price for each item of  
30 work on any particular work order shall be that which corresponds to  
31 the quantity of work for that item actually performed for each work  
32 order.  
33  
34 4. The sum of all work and materials required to perform the required  
35 repairs are issued on a "single work order." A single work order shall  
36 be a work order submitted by the Engineer for work that can be  
37 performed by the Contractor without relocating a distance of more  
38 than 1 mile between any two adjacent repair locations.  
39

40 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials  
41 regarding recycling of waste glass.