

SECTION 629 - PAVEMENT MARKINGS

Make the following amendments to said Section:

(I) Amend **Subsection 629.03(B) – Temporary Pavement Markings** by revising the third paragraph from line 62 to 63 to read:

“Maintain and replace temporary pavement markings, flexible delineators, and barricades. ”

(II) Amend **Table 629.03 – 1 – Temporary Pavement Markings** to read as follows:

“TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS	
TYPE	PAVEMENT MARKINGS
Passing Permitted - Both Sides	Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.
Passing Prohibited - Both Sides	Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.
Passing Permitted - One Side Only	Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side.
Lane Lines - Lane Changing Permitted	Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.
Lane Lines - Lane Changing Prohibited	Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.
Crosswalk	Two 12-inch white transverse lines spaced 8 feet on center or as ordered by the Engineer.
Stop Line	Single 12-inch white transverse line.
Note: Paint may be used for temporary markings in areas where final paving is not complete.”	

All pavement markings shall be in compliance with the MUTCD including pavement arrows.

(III) Amend **629.04 – Measurement** by revising lines 292 to 294 to read as follows:

18
19 **"629.04 Measurement.**

- 20
21 (A) The Engineer will measure thermoplastic and preformed pavement
22 marking tape per linear foot in accordance with the contract
23 documents. The longitudinal pavement markings will be measured per
24 linear foot as a single stripe for the width specified in the contract and
25 in the proposal. The Engineer will include the longitudinal gaps for skip
26 striping, up to thirty (30) feet long, in the measurement.

27
28 The Engineer will measure the transverse markings by the linear
29 foot, per lane, or per each according to the contract.

30
31 The Engineer will not measure temporary pavement markings
32 including flexible delineator posts with reflector markers or Type I
33 Barricades and temporary signs installed for the longitudinal guidance
34 of public traffic over reconstructed areas, cold planed surfaces, newly
35 paved surfaces or other unmarked or scarified areas for payment.

36
37 The Engineer will not measure the removal of existing pavement
38 striping and pavement markings. The Engineer will consider the
39 removal of existing pavement striping and pavement markings as
40 included in the contract price of the various pavement marking items.

- 41
42 (B) The Engineer will measure the pavement markers per each for the
43 types shown in the proposal.

- 44
45 (C) The Engineer will measure the painted stripes that are twelve (12)
46 inches wide or less as a single stripe. The Engineer will measure the
47 painted stripes over twelve (12) inches wide as two (2) stripes. The
48 Engineer will measure the double stripes that are twelve (12) inches or
49 less in total width including the transverse space between the stripes
50 as a single stripe.

51
52 The Engineer will measure the longitudinal pavement markings by
53 the linear foot or per gallon according to the contract. Longitudinal
54 gaps for skip striping that are 30 feet or less will be included in the
55 measurement.

56
57 The Engineer will measure the transverse markings by the linear
58 foot, per lane, per each or per gallon according to the contract."

- 59
60 (IV) Amend **629.05 – Payment** by revising lines 296 to 330 to read as follows:

61
62 **"629.05 Payment.**

64 (A) The Engineer will pay for thermoplastic and preformed pavement
65 marking tape at the contract price per linear foot according to the
66 contract, complete in place, including primers.

67
68 The Engineer will pay for double four (4) inch striping with a four (4)
69 inch space between stripes at the contract price per linear foot
70 according to the contract.

71
72 The Engineer will pay for crosswalk markings at the contract price
73 per lane of traffic marked, per each according to the contract.

74
75 The Engineer will pay for pavement arrows (single and multiple
76 heads), symbols, and words at the contract price per each according to
77 the contract.

78
79 The contract unit price paid shall be full compensation for furnishing
80 labors, materials, tools, equipment and incidentals and for doing the
81 work involved in furnishing and installing pavement markings complete
82 in place according to the contract.

83
84 The Engineer will not pay for the temporary pavement markings
85 including flexible delineator posts with reflector markers or Type I
86 Barricades and temporary signs installed for the longitudinal guidance
87 of public traffic over reconstructed areas, cold planed surfaces, newly
88 paved surfaces or other unmarked or scarified areas for payment if not
89 shown in the proposal separately. The Engineer will consider them
90 incidental to the various contract items.

91
92 The Engineer will not pay for the removal of existing pavement
93 striping and pavement markings. The Engineer shall consider the
94 removal of existing pavement striping and pavement markings as
95 included in the contract price of the various pavement marking items.

96
97 (B) The Engineer will pay for the various types of pavement markers at
98 the contract price per each according to the contract, complete in
99 place, including adhesives.

100
101 (C) The Engineer will pay for painted pavement striping at the contract
102 price per linear foot according to the contract.

103
104 The Engineer will pay for quantities of crosswalk marking at the
105 contract price per lane of traffic marked, per each according to the
106 contract.

107
108 The Engineer will pay for pavement arrows (single or multiple arrow
109 heads), symbols, and words at the contract price per each according to
110 the contract.

The Engineer will pay for the following pay items when included in the proposal schedule:

Pay Item	Pay Unit
4 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
Double 4 - Inch Pavement Striping (Thermoplastic Extrusion) (Yellow)	Linear Foot
8 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
12 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
12 - Inch Pavement Striping (Thermoplastic Extrusion) (Yellow)	Linear Foot
Crosswalk Marking (Thermoplastic Extrusion)	Lane
Pavement Arrow (Thermoplastic Extrusion)	Each
Pavement Word (Thermoplastic Extrusion)	Each
Type "C" Pavement Marker	Each
Type "D" Pavement Marker	Each
Type "DB" Pavement Marker	Each
Type "H" Pavement Marker	Each

END OF SECTION 629