| 1  | SECTION 641 – HYDRO-MULCH SEEDING  |                        |  |
|--|--|------------------------|--|
| 2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10<br>11<br>12<br>13<br>14<br>15                                       | Make the following amendments to said Section:   |                        |  |
|  | (I) Amend Subsection 641.02(B) – Fertilizer by revising the section fro<br>line 33 to 36 to read:  | m                      |  |
|  | <b>"(B) Fertilizer.</b> Proper fertilizer shall be used in hydro-mulch midepending on condition of soil. Apply at rates and in amounts consister with manufacturer's specifications. Contractor shall provide a Soil Analys Report, if requested by Engineer, and shall use report to determin quantity and ratio of fertilizer for sustained growth of grass. Submise recommendations from a licensed Landscape Architect when deviating from the application rates and amounts above." | nt<br>sis<br>ne<br>nit |  |
| 16<br>17<br>18<br>19   | (II) Amend Subsection 641.03(A) – Seeding by revising the first paragraph<br>from line 100 to 103 to read:   | эh                     |  |
| 20<br>21<br>22<br>23<br>24<br>25<br>26<br>27<br>28<br>29<br>30<br>31<br>32<br>33<br>34<br>35<br>36<br>37<br>38 | <b>"(A) Seeding.</b> Apply seeded mulch within the timeframe in Subsection 209.03(B), if temporary stabilization will not be utilized, after completion slopes or portion of slope when exposed face attains height of 15 fee Notify Engineer not less than 24 hours ahead of hydro-mulch seedin operation. Do not hydro-mulch until the Engineer inspects and accept areas for planting."   | of<br>et.<br>ng        |  |
|  | (III) Amend Section 641.04 Measurement, from line 173 to 174 to read a follows:  | as                     |  |
|  | <b>"641.04 Measurement.</b> The Engineer will measure hydro-mulch seeding per square yard in accordance with the contract documents."  |                        |  |
|  | (IV) Amend Section 641.05 Payment, from line 176 to 185, to read a follows:  | as                     |  |
|  | <b>"641.05 Payment.</b> The Engineer will pay for the accepted hydro-mule seeding at the contract price per square yard. Payment will be full compensation for the work prescribed in this section and the contract documents.   |                        |  |
| 39<br>40<br>41   | The Engineer will pay for the following pay item when included in the propos schedule:   |                        |  |
| 42<br>43   | Pay Item Pay Ur  | nit                    |  |
| 44<br>45<br>46<br>47   | Hydro-mulch Seeding Square Yar   | ď"                     |  |
| 47   | 500-01-20  |                        |  |

| 48<br>49 | END OF SECTION 641 |
|----------|--------------------|
| 50       |                    |