




FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	HWY-K-02-98	2000	53	53

TRAFFIC SIGN SUMMARY					
SIGN NO.	MESSAGE	QUANTITY			
		10 SQ. FT. OR LESS		GREATER THAN 10 SQ. FT.	
		W/ POST	W/O POST	W/ POSTS	W/O POSTS
W14-2		1			
W13-1(15)					
R3-40(L)		2			
	TOTAL	3			


PAVEMENT MARKING SUMMARY		
DESCRIPTION		QUANTITY
PAVEMENT MARKERS		
TYPE A _____	8	EA.
TYPE C _____	82	EA.
TYPE D _____	15	EA.
TYPE H _____	84	EA.
* TAPE - TYPE I OR THERMOPLASTIC EXTRUSION		
4-INCH PAVEMENT STRIPE (WHITE) _____	80	L.F.
8-INCH PAVEMENT STRIPE (WHITE) _____	143	L.F.
DOUBLE 4-INCH PAVEMENT STRIPE (YELLOW) _____	220	L.F.
** TAPE - TYPE II OR THERMOPLASTIC EXTRUSION		
4-INCH PAVEMENT STRIPE (WHITE) _____	2219	L.F.
12-INCH PAVEMENT STRIPE (WHITE) _____	0	L.F.
12-INCH PAVEMENT STRIPE (YELLOW) _____	449	L.F.
DOUBLE 4-INCH PAVEMENT STRIPE (YELLOW) _____	1669	L.F.
*** TAPE - TYPE III OR THERMOPLASTIC EXTRUSION		
4-INCH PAVEMENT STRIPE (WHITE) _____	345	L.F.
4-INCH PAVEMENT STRIPE (YELLOW) _____	0	L.F.
12-INCH PAVEMENT STRIPE (WHITE) _____	138	L.F.
CROSSWALK MARKINGS _____	3	LANES
PAVEMENT ARROW _____	4	EA.
PAVEMENT WORD _____	4	EA.

- Notes:
- \* Tape, Type I or Thermoplastic Extrusion (No Passing Zones, Channelizing Lines or Solid Lines)
  - \*\* Tape, Type II or Thermoplastic Extrusion (Transverse Median Markings, Transverse Shoulder Markings, Channelizing Islands or Edge Striping)
  - \*\*\* Tape, Type III, or Thermoplastic Extrusion (Guide Lines, Stop Lines, Extension of Edge Lines, Crosswalk Markings, Pavement Words or Pavement Arrows)

CONSTRUCTION SIGN SUMMARY			
SIGN NO.	MESSAGE	W/ POSTS	W/O POSTS
CW20-1A(d)	ROAD WORK AHEAD	2	—
CG20-2A	END ROAD WORK	2	—
	TOTAL	4	0

REFLECTOR MARKER SUMMARY						
TYPE	QUANTITY					
	W/O POST		W/ FLEXIBLE POST		W/ STEEL POST	
	YELLOW	WHITE	YELLOW	WHITE	YELLOW	WHITE
* RM-3	26	—	—	—	—	—
** OM, Type II	5	—	—	—	—	—

- NOTES:
- \* Install RM-3 w/o steel post on new and relocated permanent signs (to be installed on posts of signs).
  - \*\* Install Object Marker (OM-II) w/o steel post on all utility poles that are located within 30 feet of the edge of paved shoulder.



THIS WORK WAS PREPARED BY ME  
OR UNDER MY SUPERVISION

  
Signature

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION  
**TRAFFIC SIGN SUMMARY  
AND PAVEMENT MARKING**  
**SUMMARY - KOLO ROAD**  
MISCELLANEOUS TRAFFIC OPERATIONAL AND  
SAFETY IMPROVEMENTS TO EXISTING  
INTERSECTIONS AND HIGHWAY FACILITIES  
Project No. HWY-K-02-98  
Scale: None      Date: August, 1999

SHEET No. 1 OF 1 SHEETS

SURVEY PLOTTED BY _____	DATE _____
DRAWN BY _____	DATE _____
DESIGNED BY _____	DATE _____
CHECKED BY _____	DATE _____
ORIGINAL PLAN	
NOTE BOOK	
No. _____	