

## SECTION 629 - PAVEMENT MARKINGS

Make the following amendments to said Section:

(I) Amend **Subsection 629.03(B) – Temporary Pavement Markings** by revising the third paragraph from line 62 to 63 to read:

“Maintain and replace temporary pavement markings, flexible delineators, and barricades. ”

(II) Amend **Table 629.03 – 1 – Temporary Pavement Markings** to read as follows:

“TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS	
TYPE	PAVEMENT MARKINGS
Passing Permitted - Both Sides	Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.
Passing Prohibited - Both Sides	Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.
Passing Permitted - One Side Only	Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side.
Lane Lines - Lane Changing Permitted	Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.
Lane Lines - Lane Changing Prohibited	Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.
Crosswalk	Two 12-inch white transverse lines spaced 8 feet on center or as ordered by the Engineer.
Stop Line	Single 12-inch white transverse line.
<b>Note:</b> Paint may be used for temporary markings in areas where final paving is not complete.”	

All pavement markings shall be in compliance with the MUTCD including pavement arrows.

(III) Amend **629.04 – Measurement** by revising lines 292 to 294 to read as follows:

19 **"629.04 Measurement.**

- 20
- 21 (A) The Engineer will measure thermoplastic and preformed pavement
- 22 marking tape per linear foot in accordance with the contract
- 23 documents. The longitudinal pavement markings will be measured per
- 24 linear foot as a single stripe for the width specified in the contract and
- 25 in the proposal. The Engineer will include the longitudinal gaps for skip
- 26 striping, up to thirty (30) feet long, in the measurement.

27

28 The Engineer will measure the transverse markings by the linear

29 foot, per lane, or per each according to the contract.

30

31 The Engineer will not measure temporary pavement markings

32 including flexible delineator posts with reflector markers or Type I

33 Barricades and temporary signs installed for the longitudinal guidance

34 of public traffic over reconstructed areas, cold planed surfaces, newly

35 paved surfaces or other unmarked or scarified areas for payment.

36

37 The Engineer will not measure the removal of existing pavement

38 striping and pavement markings. The Engineer will consider the

39 removal of existing pavement striping and pavement markings as

40 included in the contract price of the various pavement marking items.

- 41
- 42 (B) The Engineer will measure the pavement markers per each for the
- 43 types shown in the proposal.

- 44
- 45 (C) The Engineer will measure the painted stripes that are twelve (12)
- 46 inches wide or less as a single stripe. The Engineer will measure the
- 47 painted stripes over twelve (12) inches wide as two (2) stripes. The
- 48 Engineer will measure the double stripes that are twelve (12) inches or
- 49 less in total width including the transverse space between the stripes
- 50 as a single stripe.

51

52 The Engineer will measure the longitudinal pavement markings by

53 the linear foot or per gallon according to the contract. Longitudinal

54 gaps for skip striping that are 30 feet or less will be included in the

55 measurement.

56

57 The Engineer will measure the transverse markings by the linear

58 foot, per lane, per each or per gallon according to the contract."

- 59
- 60 (IV) Amend **629.05 – Payment** by revising lines 296 to 330 to read as follows:

61 **"629.05 Payment.**

62

63

64 (A) The Engineer will pay for thermoplastic and preformed pavement  
65 marking tape at the contract price per linear foot according to the  
66 contract, complete in place, including primers.  
67

68 The Engineer will pay for double four (4) inch striping with a four (4)  
69 inch space between stripes at the contract price per linear foot  
70 according to the contract.  
71

72 The Engineer will pay for crosswalk markings at the contract price  
73 per lane of traffic marked, per each according to the contract.  
74

75 The Engineer will pay for pavement arrows (single and multiple  
76 heads), symbols, and words at the contract price per each according to  
77 the contract.  
78

79 The contract unit price paid shall be full compensation for furnishing  
80 labors, materials, tools, equipment and incidentals and for doing the  
81 work involved in furnishing and installing pavement markings complete  
82 in place according to the contract.  
83

84 The Engineer will not pay for the temporary pavement markings  
85 including flexible delineator posts with reflector markers or Type I  
86 Barricades and temporary signs installed for the longitudinal guidance  
87 of public traffic over reconstructed areas, cold planed surfaces, newly  
88 paved surfaces or other unmarked or scarified areas for payment if not  
89 shown in the proposal separately. The Engineer will consider them  
90 incidental to the various contract items.  
91

92 The Engineer will not pay for the removal of existing pavement  
93 striping and pavement markings. The Engineer shall consider the  
94 removal of existing pavement striping and pavement markings as  
95 included in the contract price of the various pavement marking items.  
96

97 (B) The Engineer will pay for the various types of pavement markers at  
98 the contract price per each according to the contract, complete in  
99 place, including adhesives.  
100

101 (C) The Engineer will pay for painted pavement striping at the contract  
102 price per linear foot according to the contract.  
103

104 The Engineer will pay for quantities of crosswalk marking at the  
105 contract price per lane of traffic marked, per each according to the  
106 contract.  
107

108 The Engineer will pay for pavement arrows (single or multiple arrow  
109 heads), symbols, and words at the contract price per each according to  
110 the contract.

The Engineer will pay for the following pay items when included in the proposal schedule:

Pay Item	Pay Unit
4 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
6 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
Double 4 - Inch Pavement Striping (Thermoplastic Extrusion) (Yellow)	Linear Foot
8 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
12 - Inch Pavement Striping (Thermoplastic Extrusion) (White)	Linear Foot
12 - Inch Pavement Striping (Thermoplastic Extrusion) (Yellow)	Linear Foot
Crosswalk Marking (Thermoplastic Extrusion)	Lane
Pavement Arrow (Thermoplastic Extrusion)	Each
Pavement Word (Thermoplastic Extrusion)	Each
Type "C" Pavement Marker	Each
Type "D" Pavement Marker	Each
Type "DB" Pavement Marker	Each
Type "H" Pavement Marker	Each

**END OF SECTION 629**