

SECTION 629 - PAVEMENT MARKINGS

Make the following amendments to said Section:

(I) Amend **Subsection 629.03(B) – Temporary Pavement Markings** by revising the third paragraph from lines 62 to 63 to read:

“Maintain and replace temporary pavement markings, flexible delineators, and barricades. ”

(II) Amend **Table 629.03 – 1 – Temporary Pavement Markings** to read as follows:

“TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS	
TYPE	PAVEMENT MARKINGS
Passing Permitted - Both Sides	Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.
Passing Prohibited - Both Sides	Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.
Passing Permitted - One Side Only	Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side.
Lane Lines - Lane Changing Permitted	Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.
Lane Lines - Lane Changing Prohibited	Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.
Crosswalk	Two 12-inch white transverse lines spaced 8 feet on center or as ordered by the Engineer.
Stop Line	Single 12-inch white transverse line.
Note: Paint may be used for temporary markings in areas where final paving is not complete.”	

(III) Amend **Subsection 629.04 – Measurement** from lines 292 to 294 to read as follows:

“629.04 Measurement.

(A) The Engineer will measure pavement striping per linear foot in accordance with the contract documents.

(B) The Engineer will measure pavement arrow and pavement symbol per each in accordance with the contract documents.

(C) The Engineer will measure crosswalk marking and yield line per lane in accordance with the contract documents.

(D) The Engineer will measure pavement marker per each in accordance with the contract documents.

(E) The Engineer will measure ADA warning pavement marker per each in accordance with the contract documents.”

(IV) Amend **Subsection 629.05 – Payment** from lines 296 to 330 to read as follows:

“629.05 Payment. The Engineer will pay for the accepted pay item listed below at contract price per pay unit, as shown in the proposal schedule. Payment will be full compensation for the work prescribed in this section and the contract documents.

The Engineer will pay for the following pay items when included in the proposal schedule:

Pay Item	Pay Unit
_____-Inch Pavement Striping _____	Linear Foot
Pavement Symbol (Tape, Type _____ or Thermoplastic Extrusion)	Each
Pavement Arrow (Tape, Type _____ or Thermoplastic Extrusion)	Each
Crosswalk Marking (Tape, Type _____ or Thermoplastic Extrusion)	Lane
Yield Line (Tape, Type _____ or Thermoplastic Extrusion)	Lane
Type _____ Pavement Marker	Each
ADA Warning System Pavement Marker	Each”

66 The Engineer will not pay for temporary pavement markings and will
67 consider the cost of these as included in the contract prices for the various
68 pavement marking contract pay items. The cost is for the work prescribed in this
69 section and the contract documents.

70
71
72 **END OF SECTION 629**