## **SECTION 629 - PAVEMENT MARKINGS**

Make the following amendments to said Section:

(I) Amend Subsection 629.03(B) – Temporary Pavement Markings by revising the third paragraph from line 62 to 63 to read:

"Maintain and replace temporary pavement markings, flexible delineators, and barricades."

(II) Amend Table 629.03 – 1 – Temporary Pavement Markings to read as follows:

"TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS			
ТҮРЕ	PAVEMENT MARKINGS		
Passing Permitted - Both Sides	Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.		
Passing Prohibited - Both Sides	Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.		
Passing Permitted - One Side Only	Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side.		
Lane Lines - Lane Changing Permitted	Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.		
Lane Lines - Lane Changing Prohibited	Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.		
Crosswalk	Two 12-inch white transverse lines spaced 8 feet on center or a ordered by the Engineer.		
Stop Line	Single 12-inch white transverse line.		
Note: Paint may be used for temporary markings in areas where final paving is not complete."			

(III) Amend **629.04 – Measurement** by revising lines 292 to 294 to read as follows:

## "629.04 Measurement.

The Engineer will measure thermoplastic hot spray, thermoplastic and preformed pavement marking tape per linear foot in accordance with the contract documents. The longitudinal pavement markings will be measured per linear foot as a single stripe for the width specified in the contract and in the proposal. The Engineer will include the longitudinal gaps for skip striping, up to thirty (30) feet long, in the measurement.

The Engineer will measure the transverse markings by the linear foot according to the contract.

The Engineer will not measure temporary pavement markings including flexible delineator posts with reflector makers or Type I Barricades and temporary signs installed for the longitudinal guidance of public traffic over reconstructed areas, cold planed surfaces, newly paved surfaces or other unmarked or scarified areas for payment.

The Contractor shall consider the work required for the removal of pavement markings incidental to the various contract items, except as provided in the proposal or elsewhere in the contract. If the contract stipulates that the Engineer will make payment for the removal of pavement markings, the Engineer will measure the removal of pavement markings.

The Engineer will measure the pavement markers per each for the types shown in the proposal.

The Engineer will measure the painted stripes that are twelve (12) inches wide or less as a single stripe. The Engineer will measure the painted stripes over twelve (12) inches wide as two (2) stripes. The Engineer will measure the double stripes that are twelve (12) inches or less in total width including the transverse space between the stripes as a single stripe.

The Engineer will measure the longitudinal pavement markings by the linear foot according to the contract. Longitudinal gaps for skip striping that are 30 feet or less will be included in the measurement.

The Engineer will measure the transverse markings by the linear foot according to the contract.

The Engineer will measure pavement arrow, symbol and word per each in accordance with the contract documents."

(IV) Amend **629.05 – Payment** by revising lines 296 to 330 to read as follows:

## 

## "629.05 Payment.

The Engineer will pay for thermoplastic hot spray, thermoplastic and preformed pavement marking tape at the contract price per linear foot according to the contract, complete in place, including primers.

The Engineer will pay for double four (4) inch striping with a four (4) inch space between stripes at the contract price per linear foot according to the contract.

The Engineer will pay for pavement arrows (single and multiple heads), symbols, and words at the contract price per each according to the contract.

The contract unit price paid shall be full compensation for furnishing labors, materials, tools, equipment and incidentals and for doing the work involved in furnishing and installing pavement markings complete in place according to the contract.

The Engineer will not pay for the temporary pavement markings including flexible delineator posts with reflector markers or Type I Barricades and temporary signs installed for the longitudinal guidance of public traffic over reconstructed areas, cold planed surfaces, newly paved surfaces or other unmarked or scarified areas for payment if not shown in the proposal separately. The Engineer will consider them incidental to the various contract items.

If the contract specifies payment for temporary pavement markings installed as ordered by the Engineer for special temporary traffic patterns, the Engineer will pay from an allowance for "Temporary Construction Zone Markings".

If the contact specifies payment for removal of pavement markings under unit price pay items, the Engineer will pay for the accepted quantities at the contract unit prices bid. The prices shall be full compensation for removing such items according to the contract.

The Engineer will pay for the various types of pavement markers at the contract price per each according to the contract, complete in place, including adhesives.

The Engineer will pay for the following pay items when included in the proposal schedule:

Pay Item Pay Unit

113	Inch Pavement Striping	Linear Foot
114		
115	Pavement Symbol (Tape, Type, or Thermoplastic	
116	Extrusion)	Each
117		
118	Pavement Arrow (Tape, Type, or Thermoplastic	
119	Extrusion)	Each
120		
121	Pavement Word (Tape, Type, or Thermoplastic	
122	Extrusion)	Each
123		
124	Type Pavement Marker	Each"
125		
126		
127		
128		
129		
130	END OF SECTION 629	
131		