ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
Clearing and Grubbing	L.S.	L.S.	L.S.	\$
Roadway Excavation	2,400	Cu. Yd.	\$	\$
Installation, Maintenance, Monitoring and Removal of BMP	L.S.	L.S.	L.S.	\$
Additional Water Pollution, Dust and Erosion Control	F.A.	F.A.	F.A.	\$25,000.00
Aggregate Base	660	Cu. Yd.	\$	\$
Aggregate Subbase	950	Cu. Yd.	\$	\$
Hot Mix Glassphalt Base Course	1,200	Ton	\$	\$
Hot Mix Asphalt Pavement, Mix No. IV	410	Ton	\$	\$
Guardrail, Type W-Beam with Strong Post	L.S.	L.S.	L.S.	\$
Terminal Section, FLEAT-350	L.S.	L.S.	L.S.	\$
4-Inch Reinforced Concrete Driveway	L.S.	L.S.	L.S.	\$
Adjusting Water Standard Valve Box	L.S.	L.S.	L.S.	\$
Adjusting Water Meter Box	L.S.	L.S.	L.S.	\$
4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$
4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$
	Clearing and Grubbing Roadway Excavation Installation, Maintenance, Monitoring and Removal of BMP Additional Water Pollution, Dust and Erosion Control Aggregate Base Aggregate Subbase Hot Mix Glassphalt Base Course Hot Mix Asphalt Pavement, Mix No. IV Guardrail, Type W-Beam with Strong Post Terminal Section, FLEAT-350 4-Inch Reinforced Concrete Driveway Adjusting Water Standard Valve Box Adjusting Water Meter Box 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion) 4-Inch Pavement Striping (Tape, Type III)	Clearing and Grubbing Roadway Excavation Installation, Maintenance, Monitoring and Removal of BMP Additional Water Pollution, Dust and Erosion Control Aggregate Base Aggregate Subbase Hot Mix Glassphalt Base Course Hot Mix Asphalt Pavement, Mix No. IV Guardrail, Type W-Beam with Strong Post Terminal Section, FLEAT-350 4-Inch Reinforced Concrete Driveway Adjusting Water Standard Valve Box A-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion) L.S. L.S. L.S. 4-Inch Pavement Striping (Tape, Type III	ITEM QUANTITY UNIT Clearing and Grubbing Roadway Excavation Installation, Maintenance, Monitoring and Removal of BMP Additional Water Pollution, Dust and Erosion Control Aggregate Base Aggregate Subbase Hot Mix Glassphalt Base Course Hot Mix Asphalt Pavement, Mix No. IV Guardrail, Type W-Beam with Strong Post Terminal Section, FLEAT-350 4-Inch Reinforced Concrete Driveway Adjusting Water Standard Valve Box Adjusting Water Meter Box 4-Inch Pavement Striping (Tape, Type III Tun Cu. Yd. L.S. L.S.	Clearing and Grubbing Clearing and Grubbing Roadway Excavation Installation, Maintenance, Monitoring and Removal of BMP Additional Water Pollution, Dust and Erosion Control Aggregate Base Aggregate Subbase Hot Mix Glassphalt Base Course Hot Mix Asphalt Pavement, Mix No. IV Guardrail, Type W-Beam with Strong Post Terminal Section, FLEAT-350 4-Inch Reinforced Concrete Driveway Adjusting Water Meter Box 4-Inch Pavement Striping (Tape, Type III 4-Inch Pavement Striping (Tape, Type III) L.S. L.S. L.S. L.S. L.S.

56C-01-09 4/20/09 P-13

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
629.1013	8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1014	8-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1015	12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1016	12-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1017	Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1018	Double 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1020	Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.1021	Pavement Symbol (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$		
629.2030	Type C Pavement Marker	L.S.	L.S.	L.S.	\$		
629.2040	Type D Pavement Marker	L.S.	L.S.	L.S.	\$		
629.2080	Type H Pavement Marker	L.S.	L.S.	L.S.	\$		
631.0110	Regulatory Sign (10 Sq. Ft. or Less) with Post	L.S.	L.S.	L.S.	\$		
631.0210	Warning Sign (10 Sq. Ft. or Less) with Post	L.S.	L.S.	L.S.	\$		

56C-01-09 4/20/09 P-14

PROPOSAL SCHEDULE							
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT		
632.0110	Reflector Marker (RM-3)	L.S.	L.S.	L.S.	\$		
632.0120	Milepost Marker with Post (Bi-Directional)	L.S.	L.S.	L.S.	\$		
632.0130	Type II Object Marker	L.S.	L.S.	L.S.	\$		
641.0100	Hydro-mulch Seeding	13,800	Sq. Ft.	\$	\$		
643.0110	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$5,000.00		
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$		
645.0200	Additional Police Officers, Additional Traffic Control Devices, and Additional Advertisements	F.A.	F.A.	F.A.	\$50,000.00		
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$		
694.0100	Contractor-Furnished Portable Concrete Barrier	L.S.	L.S.	L.S.	\$		
694.0200	Inertial Barrier Module	L.S.	L.S.	L.S.	\$		
699.1000	Mobilization (Not to Exceed 10 Percent of the Sum of All Items Excluding the Bid Price of This Item and Force Account Items)	L.S.	L.S.	L.S.	\$		

SUM OF ALL ITEMS

\$

NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.

PROPOSAL SCHEDULE

The bidder is directed to Subsection 105.16 - Subcontracts.

The bidder's attention is directed to Section 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Subsections 717 – Cullet and Cullet-Made Materials regarding recycling of waste glass.