

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS DIVISION

ADDENDUM NO. 1

FOR

KUHIO HIGHWAY RESURFACING  
HARDY STREET TO VICINITY OF LAUKINI ROAD

PROJECT NO. 56A-01-13M

ISLAND OF KAUAI

2013

Amend the Bid Documents as follows:

A. NOTICE TO BIDDERS

- a. Prospective bidders are hereby notified that receiving of sealed proposals scheduled for May 30, 2013 will be postponed and rescheduled for 2:00 P.M., June 13, 2013. The attached NOTICE TO BIDDERS shall be incorporated and made a part of the NOTICE TO BIDDERS.


B. PROPOSAL SCHEDULE

- a. Replace the Proposal Schedule pages P-10 to P-13 dated 4/11/13 with the attached Proposal Schedule pages P-10 to P-13 dated r5/06/13.

C. PRE-BID MEETING

Attached are the "Minutes of the Pre-Bid Meeting" and Pre-Bid Meeting Attendance Sheet for your information.

Please acknowledge receipt of this Addendum No. 1 by recording the date of its receipt in the space provided on page P-4 of the Proposal.



GLENN M. OKIMOTO, Ph.D.  
Director of Transportation

56A-01-13M

-1-

Addendum No. 1

r5/06/13

## NOTICE TO BIDDERS

The receiving of sealed proposals for **KUHIO HIGHWAY RESURFACING, HARDY STREET TO VICINITY OF LAUKINI ROAD, ISLAND OF KAUAI**, at the Contracts Office, Department of Transportation, 869 Punchbowl Street, Honolulu, Hawaii 96813 and Office of the Kauai District Engineer, 1720 Haleukana Street, Lihue, Hawaii 96766, scheduled for 2:00 P.M., May 30, 2013 is hereby POSTPONED UNTIL 2:00 P.M., June 13, 2013, at which time and place they will be publicly opened and read.



---

GLENN M. OKIMOTO, Ph.D.  
Director of Transportation

Internet Posting:

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>75,000.00</u>
301.0100	Hot Mix Asphalt Base Course	750	Ton	\$ _____	\$ _____
305.0100	Aggregate Subbase	550	Cu. Yd	\$ _____	\$ _____
401.0100	HMA Pavement Mix No. IV	4,200	Ton	\$ _____	\$ _____
414.0110	Excavation of Weakened Pavement Areas	850	Cu. Yd.	\$ _____	\$ _____
415.0110	Cold Planing, 2 ½ Inches	L.S.	L.S.	L.S.	\$ _____
415.0120	Cold Planing, 2 Inches	L.S.	L.S.	L.S.	\$ _____
623.0110	Loop Detector Sensing Units (6' x 6') One Loop	L.S.	L.S.	L.S.	\$ _____
623.0120	Loop Detector Sensing Units (6' x 6') Two Loops	L.S.	L.S.	L.S.	\$ _____
623.0130	Loop Detector Sensing Units (6' x 6') Four Loops	L.S.	L.S.	L.S.	\$ _____
623.0140	Loop Detector Sensing Units (6' x 6') Five Loops	L.S.	L.S.	L.S.	\$ _____
629.1010	4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1011	4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1012	4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1020	Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1021	Double 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1040	8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1041	8-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1050	12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1060	Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1070	Pavement Word (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1080	Crosswalk Marking (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1090	Yield Line (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.2030	Type A Pavement Marker	L.S.	L.S.	L.S.	\$ _____



PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.2040	Type C Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2050	Type D Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2060	Type F Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2070	Type H Pavement Marker	L.S.	L.S.	L.S.	\$ _____
630.0110	Type A Route Marker Assembly	L.S.	L.S.	L.S.	\$ _____
630.0120	Type B Route Marker Assembly	L.S.	L.S.	L.S.	\$ _____
630.0130	Street Name Sign	L.S.	L.S.	L.S.	\$ _____
631.0110	Regulatory Signs (10 Sq.Ft. or Less)	L.S.	L.S.	L.S.	\$ _____
631.0120	Regulatory Signs (Greater Than 10 Sq.Ft.)	L.S.	L.S.	L.S.	\$ _____
631.0130	Warning Signs (10 Sq.Ft. or Less)	L.S.	L.S.	L.S.	\$ _____
632.0110	Milepost Marker with Post (Bi-Directional)	L.S.	L.S.	L.S.	\$ _____
632.0120	Type II Object Marker	L.S.	L.S.	L.S.	\$ _____
643.0110	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$ <u>30,000.00</u>
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$ _____

### PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
645.0200	Additional Police Officers, Additional Traffic Control Devices, and Additional Advertisements	F.A.	F.A.	F.A.	\$ <u>125,000.00</u>
648.0100	Field Posted Drawings	L.S.	L.S.	L.S.	\$ _____
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$ _____
Sum of All Items .....					\$ _____
<p>NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</p>					

## MINUTES OF THE PRE-BID MEETING

**PROJECT:** Kuhio Highway Resurfacing  
Hardy Street to Vicinity of Laukini Road  
District of Lihue, Kauai

**PROJECT NO.** 56A-01-13M

**LOCATION:** 1720 Haleukana Street  
Lihue, Kauai, Hawaii

**DATE & TIME:** May 6, 2013 at 9:00 A.M.

**IN ATTENDANCE:** Fred Reyes HDOT – HWY-K  
Bernie Vargas HDOT – HWY-K

The meeting started at 9:00 A.M. No prospective bidders or their representative attended the pre-bid conference.

The following questions were received by HDOT prior to the meeting:

**Question # 1:** On Plan Sheet No. 9, Clarify if the excavation for the aggregate subbase course will be paid for under Bid Item No. 414.0110 – Excavation of Weakened Pavement Areas.

**Response:** Excavation for the aggregate subbase course will be paid for under Bid Item No. 414.0110 – Excavation of Weakened Pavement Areas.

**Question # 2:** On Plan Sheet No. 9, the depth of excavation of the pavement reconstruction detail for Sta. 139+00 to Sta. 144+50 is called out to be 26 inches. Clarify if this is correct.

**Response:** Yes, depth of excavation is 26 inches.

The minutes of the meeting will be distributed in Addendum No. 1 to the Contract Plans. Contractors will be notified when addendum will be available for pick up.

## PRE-BID CONFERENCE ATTENDANCE LIST

PROJECT NO.: 56A-01-13M KUHIO HIGHWAY RESURFACING, HARDY STREET TO VICINITY OF LAUKINI ROAD

DATE: MAY 6, 2013

TIME: 9:00 AM

LOCATION: 1720 HALEUKANA STREET, LIHUE, KAUAI, HAWAII 96766

CALLED BY: FRED REYES

**PLEASE PRINT**

PARTICIPANT	COMPANY / ORGANIZATION	ADDRESS (Including City and Zip Code)	EMAIL (Print legibly)	PHONE/FAX NUMBERS
1 BERNIE VARGAS	HDOT / HWY-K	1720 HALEUKANA ST LIHUE, KAUAI, 96766	BERNIE.P.VARGAS@HAWAII.GOV	241-3011 / 241-3018
2 Fred Reyes	HDOT / Hwy-K	1720 Haleukana St. Lihue 96766	fred.reyes@hawaii.gov	241-3017 / 241-301
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				