LITERATURE CITED

- Balazs, G.H. 1980. Synopsis of biological data on the green turtle in the Hawaiian Islands. NOAA Tech. Memor. NMFSSWFSC-7. 141 pp.
- Balazs, G.H. 1996. Behavioral changes within the recovering Hawaiian green turtle population. Pp. 16-21. *In* Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation (Keinath, J.A., D.E. Barnard, J.A. Musick, and B.A. Bell, compilers). NOAA Technical Memorandum NMFS-SEFSC-387.
- Balazs, G.H. and M. Chaloupka. 2006. Recovery trend over 32 years at the Hawaiian green turtle rookery of French Frigate Shoals. Atoll Research Bulletin 543: 147-158.
- Balazs, G.H., R.K. Miya, and M.A. Finn. 1994. Aspects of green turtles in their feeding, resting, and cleaning areas off Waikiki Beach. Pp 15-18. *In* B.A. Schroeder and B.E. Witherington (compliers). Proceedings of the Thirteenth Annual Symposium on Sea Turtles Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-341. 281 pp.
- Bass, A.L. 1999. Genetic analysis to elucidate the natural history and behavior of hawksbill turtles (*Eretmochelys imbricata*) in the Wider Caribbean: a review and re-analysis. Chelonian Conservation and Biology 3: 195-199.
- Beggs, J.A, J.A. Horrocks, and B.H. Krueger. 2007. Increase in hawksbill sea turtle *Eretmochelys imbricata* nesting in Barbados, West Indies. Endangered Species Research 3: 159-168.
- Boulon, R.H., Jr. 1983. Some notes on the population biology of green (*Chelonia mydas*) and hawksbill (*Eretmochelys imbricata*) turtles in the northern U.S. Virgin Islands; 1981-83. Report to the National Marine fisheries Service, Grant No. NA82-GA-A-00044. 18 pp.
- Boulon, R.H., Jr. 1994. Growth rates of wild juvenile hawksbill turtles, *Eretmochelys imbricata*, in St. Thomas, United States Virgin Islands. Copeia 1994: 811-814.
- Broderick, D., C. Moritz, J.D. Miller, M. Guinea, R.I.T. Prince, and C.J. Limpus. 1994. Genetic studies of the hawksbill turtle *Eretmochelys imbricata*: evidence for multiple stocks in Australian waters. Pacific Conservation Biology 1: 123-131.
- Carr, A., M.H. Carr, and A.B. Meylan. 1978. The ecology and migrations of sea turtles, 7. The West Caribbean green turtle colony. Bulletin of the American Museum of Natural History 162: 1-46.

Chaloupka, M.Y. and J.A. Musick. 1997. Age, growth, and population dynamics. Pp. 233-276 in The Biology of Sea Turtles (Lutz, P.L. and J.A. Musick, eds.). CRC Press, Boca Raton, FL.

- Cliffton, K., D.O. Cornejo, and R.S. Felger. 1982. Sea turtles of the Pacific Coast of Mexico. Pp. 199-209. *In* K.A. Bjorndal (ed.), Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington, DC. 583 pp.
- Crain, D.A., A.B. Bolten, and K.A. Bjorndal. 1995. Effects of beach nourishment on sea turtles: review and research initiatives. Restoration Ecology 3(2):95-104.
- Diez, C.E. and R.P. van Dam. 2002. Habitat effect on hawksbill turtle growth rates on feeding grounds at Mona and Monito Islands, Puerto Rico. Marine Ecology Progress Series 234: 301-309.
- Ernest, R.G., R.E. Martin, and K.A. Duhring. 1998. Beach driving and sea turtles: what kind of risk? *In*: Proceedings of the Seventeenth Annual Symposium on Sea Turtle Biology and Conservation, March 4-8, 1997, Orlando, Florida, p. 50-53. S.P. Epperly and J. Braun (compilers). NOAA Tech. Memo. NMFS-SEFSC-415.
- Godley, B.J., D.R. Thompson, S. Waldron, and R.W. Furness. 1998. The trophic status of marine turtles as determined by stable isotope analysis. Marine Ecology Progress Series 166: 277-284.
- Groombridge, B. and R. Luxmore. 1989. The green turtle and hawksbill (Reptilia: Cheloniidae): world status, exploitation, and trade. CITES Secretariat, Lausanne, Switzerland. 601 pp.
- Hatase, H. K. Sato, M. Yamaguchi, K. Takahashi, and K. Tsukamoto. 2006. Individual variation in feeding habitat use by female green sea turtles (*Chelonia mydas*): as they obligately neritic herbivores? Oecologia 149: 52-64.
- Hawai'i Wildlife Fund (HWF). 2014. Annual report of Hawai'i Wildlife Fund green sea turtle nest monitoring and research 2014. Federal Fish and Wildlife Permit No. TE-829250-8. Unpublished report to USFWS. 5 pp.
- Hawai'i Wildlife Fund (HWF). 2015. http://www.wildhawaii.org/projects.html#recovery.
- Heithaus, M.R., J.J. McLash, A. Freid, L.M. Dill, and G.J. Marshall. 2002. Novel insights into green sea turtle behavior using animal-borne video cameras. Journal of the Marine Biological Association of the United Kingdom 82: 1049-1050.
- Herbst, L.H. 1994. Fibropapillomatosis of marine turtles. Annual Review of Fish Diseases 4: 389-425.

Horrocks, J.A. and N. McA. Scott. 1991. Nest site location and nest success in the hawksbill turtle *Eretmochelys imbricata* in Barbados, West Indies. Marine Ecology Progress Series 69: 1-8.

- [IPCC] Intergovernmental Panel on Climate Change. 2014a. Climate change 2014: synthesis report. Contribution of working groups I, II and III to the fifth assessment report of the Intergovernmental Panel on Climate Change [core writing team, R.K. Pachauri and L.A. Meyer (eds.)]. IPCC, Geneva, Switzerland, 151 pp.
- [IPCC] Intergovernmental Panel on Climate Change. 2014b. Climate change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Field, C.B., V.R. Barros, D.J. Dokken, K.J. Mach, M.D. Mastrandrea, T.E. Bilir, M. Chatterjee, K.L. Ebi, Y.O. Estrada, R.C. Genova, B. Girma, E.S. Kissel, A.N. Levy, S. MacCracken, P.R. Mastrandrea, and L.L. White (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1132 pp.
- Kittinger, J. N., K.S. Van Houtan, L.E. McClenachan, and A.L. Lawrence. 2013. Using historical data to assess the biogeography of population recovery. Ecography 36: 868–872. doi:10.1111/j.1600-0587.2013.00245.x.
- Limpus, C. 1992. The Hawksbill Turtle, *Eretmochelys imbricata*, in Queensland: population structure within a southern Great Barrier Reef feeding ground. Wildlife Research 19: 489-506
- Limpus, C. 1995. Global overview of the status of marine turtles: a 1995 viewpoint. Pp. 605-609. In Biology and Conservation of Sea Turtles, revised edition (Bjorndal, K., ed.). Smithsonian Institution Press, Washington, D.C. 615 pp.
- Limpus, C. and M. Chaloupka. 1997. Nonparametric regression modeling of green sea turtle growth rates (southern Great Barrier Reef). Marine Ecology Progress Series 149: 23-34.
- Lipman, V. and Balazs, G.H. 1983. The lost Hawaiian Island. Honolulu Magazine 18(5): 82–87, 150, 152.
- Losey, G. G.H. Balazs, and L.A. Privatera. 1994. A cleaning symbiosis between the wrasses, *Thalassoma dupery*, and the green turtle, *Chelonia mydas*. Copeia 1994: 684-690.
- Mann, T.M. 1977. Impact of developed coastline on nesting and hatchling sea turtles in southeastern Florida. Unpublished M.S. Thesis. Florida Atlantic University, Boca Raton.

Meylan, A.B. and M. Donelly. 1999. Status justification for listing the hawksbill turtle (*Eretmochelys imbricata*) as critically endangered on the 1996 IUCN Red List of threatened Animals. Chelonian Conservation and Biology 3: 200-224.

- Meylan, A.B., B.W. Bowen, and J.C. Avise. 1990. A genetic test of the natal homing versus social facilitation models for green turtle migration. Science 248: 724-727.
- Mortimer, J.A. 1982. Factors influencing beach selection by nesting sea turtles. Pp. 45-51. *In* The Biology and Conservation of Sea Turtles (Bjorndal, K., ed.). Smithsonian Institution Press, Washington, D.C.
- Mortimer, J.A. and R. Bresson. 1999. Temporal distribution and periodicity in hawksbill turtles (*Eretmochelys imbricata*) nesting at Cousin Island, Republic of Seychelles, 1971-1997. Chelonian Conservation and Biology 3: 318-325.
- Mortimer, J.A., M. Day, and D. Broderick. 2002. Sea turtle populations of the Chagos Archipelago, British Indian Ocean Territory. Pp. 47-49. *In* Proceedings of the Twentieth Annual Symposium on Sea Turtle Biology and Conservation (Mosier, A., A. Foley, and B. Brost, eds.). NOAA Technical Memorandum NMFS-SEFSC-477.
- Mortimer, J.A., J. Collie, T. Jupiter, R. Chapman, A. Liljevik, and B. Betsy. 2003. Growth rates of immature hawksbills (*Eretmochelys imbricata*) at Aldabra Atoll, Seychelles (Western Indian Ocean). Pp. 247-248. *In* Proceedings of the Twenty-second Annual Symposium sea turtle biology and conservation (Seminoff, J.A., compiler). NOAA Technical Memorandum NMFS-SEFSC-503.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration in juvenile sea turtles. Pp. 137-164. *In* The Biology of Sea Turtles (Lutz, P.L. and J.A. Musick, eds.). CRC Press, Boca Raton, FL.
- [NOAA-NMFS-SWFSC] National Oceanic and Atmospheric Administration, National Marine Fisheries Service, and Southwest Fisheries Science Center. 2015. Status review of the green turtle (*Chelonia mydas*) under the Endangered Species Act. Pp. 336–337.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1991a. Recovery plan for U.S. population of Atlantic green sea turtle (*Chelonia mydas*). National Marine Fisheries Service, Washington, D.C.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1991b. Recovery plan for U.S. population of loggerhead turtle (*Caretta caretta*). National Marine Fisheries Service, Washington, D.C.

[NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1992. Recovery plan for leatherback turtles (*Dermochelys coriacea*) in the U.S. Caribbean, Atlantic, and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C.

- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1993. Recovery plan for hawksbill turtles (*Eretmochelys imbricata*) in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. National Marine Fisheries Service, St. Petersburg, Florida.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998a. Recovery plan for U.S. Pacific populations of the green turtle (*Chelonia mydas*). National Marine Fisheries Service, Silver Spring, MD. 84 pp.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998b. Recovery plan for U.S. Pacific populations of the hawksbill turtle (*Eretmochelys imbricata*). National Marine Fisheries Service, Silver Spring, MD.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2007a. Green sea turtle (*Chelonia mydas*) 5-year review: summary and evaluation. National Marine Fisheries Service Office of Protected Resources, Silver Spring, Maryland and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, Florida. 105 pp.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2007b. Hawksbill sea turtle (*Eretmochelys imbricata*) 5-year review: summary and evaluation. National Marine Fisheries Service Office of Protected Resources, Silver Spring, Maryland and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, Florida. 93 pp.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2013. Hawksbill sea turtle (*Eretmochelys imbricata*) 5-year review: summary and evaluation. National Marine Fisheries Service Office of Protected Resources, Silver Spring, Maryland and U.S. Fish and Wildlife Service, Southeast Region, Jacksonville Ecological Services Field Office, Jacksonville, Florida. 89 pp.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2015. Endangered and threatened species: identification and proposed listing of eleven distinct population segments of green sea turtles (*Chelonia mydas*) as endangered or threatened and revision of current listings: proposed rule. Federal Register 80: 15272-15337.
- [NMFS-USFWS] National Marine Fisheries Service and U.S. Fish and Wildlife Service. 2016. Endangered and threatened wildlife and plants: final rule to list eleven distinct population segments of the green sea turtle (*Chelonia mydas*) as endangered or threatened and

- revision of current listings under the Endangered Species Act. Federal Register 81: 20058-20090.
- Parker, D.M. and G.H. Balazs. 2005. Diet of the oceanic green turtle, *Chelonia mydas*, in the North Pacific. Pp. 94-95. *In* Proceedings of the Twenty-fifth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-582.
- Parker, D.M., G.H. Balazs, C.S. King, L. Katahira, and W. Gilmartin. 2009. Short-range movements of hawksbill turtles (*Eretmochelys imbricata*) from nesting to foraging areas within the Hawaiian Islands. Pacific Science 63: 371-382.
- Plotkin, P. 2003. Adult migrations and habitat use. Pp. 225-242. *In* The Biology of Sea Turtles, Volume 2 (Lutz, P.L., J.A. Musick, and J. Wyneken, eds.). CRC Press, Boca Raton, FL.
- Pritchard, P.C.H. 1982a. Marine turtles of the South Pacific. Pp. 253-262. *In* The Biology and Conservation of Sea Turtles (Bjorndal, K.A., ed.). Smithsonian Institution Press, Washington, D.C. 583 pp.
- Pritchard, P.C.H. 1982b. Marine turtles of Micronesia. Pp. 263-274. *In* The Biology and Conservation of Sea Turtles (Bjorndal, K.A., ed.). Smithsonian Institution Press, Washington, D.C. 583 pp.
- Richardson, J.L., R. Bell, and T.H. Richardson. 1999. Population ecology and demographic implications drawn from and 11-year study of nesting hawksbill turtles, *Eretmochelys imbricata*, at Jumby Bay, Long Island, Antigua, West Indies. Chelonian Conservation and Biology 3: 244-250.
- Schroeder, B.A. 1994. Florida index nesting beach surveys: are we on the right track? Pages 132-133. *In* Bjorndal, K.A., A.B. Bolten, D.A. Johnson, and P.J. Eliazar (compilers). Proceedings of the 14th Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351.
- Seminoff, J.A., A. Resendiz, and W.J. Nichols. 2002. Diet of East Pacific green turtles (*Chelonia mydas*) in the central Gulf of California, Mexico. Journal of Herpetology 36: 447-453.
- [USFWS] U.S. Fish and Wildlife Service. 1970. Conservation of endangered species and other fish or wildlife. Federal Register 35: 8491-8498.
- [USFWS] U.S. Fish and Wildlife Service. 1982. Endangered and Threatened Wildlife and Plants; Determination of Critical Habitat for the Hawksbill Sea Turtle in Puerto Rico. Federal Register 47: 27295-2728.

[USFWS] U.S. Fish and Wildlife Service, Georgia Ecological Services Coastal Georgia Sub Office. 2014. Biological opinion for the Tybee Island, Georgia Shore Protection Project 2015 Renourishment. Unpublished document, 2014.

- [USFWS] U.S. Fish and Wildlife Service, Mississippi Ecological Services Field Office. 2021. Biological Opinion for the Hancock County Beach Renourishment, Hancock, Mississippi. Unpublished document, 2021.
- [USFWS] U.S. Fish and Wildlife Service, Pacific Islands Fish and Wildlife Office. 2020. Permit amendment application Number TE-72088A-3: Internal Section 7 Consultation. Unpublished document, 2020.
- [USFWS] U.S. Fish and Wildlife Service, Texas Coastal Ecological Services Field Office. 2021. Biological Opinion for the Sargent Beach Segmented Breakwater, Terminal Groin, and Beach Nourishment Project, Matagorda County, Texas. Unpublished document, 2021.
- Van Houtan, K.S., J.N. Kittinger, A.L. Lawrence, C. Yoshinaga, R. Born, and A. Fox. 2012. Hawksbill sea turtles in the Northwestern Hawaiian Islands. Chelonian Conservation and Biology 11: 117-121.
- Whittow GC, Balazs GH. 1982. Basking behavior of the Hawaiian green turtle (*Chelonia mydas*). Pac Sci 36(2): 129-139 pp.
- Witzell, W.N. 1983. Synopsis of biological data on the hawksbill turtle *Eretmochelys imbricata* (Linaeus, 1766). FAO Fisheries Synopsis No. 137. 78 pp.

PERSONAL COMMUNICATION

Staman, M. 2023. National Oceanic and Atmospheric Administration Pacific Islands Fisheries Center, Electronic mail message regarding sea turtles in the Hawaiian Islands. February 3, 2023.

GIS

- Costa, Bryan; Kendall, Matthew. 2016. Marine Biogeographic Assessment of the Main Hawaiian Islands: Synthesized physical and biological data offshore of the Main Hawaiian Islands from 1891-01-01 to 2015-03-01 (NCEI Accession 0155189). GIS-Data_FileGeodatabase_Chapter-5_Sea-Turtles.zip. NOAA National Centers for Environmental Information. Dataset. https://doi.org/10.7289/v56h4fg9. Accessed February 2023.
- Plentovich, S. and E. Sachs. 2023. Unpublished U.S. Fish and Wildlife Service dataset. Accessed February 2023.