	PROPOSAL SCHEDULE	- HANA	ALEI H	ILLS	
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)
201.0100	Clearing and Grubbing	2	ACRE	\$	\$
203.0120	Roadway Excavation of Weakened Pavement Areas	495	C.Y.	\$	\$
203.2100	Slope Trimming - Hanalei Hills	3,800	C.Y.	\$	\$
206.2020	Structure Excavation for Drainage System	1,745	C.Y.	\$	\$
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP - Hanalei Hills	L.S.	L.S.	L.S.	\$
209.0200	Additional Water Pollution, Dust, and Erosion Control - Hanalei Hills	F.A.	F.A.	F.A.	\$100,000.00_
301.0100	Hot Mix Asphalt Base Course	755	Tons	\$	\$
304.0100	Aggregate Base	140	C.Y.	\$	\$
305.0100	Aggregate Subbase	325	C.Y.	\$	\$
401.0410	PMA Pavement, Mix No. IV	990	Tons	\$	\$
415.0110	Cold Planing	5,480	S.Y.	\$	\$
603.0010	Bed Course Material for Culvert	330	C.Y.	\$	\$
603.0100	Clean Existing Culverts	F.A.	F.A.	F.A.	\$20,000.00

	PROPOSAL SCHEDULE - HANALEI HILLS							
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)			
603.1010	24-inch Reinforced Concrete Pipe, Class III	1,455	L.F.	\$	\$			
603.8000	3.0 ft Wide x 1.5 ft High Box Culvert	70	L.F.	\$	\$			
603.9000	24-inch HDPE Pipe	280	L.F.	\$	\$			
604.1000	Type C Manhole, 5.00 feet to 5.99 feet	1	EACH	\$	\$			
604.5000	Type 61616P Grated Drop Inlet, 6.00 feet to 6.99 feet	1	EACH	\$	\$			
604.6000	Type 61616P Grated Drop Inlet Modified, 5.00 feet to 5.99 feet	2	EACH	\$	\$			
604.6100	Type 61616P Grated Drop Inlet Modified, 6.00 feet to 6.99 feet	1	EACH	\$	\$			
604.6200	Type 61616P Grated Drop Inlet Modified, 7.00 feet to 7.99 feet	1	EACH	\$	\$			
604.7000	Type 61214P Grated Drop Inlet Modified, 4.00 feet to 4.99 feet	2	EACH	\$	\$			
604.7100	Type 61214P Grated Drop Inlet Modified, 5.00 feet to 5.99 feet	4	EACH	\$	\$			
604.7200	Type 61214P Grated Drop Inlet Modified, 6.00 feet to 6.99 feet	4	EACH	\$	\$			
606.2000	W-Beam Metal Guardrail	590	L.F.	\$	\$			
606.5000	Terminal Section (MSKT or Approved Equal)	1	EACH	\$	\$			
607.1000	6-Feet, Chain Link Fence with Top Rail	290	L.F.	\$	\$			

	PROPOSAL SCHEDULE	- HANA	ALEI H	ILLS	
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)
612.1000	Grouted Rubble Paving	41	C.Y.	\$	\$
619.1000	Vines (Bougainvillea, Awikiwiki, Prince Kuhio, Pink Mandevilla), Soil Amendments, Black Cinder, Temporary Irrigation, and Plant Establishment Period	L.S.	L.S.	L.S.	\$
621.1000	Inventory of Invasive Species before Construction - Hanalei Hills	L.S.	L.S.	L.S.	\$
621.2000	Invasive Species Removal Plan - Hanalei Hills	F.A.	F.A.	F.A.	\$13,000.00
621.3000	Removal of Plants and Animals Established before Physical Construction or Site Work, Post-removal Monitoring - Hanalei Hills	F.A.	F.A.	F.A.	\$70,000.00
621.4000	Monitoring of Invasive Species during and after-Construction - Hanalei Hills	L.S.	L.S.	L.S.	\$
621.5000	Post-Construction Inventory Prior to Returning the Site to the State - Hanalei Hills	L.S.	L.S.	L.S.	\$
629.1004	4-Inch Pavement Striping (Type III Tape or Thermoplastic Extrusion)	200	LF	\$	\$
629.1014	4-Inch Double Pavement Striping (Type III Tape or Thermoplastic Extrusion)	1,940	LF	\$	\$

	PROPOSAL SCHEDULE - HANALEI HILLS						
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)		
629.1024	6-Inch Pavement Striping (Type III Tape or Thermoplastic Extrusion)	2,705	LF	\$	\$		
629.1036	8-Inch Pavement Striping (Type III Tape or Thermoplastic Extrusion)	1,715	LF	\$	\$		
629.1054	12-Inch Pavement Striping (Type III Tape or Thermoplastic Extrusion)	30	LF	\$	\$		
629.1110	Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)	2	Each	\$	\$		
629.1130	Yield Line (Tape, Type III or Thermoplastic Extrusion)	1	Lane	\$	\$		
629.1135	Stop Bar (Tape, Type III or Thermoplastic Extrusion)	2	Lane	\$	\$		
629.2020	Type C Pavement Marker	220	Each	\$	\$		
629.2030	Type D Pavement Marker	400	Each	\$	\$		
631.0100	Regulatory Sign (10 Square Feet or Less) with Post	1	Each	\$	\$		
632.0500	Milepost Marker with Post (Bi-Directional)	1	Each	\$	\$		
638.2010	Gutter, Type 2 61214	868	L.F.	\$	\$		

	PROPOSAL SCHEDULE	- HANA	ALEI H	ILLS	
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)
638.2012	Gutter, Type 2 61616	618	L.F.	\$	\$
638.2014	Gutter, Type 2 61612	87	L.F.	\$	\$
643.0110	Maintenance of Existing Landscape Areas - Hanalei Hills	FA	FA	FA	\$40,000.00
645.1000	Traffic Control - Hanalei Hills	L.S.	L.S.	L.S.	\$
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement - Hanalei Hills	FA	FA	FA	\$100,000.00
648.1000	Field-Posted Drawings - Hanalei Hills	L.S.	L.S.	L.S.	\$
657.0100	Grouted Soil Anchor for Anchored Wire Mesh (20 feet deep with Spike Plate and Cap) - Hanalei Hills	22,600	L.F.	\$	\$
657.0200	Added Grouted Soil Anchor Length for Anchored Wire Mesh (Up to 30 feet deep with Coupler to add to 20-foot Soil Nail) - Hanalei Hills		L.F.	\$	\$
657.0300	Added Grouted Soil Anchor Length for Anchored Wire Mesh (Up to 40 feet deep with Coupler to add to 30-foot Soil Nail) - Hanalei Hills		L.F.	\$	\$
657.0400	Pre-Production Sacrificial Grouted Soil Anchor Verification Tests	4	EACH	\$	\$

ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)
657.0500	Grouted Soil Anchor Proof Tests - Hanalei Hills	60	EACH	\$	\$
657.0600	Anchored Wire Mesh System - Hanalei Hills	63,000	S.F.	\$	\$
657.2000	Repairs to Lower Hanalei Slope Soil Nails	F.A.	F.A.	F.A.	\$120,000.00
671.1000	Protection of Endangered Species - Hanalei Hills	F.A.	F.A.	F.A.	\$40,000.00
696.1000	Field Office Trailer (Not to Exceed \$32,000)	L.S.	L.S.	L.S.	\$
696.1100	Maintenance of Trailers	F.A.	F.A.	F.A.	\$25,000.00
699.1000	Mobilization - Hanalei Hills (Not to exceed 6 percent of the sum of all items excluding the bid price of this item)	L.S.	L.S.	L.S.	\$
	Sum of all Contract Items - Hanalei Hills			(C)	\$
2. Bids shal	nust complete all unit prices and amounts. Failure to do so may be g I include all Federal, State, County and other applicable taxes and fe epancy occurs between the Unit Price (B) and the Amount (A x B) , th	es.			

	PROPOSAL SCHEDULE - WAIKOKO							
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)			
203.0100	Roadway Excavation	20	C.Y.	\$	\$			
203.2101	Slope Trimming - Waikoko	1,400	C.Y.	\$	\$			
209.0101	Installation, Maintenance, Monitoring, and Removal of BMP - Waikoko	L.S.	L.S.	L.S.	\$			
209.0201	Additional Water Pollution, Dust, and Erosion Control - Waikoko	F.A.	F.A.	F.A.	\$10,000.00			
621.1001	Inventory of Invasive Species before Construction - Waikoko	L.S.	L.S.	L.S.	\$			
621.2001	Invasive Species Removal Plan - Waikoko	F.A.	F.A.	F.A.	\$7,000.00			
621.3001	Removal of Plants and Animals Established before Physical Construction or Site Work, Post-removal Monitoring - Waikoko	F.A.	F.A.	F.A.	\$30,000.00_			
621.4001	Monitoring of Invasive Species during and after-Construction - Waikoko	L.S.	L.S.	L.S.	\$			
621.5001	Post-Construction Inventory Prior to Returning the Site to the State - Waikoko	L.S.	L.S.	L.S.	\$			
643.0111	Maintenance of Existing Landscape Areas - Waikoko	FA	FA	FA	\$10,000.00			
645.1001	Traffic Control - Waikoko	L.S.	L.S.	L.S.	\$			

	PROPOSAL SCHEDULE - WAIKOKO						
ITEM NO.	ITEM	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)		
645.2001	Additional Police Officers, Additional Traffic Control Devices, and Advertisement - Waikoko	FA	FA	F.A.	\$50,000.00		
648.1001	Field-Posted Drawings - Waikoko	L.S.	L.S.	L.S.	\$		
657.0101	Grouted Soil Anchor for Anchored Wire Mesh (20 feet deep with Spike Plate and Cap) - Waikoko	18,000	L.F.	\$	\$		
657.0201	Added Grouted Soil Anchor Length for Anchored Wire Mesh (Up to 30 feet deep with Coupler to add to 20-foot Soil Nail) - Waikoko	9,000	L.F.	\$	\$		
657.0301	Added Grouted Soil Anchor Length for Anchored Wire Mesh (Up to 40 feet deep with Coupler to add to 30-foot Soil Nail) - Waikoko	9,000	L.F.	\$	\$		
657.0401	Pre-Production Sacrificial Grouted Soil Anchor Verification Tests	4	EACH	\$	\$		
657.0501	Grouted Soil Anchor Proof Tests - Waikoko	50	EACH	\$	\$		
657.0601	Anchored Wire Mesh System - Waikoko	44,500	S.F.	\$	\$		
671.1001	Protection of Endangered Species - Waikoko	F.A.	F.A.	F.A.	\$35,000.00		

	APPROX. QUANTITY (A)	UNIT	UNIT PRICE (B)	AMOUNT (A x B)	
Positive Protection Barrier - Waikoko	40	EACH	\$	\$	
Mobilization - Waikoko (Not to exceed 6 percent of the sum of all items excluding the bid price of this item)	L.S.	L.S.	L.S.	\$	
Sum of all Contract Items - Waikoko					
	Mobilization - Waikoko (Not to exceed 6 percent of the sum of all items excluding the bid price of this item)	(A)Positive Protection Barrier - Waikoko40Mobilization - Waikoko (Not to exceed 6 percent of the sum of all items excluding the bid price of this item)L.S.	(A)Positive Protection Barrier - Waikoko40EACHMobilization - Waikoko (Not to exceed 6 percent of the sum of all items excluding the bid price of this item)L.S.L.S.	(A)(B)Positive Protection Barrier - Waikoko40EACH\$Mobilization - Waikoko (Not to exceed 6 percent of the sum of all items excluding the bid price of this item)L.S.L.S.L.S.	

PROPOSAL SUMMARY	
Total Amount for Comparison of Bids - Hanalei Hills (from Page P-13)	\$
Total Amount for Comparison of Bids - Waikoko (from Page P-16)	\$
Total Amount for Comparison of Bids(C + D)	\$
NOTES:	
 Bidders must complete all unit prices and amounts on previous proposal pages. Failure to do so may be grounds for rejection Bids shall include all Federal, State, County and other applicable taxes and fees. 	on of bid.
3. If a discrepancy occurs between the Unit Price (B) and the Amount (A x B), the Unit Price (B) shall govern.	
The Total Amount for Comparison of Bids will be used to determine the lowest responsible bidder.	

1 **PROPOSAL SCHEDULE**

2 3

4

The bidder is directed to Subsection 105.16 – Subcontracts.

5 The bidder's attention is directed to Sections 696 - Field Office and Project 6 Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are 7 allowed to bid.

9 If the bid price for any proposal item having a maximum allowable bid 10 indicated therefore in any of the contract documents is in excess of such a 11 maximum amount, the bid price for such proposal item shall be adjusted to reflect 12 the limitation thereon. The comparison of bids to determine the successful 13 bidder and the amount of contract to be awarded shall be determined after such 14 adjustments are made, and such adjustments shall be binding upon the bidder.

15

16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials 17 regarding recycling of waste glass.

- 18
- 19