

SECTION 629 - PAVEMENT MARKINGS

Make the following amendments to said Section:

(I) Amend **Subsection 629.03(B) – Temporary Pavement Markings** by revising the third paragraph from line 62 to 63 to read:

“Maintain and replace temporary pavement markings, flexible delineators, and barricades. ”

(II) Amend **Table 629.03 – 1 – Temporary Pavement Markings** to read as follows:

“TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS	
TYPE	PAVEMENT MARKINGS
Passing Permitted - Both Sides	Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.
Passing Prohibited - Both Sides	Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.
Passing Permitted - One Side Only	Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side.
Lane Lines - Lane Changing Permitted	Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.
Lane Lines - Lane Changing Prohibited	Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.
Crosswalk	Two 12-inch white transverse lines spaced 8 feet on center or as ordered by the Engineer.
Stop Line	Single 12-inch white transverse line.
Note: Paint may be used for temporary markings in areas where final paving is not complete.”	

(III) Amend **629.04 – Measurement** by revising lines 292 to 294 to read as follows:

19 **"629.04 Measurement.**

20
21 The Engineer will measure thermoplastic and preformed pavement
22 marking tape per linear foot in accordance with the contract
23 documents. The longitudinal pavement markings will be measured per
24 linear foot as a single stripe for the width specified in the contract and
25 in the proposal.

26
27 The Contractor shall consider the work required for the removal of
28 pavement markings incidental to the various contract items, except as
29 provided in the proposal or elsewhere in the contract. If the contract
30 stipulates that the Engineer will make payment for the removal of
31 pavement markings, the Engineer will measure the removal of
32 pavement markings.

33
34 The Engineer will measure the pavement markers, raised
35 crosswalk marking and pavement words per each for the types shown
36 in the proposal.

37
38 The Engineer will measure the pavement crosswalk per each for
39 the types shown in the proposal.

40
41 The Engineer will measure the painted stripes that are twelve (12)
42 inches wide or less as a single stripe. The Engineer will measure the
43 painted stripes over twelve (12) inches wide as two (2) stripes."

44
45 (IV) Amend **629.05 – Payment** by revising lines 296 to 330 to read as follows:

46
47 **"629.05 Payment.**

48
49 The Engineer will pay for thermoplastic and preformed pavement
50 marking tape at the contract price per linear foot according to the
51 contract, complete in place, including primers.

52
53 The Engineer will pay for pavement word and raised crosswalk
54 markings at the contract price per each according to the contract,
55 complete in place including primers.

56
57 The Engineer will pay for crosswalk markings at the contract price
58 per lane according to the contract, complete in place, including
59 primers.

60
61 The contract unit price paid shall be full compensation for furnishing
62 labors, materials, tools, equipment and incidentals and for doing the
63 work involved in furnishing and installing pavement markings complete
64 in place according to the contract.

The Engineer will pay for the various types of pavement markers at the contract price per each according to the contract, complete in place, including adhesives.

The Engineer will pay for the following pay items when included in the proposal schedule:

Pay Item	Pay Unit
____ - Inch Pavement Striping _____	Linear Foot
Type ____ Pavement Marker	Each
Pavement Word (Tape, Type ____ or Thermoplastic Extrusion)	Each
Crosswalk (Tape, Type ____ or Thermoplastic Extrusion)	Lane
Raised Crosswalk Marking (Tape, Type ____ or Thermoplastic Extrusion)	Each
ADA-Warning System Pavement Marker	Square Foot"

END OF SECTION 629