FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	560A-02-12	2012	19	36

Sediment Control Roll

Anchors Installed

per Manufacturer's

Recommendation

-Sediment Control

-Provide Trench for

Installation

Recommendation

Sediment Control Roll per Manufacturer's

-Anchors Spaced per Manufacturer's Recommendation

Flow

6" Min.


Overlap


<u>PLAN</u>


<u>SECTION</u>

SEDIMENT CONTROL ROLL DETAIL

Not to Scale










SILT FENCE NOTES:

- 1. The filter fabric shall be a minimum of 36 inches wide.
- 2. If silt fence is obtained from manufacturer as a package (i.e. fabric attached to post) the manufacturer's installation instructions shall be adhered to.







Geotextile Fabric — SECTION A-A

50' Min.

-R=20'

(Typ.)


Match Existing

Original Grade—

Existing Edge

Grade — → →

TEMPORARY CONSTRUCTION ENTRANCE STABILIZATION Not to Scale



Flow

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

WATER POLLUTION AND EROSION CONTROL DETAILS

KUHIO HIGHWAY EMERGENCY SLOPE REPAIRS Vicinity of Lumahai

Project No. 560A-02-12

Date: Oct. 17, 2011

SHEET No. C6.2 OF 18 SHEETS