

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	FLH-0560(11)	2000	4	31

ABBREVIATIONS

ABBR	DESCRIPTION
<u>A</u> Abut	Abutment
Abbr	Abbreviate, abbreviation
Alt	Alternate
&	And
Approx	Approximate
AC	Asphalt Concrete
Az	Azimuth
<u>B</u> BK	Back
Bal	Balance
B	Baseline
BM	Beam
Brg, Brgs	Bearing, bearings
BVC	Beginning of Vertical Curve
Btwn	Between
BF	Both Faces
BW	Both Ways
B, Bott	Bottom
Br	Bridge
BW	Backwall
<u>C</u> Cant	Cantilever
CIP	Cast in Place
CIP	Cast Iron Pipe
C	Centerline
CC, C/C	Center to Center
Cl, Clr	Class, clearance
Col	Column
CC	Compound Curve
Conc	Concrete
Conn	Connection
Const	Construction
CJ	Construction Joint
Cont	Continuous
CF	Cubic Feet
CRM	Cement Rubble Masonry
CY	Cubic Yard
<u>D</u> Det	Detail
Dia, Ø	Diameter
Dim	Dimension
Dist	Distance
Dwls	Dowels
DI	Drain Inlet
Dwg, Dwgs	Drawing, Drawings
<u>E</u> Ea	Each
EF	Each face
EFH	Each Face Horizontal
EFV	Each Face Vertical
EW	Each Way
EP	Edge of Pavement
E	East
Elec	Electrical
El, Elev	Elevation
Emb	Embankment
EVC	End of Vertical Curve


ABBR	DESCRIPTION
<u>E</u> Eq	Equal
Est	Estimated
Exc	Excavation
Excl	Excluding
Exst, Exist	Existing
Exp, E	Expansion
Ext	Exterior
ES	Each Side
<u>F</u> FF	Far Face
F'c	Specified strength of concrete
F'ci	Strength of concrete at time of initial prestress
FT	Feet, foot
Fig	Figure
Fin Gr	Finished Grade
F	Fixed
Ftg	Footing
FA	Force Account
FF	Front Face
<u>G</u> GA	Gauge, gage
Galv	Galvanized
Gen	General
Gir	Girder
<u>H</u> H, HT	Height
H	Hinge
HS, H.S.	High strength
Horiz	Horizontal
<u>I</u> IB	Inbound
In	Inch
ID	Inside Diameter
IF	Inside Face
Int	Interior
Inv	Invert
<u>J</u> JT	Joint
<u>K</u> K	Kips
KFT	Kip Foot
KSI	Kips per Square Inch
<u>L</u> L	Length
LB, LBS	Pound, pounds
Lg	Long
LTG STD	Lighting Standard
LF	Linear Feet
Longit	Longitudinal
LS	Lump Sum
<u>M</u> MH	Manhole
Max	Maximum
Mech	Mechanical
Min	Minimum
Misc	Miscellaneous
MPH	Miles per Hour

ABBR	DESCRIPTION
<u>N</u> NF	Near Face
N	North
NIC	Not in Contract
NTS	Not to Scale
NO, NOS, #	Number, numbers
<u>O</u> O/S	Offset
OB	Outbound
OC	On Center
OD	Outside Diameter
Opn'g	Opening
Opp	Opposite
<u>P</u> Perf	Perforated
PL, PL	Plate
PCC	Point of Curvature
PCF	Pounds per Cubic Foot
PSF	Pounds per Square Foot
PSI	Pounds per Square Inch
PLF	Pounds per Linear Foot
PI	Point of Intersection of Tangents
PIVC	Point of Intersection of Vertical Curve
PT	Point of Tangency
PT, PTS	Point, points
PRC	Point of Reverse Curvature
PVC	Polyvinyl Chloride
Prestr	Prestressed
P/S	Prestressed Strands
PB	Pull Box
<u>R</u> R	Radius
RF	Rear face
Ref	Reference
Reinf	Reinforcement
Req'd	Required
RWLOL	Retaining Wall Layout Line
<u>S</u> Sect	Section
Sht	Sheet
S	South
Spa, Spc, Sp	Spaces
Spec	Specification
Sq. Ft.	Square Feet
SY	Square Yard
SS	Stainless Steel
Std	Standard
Sta	Station
Stiff	Stiffener
Stirr	Stirrup
Str	Straight
Struct	Structural
SE	Super elevation
Symm	Symmetrical

ABBR	DESCRIPTION
<u>T</u> TS	Structural Tubing
Tan	Tangent
Temp	Temporary
Thk	Thick
T	Top
T&B	Top and Bottom
TOD	Top of Deck
Tot	Total
Transv	Transverse
Typ	Typical
<u>V</u> Var	Varies
Vert	Vertical
VC	Vertical Curve
<u>W</u> w/	With
WWF	Welded Wire Fabric
WW	Wing Wall
WP	Work Point
<u>Y</u> YR	Year

ORIGINAL PLAN	SURVEY PLOTTED BY	DATE
NOTED	DRAWN BY	
DESIGNED BY		
QUANTITIES BY		
CHECKED BY		
SKH/leg.dgn		
No.		

FLH-0560(11)-01 NEW STRUCTURE 01/06/00



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION

DATE	REVISION
STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION ABBREVIATIONS KUHIO HIGHWAY, REMOVE/REPAIR/REPLACE METAL MEMBERS, HANALET BRIDGE Federal Aid Project No. FLH-0560(11) Scale: As Noted Date: OCT. 1999	