1	SECTION 641 – HYDRO-MULCH SEEDING				
2 3	Make the following amendments to said Section:				
4 5 6 7	(I) Amend Subsection 641.02(B) – Fertilizer by revising the section from line 33 to 36 to read:				
8 9 10 11 12 13 14 15		depending on condition of with manufacturer's specifi	^s soil. Apply at rates a cations. Contractor sl Engineer, and shall ilizer for sustained g licensed Landscape	nall provide a Soil Analysis use report to determine growth of grass. Submit	
16 17 18 19	(II) from l	(II) Amend Subsection 641.03(A) – Seeding by revising the first paragraph from line 100 to 103 to read:			
20 21 22 23 24 25 26		"(A) Seeding. Apply seeded mulch within the timeframe in Subsection 209.03(B) – Construction Requirements, if temporary stabilization will not be utilized, after completion of slopes or portion of slope when exposed face attains height of 15 feet. Notify Engineer not less than 24 hours ahead of hydro-mulch seeding operation. Do not hydro-mulch until the Engineer inspects and accepts areas for planting."			
20 27 28 29	(III) Amend Section 641.04 Measurement, from line 173 to 174 to read follows:				
30 31 32	"641.04 Measurement. The Engineer will measure hydro-mulch seeding per square yard in accordance with the contract documents."				
32 33 34 35	(IV) follow	Amend Section 641.05 vs:	Payment, from lir	e 176 to 185, to read as	
55 36 37 38 39	"641.05 Payment. The Engineer will pay for the accepted hydro-mulch seeding at the contract price per square yard. Payment will be full compensation for the work prescribed in this section and the contract documents.				
40 41	The Engineer will pay for the following pay item when included in the proposal schedule:				
42 43 44	Pay Item Pa		Pay Unit		
45 46	Hydro	Hydro-mulch Seeding Square Yard"			
47					
		\$	STP-0560(017) 641-1a	2/12/21	

2/12/21