

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION**

ADDENDUM NO. 1

FOR

AHUKINI ROAD RESURFACING

KUHIO HIGHWAY TO KAPULE HIGHWAY

PROJECT NO. 570A-01-11MR

DISTRICT OF LIHUE

ISLAND OF KAUAI

2013

Amend the Bid Documents as follows:

A. PROPOSAL SCHEDULE

- a. Replace the Proposal Schedule pages P-10 thru P-13 dated 2/12/13 with the attached Proposal Schedule pages P-10 thru P-13 dated r4/16/13.

B. PLANS

- a. All references in the plan sheets to thickness of HMA Pavement No. IV shall be 2 ¼ inches.
- b. Except at transition areas, all references in the plans to thickness of cold-planned areas shall be 2 ¼ inches.
- c. All references in the plan sheets to HMA Pavement No IV shall be HMA Pavement Mix No. V.
- d. Replace Plan Sheet No. 7 (Typical Sections) with the attached Plan Sheet No. ADD.7.

C. PRE-BID MEETING

Attached are the "Minutes of the Pre-Bid Meeting" and Pre-Bid Meeting Attendance Sheet for your information.

Please acknowledge receipt of this Addendum No. 1 by recording the date of its receipt in the space provided on page P-4 of the Proposal.

A handwritten signature in black ink, appearing to read "Glenn M. Okimoto", is written over a horizontal line.

GLENN M. OKIMOTO, Ph.D.
Director of Transportation

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>75,000.00</u>
301.0100	Hot Mix Asphalt Base Course	650	Ton	\$ _____	\$ _____
401.0400	HMA Pavement Mix No. V	3000	Ton	\$ _____	\$ _____
414.0110	Excavation of Weakened Pavement Areas	300	Cu. Yd.	\$ _____	\$ _____
415.0110	Cold Planing of Existing Pavement	L.S.	L.S.	L.S.	\$ _____
603.0100	Clean Existing Culvert and Drainage Structures	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>
623.0110	Loop Detector Sensing Units (6'x6') Two Loops	L.S.	L.S.	L.S.	\$ _____
623.0120	Loop Detector Sensing Units (6'x6') Four Loops	L.S.	L.S.	L.S.	\$ _____
626.0100	Adjusting Water Standard Valve Box	L.S.	L.S.	L.S.	\$ _____
629.1010	4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1011	4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1012	4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1020	Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1021	Double 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1040	8-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1050	12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1060	Pavement Arrow (Tape, Type III, or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1070	Pavement Word (Tape, Type III, or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1080	Crosswalk Marking (Tape, Type III, or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.2020	Type A Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2030	Type C Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2040	Type D Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2050	Type H Pavement Marker	L.S.	L.S.	L.S.	\$ _____
630.0110	Panel for Destination Sign	20	Sq. Ft.	\$ _____	\$ _____
630.0120	Type A Route Marker Assembly	L.S.	L.S.	L.S.	\$ _____

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.0130	Street Name Sign	L.S.	L.S.	L.S.	\$ _____
630.0140	2.50 lbs./ft. Flanged Channel Post for Destination Sign	L.S.	L.S.	L.S.	\$ _____
631.0110	Regulatory Signs (10 Sq.Ft. or Less)	L.S.	L.S.	L.S.	\$ _____
631.0120	Regulatory Signs (Greater than 10 Sq. Ft.)	L.S.	L.S.	L.S.	\$ _____
631.0130	Warning Signs (10 Sq. Ft. or Less)	L.S.	L.S.	L.S.	\$ _____
632.0110	Milepost Marker with Post (Bi-Directional)	L.S.	L.S.	L.S.	\$ _____
632.0120	Type II Object Marker	L.S.	L.S.	L.S.	\$ _____
632.0130	Reflector Marker (RM-2)	L.S.	L.S.	L.S.	\$ _____
638.2000	Curb, Type 2D	L.S.	L.S.	L.S.	\$ _____
643.0110	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$ <u>30,000.00</u>
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.0200	Additional Police Officers, Additional Traffic Control Devices, and Additional Advertisements	F.A.	F.A.	F.A.	\$ <u>125,000.00</u>
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$ _____

PROPOSAL SCHEDULE					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item)	L.S.	L.S.	L.S.	\$ _____
Sum of All Items					\$ _____

NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.

MINUTES OF THE PRE-BID MEETING

PROJECT: Ahukini Road Resurfacing
Kuhio Highway to Kapule Highway
District of Lihue, Kauai

PROJECT NO. 570A-01-11MR

LOCATION: 1720 Haleukana Street
Lihue, Kauai, Hawaii

DATE & TIME: April 16, 2013 at 9:00 A.M.

IN ATTENDANCE: Stanford Iwamoto HDOT – HWY-K
Fred Reyes HDOT – HWY-K
Bernie Vargas HDOT – HWY-K
Curt Allison Coating Works Hawaii, Inc.

The meeting started at 9:00 A.M. Fred Reyes began the meeting with introducing the participants from HDOT and a brief overview of the background and scope of work.

The following were raised at the meeting:

HDOT informed that the thickness of cold-plane area, Sta. (-)0+55.12 to Sta. 8+60 is 2 ¼ inches.

HDOT informed that the thickness of new HMA Pavement Mix No. IV is 2 ¼ inches.

HDOT informed that all references to HMA Pavement Mix No. IV shall be HMA Pavement Mix No. V.

With no further questions or comments, the pre-bid meeting was adjourned at 9:30 A.M.

The minutes of the meeting will be distributed in Addendum No. 1 to the Contract Plans. Contractors will be notified when addendum will be available for pick up.

PRE-BID CONFERENCE ATTENDANCE LIST

01-11MR AHUKINI ROAD RESURFACING, KUHIO HIGHWAY TO KAPULE HIGHWAY, ISLAND OF KAUAI

3 TIME: 9:00 AM

LOCATION: 1720 HALEUKANA STREET, LIHUE, KAUAI, HAWAII 96766

ORD IWAMOTO

[illegible]