



RESURFACING AT PAVED SIDEROADS \$ DRIVEWAYS Not to Scale



Typical Pavement Edge Detail (Cold Planed Areas)

Not to Scale



Typical Pavement Edge Detail (Asphalt Overlay Areas)

Not to Scale

Note: Contractor shall mount a device directly on the paver screed extension to provide a 30° beveled shoulder edge.

ORIGINAL BORAWN BY X
DRAWN BY X
TRACED BY
TRACED BY
DESIGNED BY
Kel. bernie
Zahukts03dgn
CHECKED BY
CHECKED BY
CHECKED BY
CHECKED BY
CHECKED BY

FED. ROAD DIST. NO. STATE PROJ. NO. FISCAL SHEET NO. SHEETS


HAWAII HAW. 570A-01-11MR 2013 8 18



TEMPORARY TRANSITION AT COLD PLANED AREAS

Not to Scale

Note: Contractor shall construct temporary pavement taper to prevent sharp pavement drop-offs at all cold planed sections. Prior to final Asphalt Pavement placement, temporary pavement taper shall be removed.



8¹⁵/₁₆

7³/₈

1¹/₈

1¹/₈

6⁵/₁₆

6³/₄

7³/₁₆

Note: Tack weld cast iron riser to existing cast iron valve box.

51/4" x 21/4" Riser (Uses Standard 51/4" Drop Lid) 51/4" x 11/8" Riser (Requires 11/8" Riser Lid)

RISERS

Item/Description	UPCode 670610	Height Increase	Weight
51/4x 11/8 Slip-In*	145554	11/8"	8
51/4x 21/4 Slip-In	145547	21/4"	14

*Use with 11/8" Lid only

FIXED CAST IRON RISER FOR ALL 5-1/4" SHAFT VALVE BOXES

Not to Scale

APPROVED:

Manager & Chief Engineer Date
Department of Water

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

TYPICAL SECTIONS

AHUKINI ROAD RESURFACING
Kuhio Highway to Kapule Highway

Project No. 570A-01-11MR

Saala

Date: Feb. 2013

SHEET No. 3 OF 3 SHEETS