

FED. ROAD DIST. NO.
 STATE
 PROJ. NO.
 FISCAL YEAR
 SHEET NO.
 TOTAL SHEETS

 HAWAII
 HAW.
 580A-01-06M
 2006
 6
 28






TANGENT SECTION (WITHOUT PAVED SHOULDER)


Not to Scale

TYPICAL SECTION AT GUARDRAIL LOCATIONS Not to Scale



TANGENT SECTION (WITH PAVED SHOULDER)

Not to Scale



LEVELING COURSE DETAIL Not to Scale

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION

TYPICAL SECTIONS

KUAMOO ROAD RESURFACING

Vicinity of Hawaiiana Street to Lilia Place

Project No. 580A-01-06M

Scale: 1" = 40'

Date: March 2006


OF 6 SHEETS

SHEET No. 1

6



- exist. pav't.



TEMPORARY TRANSITION AT COLD PLANED AREAS Not to Scale

6.0'

Minimum Taper


Cold Mix ---

Asphalt Pav't.

Drop-off @ Cold — Planed Sections

Note: Contractor shall construct temporary pavement taper to prevent sharp pavement drop-offs at all cold planed sections. Prior to final A.C. Mix No. IV placement, temporary pavement taper shall be removed. This work shall be incidental to contract Item No. 652.1000 - Cold Planing.

SUPERELEVATED SECTION (WITHOUT PAVED SHOULDER) Not to Scale




SUPERELEVATED SECTION (WITH PAVED SHOULDER)

Not to Scale

-Depth of Excavation (6") -Saw Cut top of exist. ____ a.c. pav't. Saw Cu –2¼" A.C. Pav't. Mix No. IV 6" Glassphalt — Conc. Base

Reconstruction Area

A.C. PAVEMENT RECONSTRUCTION DETAIL Not to Scale



STATE OF HAWAII **DEPARTMENT OF TRANSPORTATION**


TYPICAL SECTIONS


KUAMOO ROAD RESURFACING Vicinity of Hawaiiana Street to Lilia Place Project No. 580A-01-06M

Scale: As Shown


Date: March 2006

SHEET No. 2 OF 6 SHEETS






FED. ROAD DIST. NO. FISCAL SHEET TOTAL YEAR NO. SHEETS **HAW.** 580A-01-06M 2006




COLD PLANED TRANSITION TO EXISTING A.C. PAVEMENT AT BEGINNING AND END OF PROJECT Not to Scale




RESURFACING AT PAVED DRIVEWAYS Not to Scale

NOTES:

- 1. At concrete driveways where there is all pavement over existing concrete, remove the existing all pavement prior to resurfacing. Removing all pavement shall be incidental to the various contract items.
- 2. A.C. Pavement, Mix No. V shall be used from e.s. (or E.S.) to R/W or to the limits of resurfacing as indicated on the plans.
 A.C. Pavement Mix No. V shall be paid for under contract Item No. 401.0500 Asphalt Concrete Pavement, Mix No. V.



RESURFACING AT PAVED SIDEROADS Not to Scale



RESURFACING AT UNPAVED DRIVEWAYS Not to Scale

STATE OF HAWAII **DEPARTMENT OF TRANSPORTATION**


TYPICAL SECTIONS

KUAMOO ROAD RESURFACING Vicinity of Hawaiiana Street to Lilia Place

Project No. 580A-01-06M


Scale: As Shown


SHEET No. 4 OF 6 SHEETS




Date: March 2006











TRANSITION DETAIL AT EXISTING DRAIN INLETS

Not to Scale

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION

TYPICAL SECTIONS


KUAMOO ROAD RESURFACING Vicinity of Hawaiiana Street to Lilia Place


Project No. 580A-01-06M

Scale: 1" = 40' Date: March 2006 SHEET No. 5 OF 6 SHEETS

10


FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	580A-01-06M	2006	11	28





WATER VALVE BOX ADJUSTMENT TYPICAL DETAIL - RISER \$ DROP LID Not to Scale

Note: Tack weld the cast iron riser to the existing cast iron valve box.



DETAIL FOR CENTERLINE & REFERENCE

SURVEY MONUMENT

Not to Scale

Note: This detail is applicable to the installation of a centerline and reference survey monument only.

Refer to Std. Plan D-06 for adjusting existing. centerline and reference survey monument.

APPROVED:

4/13/06 For Manager & Chief Engineer
Department of Water Date

STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION

TYPICAL SECTIONS

KUAMOO ROAD RESURFACING Vicinity of Hawaiiana Street to Lilia Place Project No. 580A-01-06M

Scale: 1" = 40' Date: March 2006 SHEET No. 6 OF 6 SHEETS

PAS-BUILT