FED ROAD DIST. NO.	STATE	FED AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S048(01)	1968	21	81

FINAL SURVEY — NOTE BOOK NO. — DATE — BY — SURVEYED — PLOTTED — TEMPLATE — AREAS — AREAS CHECKED

ORIGINAL SURVEY — NOTE BOOK NO. — DATE — BY — SURVEYED — PLOTTED — TEMPLATE — AREAS — AREAS CHECKED

28+50 — 695.35 — 6054.6 — 168 / 0
28+00 — 694.20 — 6054.7 — 144 / 0
27+50 — 693.18 — 6052.6 — 107 / 5
27+00 — 692.26 — 6052.4 — 98 / 0
26+50 — 691.20 — 6051.2 — 115 / 0
26+00 — 690.24 — 6050.5 — 123 / 0
25+50 — 689.40 — 6049.5 — 140 / 0
25+00 — 688.45 — 6048.4 — 150 / 0
24+50 — 687.50 — 6047.4 — 150 / 0

33+00 — 708.58 — 7028.2 — 0 / 0
32+50 — 707.08 — 7027.2 — 0 / 0
32+00 — 705.49 — 7025.6 — 0 / 0
31+50 — 704.08 — 7024.1 — 0 / 0
31+00 — 702.58 — 7022.5 — 0 / 0
30+50 — 701.08 — 7021.2 — 0 / 0
30+00 — 699.58 — 6999.5 — 0 / 0
29+50 — 698.08 — 6998.2 — 0 / 0
29+00 — 696.65 — 6996.8 — 0 / 0

37+50 — 722.08 — 7127.7 — 168 / 0
37+00 — 720.58 — 7126.1 — 144 / 0
36+50 — 719.08 — 7124.5 — 107 / 5
36+00 — 717.64 — 7123.1 — 98 / 0
35+50 — 716.22 — 7121.7 — 115 / 0
35+00 — 714.72 — 7120.2 — 123 / 0
34+50 — 713.24 — 7118.8 — 140 / 0
34+00 — 711.84 — 7117.4 — 150 / 0
33+50 — 710.42 — 7116.0 — 150 / 0

BEG. OF CONTRACT

NOTE: Finished Pavement Grades as shown on this sheet and sta. 38+00 to 40+00 on sheet #22, are ultimate grades and shall not be used on this contract.

PLATE 3 - CROSS SECTION O.P.R. & R.E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.
K & E CO. NO. 345-3 Made in U.S.A. 24897

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0480U	1965	52	91

FINAL SURVEY	BY	DATE
SURVEYED		
PLOTTED		
FIELD BOOK		
NOTE BOOK		
AREAS		
NO.	AREAS CHECKED	

ORIGINAL SURVEY	BY	DATE
SURVEYED	D. YAGI	2/65
PLOTTED	K. OKUMURA	2/65
FIELD BOOK	S. ISHII	3/65
NOTE BOOK	D. YAGI	3/65
AREAS		
NO.	AREAS CHECKED	



PLATE 3 - CROSS SECTION, F. A. S.
CLEARPRINT PAPER CO., S. F. CAL. NO. 1000H-3

52 91

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0480(1)	1968	23	31

Exc = 40 ~~48~~
Emb = 10
769.4 | E.P. 769.98 | E.P. | FENCE
C = 35
F = 5
55+50

Exc = 51
Emb = 23
768.8 | E.P. 768.82 | E.P. | FENCE
C = 20
F = 20
55+00

Exc = 32
Emb = 50
767.1 | E.P. 767.68 | E.P. | FENCE
C = 15
F = 34
54+50

Exc = 25
Emb = 70
765.9 | E.P. 766.60 | E.P.
C = 12
F = 42
54+00

Exc = 22
Emb = 67
764.9 | E.P. 765.53 | E.P.
C = 12
F = 30
53+50

Exc = 22
Emb = 90
764.0 | E.P. 764.48 | E.P.
C = 12
F = 67
53+00

Exc = 22
Emb = 98
762.8 | E.P. 763.44 | E.P. | FENCE
C = 12
F = 30
52+50

Exc = 21
Emb = 47
761.8 | E.P. 762.40 | E.P. | FENCE
C = 11
F = 12
52+00

Exc = 23
Emb = 10
760.9 | E.P. 761.35 | E.P. | FENCE
C = 20
F = 8
51+50

Exc = 16 ~~46~~
Emb = 12
780.3 | E.P. 781.78 | E.P.
C = 40
F = 6
60+50

Exc = 77 ~~86~~
Emb = 10
779.1 | E.P. 780.60 | E.P.
C = 43
F = 5
60+00

Exc = 41 ~~49~~
Emb = 28
777.4 | E.P. 779.42 | E.P.
C = 1
F = 25
59+50

Exc = 8
Emb = 25
776.0 | E.P. 778.24 | E.P.
C = 8
F = 2
59+00

Exc = 71 ~~76~~
Emb = 4
775.7 | E.P. 777.06 | E.P.
C = 4 ~~8~~
F = 2
58+50

Exc = 115 ~~120~~
Emb = 5
775.0 | E.P. 775.88 | E.P.
C = 12
F = 3
58+00

Exc = 15
Emb = 16
773.5 | E.P. 774.70 | E.P.
C = 4
F = 14
57+50

Exc = 13
Emb = 19
772.1 | E.P. 773.32 | E.P.
C = 10
F = 6
57+00

Exc = 24
Emb = 17
771.3 | E.P. 772.34 | E.P.
C = 16
F = 12
56+50

Exc = 32
Emb = 17
770.4 | E.P. 771.14 | E.P.
C = 18
F = 16
55+00 Gl. R.C.

Exc = 281 ~~312~~
Emb = 6
791.9 | E.P. 792.41 | E.P.
C = 152
F = 5
63+00

Exc = 280 ~~306~~
Emb = 7
790.0 | E.P. 791.28 | E.P.
C = 160 ~~178~~
F = 3
64+50

Exc = 177 ~~193~~
Emb = 3
788.1 | E.P. 790.04 | E.P.
C = 31 ~~36~~
F = 0
64+00

Exc = 50 ~~55~~
Emb = 0
Side Rd Excs 122 c.y.
Sta 63+80 Lt.
787.0 | E.P. 788.86 | E.P.
C = 23 ~~40~~
F = 10
63+50

Exc = 140 ~~167~~
Emb = 12
786.8 | E.P. 787.68 | E.P.
C = 128 ~~143~~
F = 3
63+00

Exc = 217 ~~242~~
Emb = 7
786.6 | E.P. 786.60 | E.P.
C = 106 ~~118~~
F = 4
62+50

Exc = 176 ~~203~~
Emb = 6
783.9 | E.P. 785.32 | E.P.
C = 84 ~~103~~
F = 2
62+00

Exc = 152 ~~177~~
Emb = 6
782.4 | E.P. 784.14 | E.P.
C = 80 ~~88~~
F = 4
61+50

Exc = 133 ~~151~~
Emb = 10
781.3 | E.P. 782.96 | E.P.
C = 64 ~~75~~
F = 7
61+00

7-NOV-74 2:02 3/82 D.D.
A. Lau

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0480(1)	1965	24	31

609+00	Exc = 34	Emb = 15	801.85	801.0	800.7
607+50	Exc = ~~66~~ 55	Emb = 6	800.67	800.9	800.0
606+00	Exc = ~~44~~ 84	Emb = 7	799.49	798.8	798.1
604+50	Exc = ~~466~~ 136	Emb = 8	798.31	798.5	797.8
603+00	Exc = ~~835~~ 200	Emb = 10	797.13	796.5	795.8
601+50	Exc = ~~895~~ 246	Emb = 7	795.95	794.4	793.7
600+00	Exc = ~~848~~ 255	Emb = 13	794.77	794.2	793.5
598+50	Exc = ~~800~~ 268	Emb = 10	793.59	793.5	792.8
597+00					

734+50	Exc = 19	Emb = 29	812.40	813	812.7
733+00	Exc = 2	Emb = 59	811.29	809.6	809.3
731+50	Exc = 2	Emb = 42	810.11	808.9	808.6
730+00	Exc = 1	Emb = 32	808.93	808.4	808.1
728+50	Exc = 0	Emb = 66	807.75	805.5	805.2
727+00	Exc = 2	Emb = 90	806.57	803.7	803.4
725+50	Exc = 3	Emb = 83	805.39	803.6	803.3
724+00	Exc = 1	Emb = 61	804.21	802.2	801.9
722+50	Exc = 0	Emb = 39	803.03	800.2	799.9
721+00					

780+00	Exc = 0	Emb = 514	815.72	818.2	817.9
778+50	Exc = 33	Emb = 212	815.94	815.2	814.9
777+00	Exc = 122	Emb = 67	816.02	812.2	811.9
775+50	Exc = ~~234~~ 241	Emb = 0	815.94	811.7	811.4
774+00	Exc = ~~316~~ 341	Emb = 0	815.72	807.4	807.1
772+50	Exc = ~~279~~ 315	Emb = 0	815.35	806.8	806.5
771+00	Exc = ~~180~~ 201	Emb = 0	814.83	805.2	804.9
769+50	Exc = ~~102~~ 106	Emb = 1	814.17	803.8	803.5
768+00	Exc = 48	Emb = 3	813.36	802.7	802.4
766+50					

609+00	C = 27	E = 1			
607+50	C = 32	E = ~~44~~ 5			
606+00	C = ~~79~~ 50	E = 2			
604+50	C = ~~100~~ 88	E = 7			
603+00	C = ~~454~~ 128	E = 4			
601+50	C = ~~465~~ 138	E = 4			
600+00	C = ~~150~~ 137	E = 10			
598+50	C = ~~185~~ 152	E = 1			

734+50	C = 1	E = 29			
733+00	C = 41	E = 35			
731+50	C = 51	E = 10			
730+00	C = 0	E = 25			
728+50	C = 0	E = 46	Side Road Exc. = 1152 Sta. 76+25 Lt.		
727+00	C = 2	E = 51			
725+50	C = 1	E = 39			
724+00	C = 0	E = 27			
722+50	C = 10	E = 15			
721+00					

780+00	C = 0	E = 222			
778+50	C = 36	E = 7			
777+00	C = 96	E = 0			
775+50	C = ~~57~~ 164	E = 0			
774+00	C = ~~84~~ 204	E = 0			
772+50	C = ~~77~~ 136	E = 0			
771+00	C = ~~77~~ 81	E = 0			
769+50	C = 33	E = 1			
768+00	C = 19	E = 2			
766+50					

D. Kaki 3/68 Rev. 4/69 D. Kawai

FED.ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0480(1)	1968	25	81

Exc = 0
Emb = 886

811.73
804.7
EP EP
81400

Exc = 0
Emb = 981

812.49
805
EP EP
80450

Exc = 0
Emb = 1031

813.37
806.0
EP EP
80400

Exc = 0
Emb = 1178

814.18
806.1
EP EP
T0+50

Exc = 0
Emb = 1119

819.85
808.5
EP EP
T0+00

Exc = 0
Emb = 781

815.36
812.0
EP EP
78450

Exc = 44 ~~42~~
Emb = 41

812.32
808.1
EP EP
84400

C = 0
F = 530

Exc = 145 ~~142~~
Emb = 163

811.60
807.2
EP EP
83450

C = 0
F = 540

Exc = 86
Emb = 167

811.14
806.6
EP EP
83400

C = 0
F = 574

Exc = 93
Emb = 229

810.92
806.0
EP EP
82450

H.W.
C = 0
F = 698

Exc = 2
Emb = 419

810.94
806.1
EP EP
H.W.
82400

C = 0
F = 510

Exc = 0
Emb = 684

811.21
806.8
EP EP
81450

C = 87 ~~83~~
F = 92

Exc = 0
Emb = 250

816.69
813.2
EP EP
85473 ⑧

C = 0
F = 156

Exc = 0
Emb = 262

815.43
811.6
EP EP
85+33 ⑥

C = 70 ~~74~~
F = 84

Exc = 0
Emb = 240

814.84
810.4
EP EP
84+93 ④

C = 0
F = 127

Exc = 5 ~~2~~
Emb = 157

813.86
809.3
EP EP
84+53 ②

C = 2
F = 151

Exc = 78 ~~65~~
Emb = 111

812.46
808.5
EP EP
84+13 T.S.

C = 0
F = 302

C = 98 ~~80~~
F = 65

C = 0
F = 437

C = 0
F = 333

C = 0
F = 197

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S04804()	1965	26	31

52
Exc = ~~39~~
Emb = 461
831.81
80+00
C = 28
F = ~~14~~ 258

31
Exc = ~~49~~
Emb = 470
829.26
88+50
C = 6
F = 250

Exc = 10
Emb = 424
826.71
88+00
C = 5
F = 208

Exc = 5
Emb = 413
824.16
87+50
C = 0
F = 238

Exc = 0
Emb = 403
821.73
87+00
C = 0
F = 197

Exc = 0
Emb = 334
819.55
86+50
C = 0
F = 164

Exc = 0
Emb = 231
08 818.73
86+12.21 SC
C = 0
F = 187

Exc = 1,488
Emb = 0
847.09
92+50
C = 695
F = 0

Exc = 1,190
Emb = 0
845.32
92+00
C = 590
F = 0

907
Exc = ~~915~~
Emb = 0
843.41
91+50
C = 390
F = ~~393~~ 0

617
Exc = ~~626~~
Emb = 0
841.37
91+00
C = 276
F = ~~278~~ 0

428
Exc = ~~430~~
Emb = 0
839.17
90+50
C = 186
F = 0

Exc = 237
Emb = 32
836.84
90+00
C = 70
F = 35

91
Emb = 255
834.36
89+50
C = 28
F = 240

Exc = 1,280
Emb = ~~1,284~~ 0
852.70
94+50
C = 765
F = 0

Exc = 1,528
Emb = 0
851.51
94+00
C = 885
F = 0

Exc = 1,755
Emb = 0
850.18
93+50
C = 1,010
F = 0

Exc = 1,780
Emb = 0
848.70
93+00
C = 912
F = 0

1/c = 4/c 4/c
F.W. 4/c
D.W.

FED ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	H.W.	S-0480(1)	1968	27	31

Exc = 75
Emb = 190

856.80
97+46"

Exc = ~~123~~ 122
Emb = 56

C = 66 ~~71~~ 71
F = 61 ~~67~~ 67

856.84
97+06"

Exc = 170
Emb = 11

C = 99
F = 15 ~~25~~

856.92
96+66"

Exc = 227
Emb = -

C = 131
F = 0

855.74
96+25.03 C.S.

193
Exc = ~~203~~
Emb = 0

C = 175
F = 0

855.41
96+00

633
Exc = ~~646~~
Emb = 0

C = 242
F = ~~247~~
0

854.65
95+50

981
Exc = ~~994~~
Emb = 0

C = 442
F = ~~451~~
0

853.75
95+00

C = 617
F = ~~628~~
0

Exc = 3
Emb = 221

856.86
99+30.12

C = 2
F = 197

Exc = 5
Emb = 346

856.92
98+90.12

C = 5
F = 270

Exc = 21
Emb = 479

857.05
98+52.59 T.S.

C = 23
F = 377

Exc = 26
~~22~~
Emb = 311

857.05
98+25.59 S.T.

C = 27
F = 323

Exc = 46
Emb = 384

856.97
97+86"

C = 35
F = 175

PLATE 3 - CROSS SECTION U.T.P.B.R.E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

27

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S0480(1)	1965	98	31

Exc = 39
Emb = 62

854.02
854.50
103+00

Cut 29
Fill 19

Exc = 87
Emb = 25

854.2
854.88
102+50

Cut 65
Fill 8

Exc = 139
Emb = 9

854.2
853.13
102+00

Cut 85
Fill 2

Exc = 160 ~~163~~
Emb = 3

854.7
853.45
101+50

Cut 97
Fill 1

Exc = 167 ~~153~~
Emb = 2

852.8
853.76
101+00

Cut 83
Fill 74 ~~1~~

Exc = 116 ~~44~~
Emb = 7

852.1
850.06 ~~850.68~~
100+52.89 S.C.

Cut 49
Fill 7

Exc = 39
Emb = 27

852.3
850.31 ~~850.32~~
100+76.42
1252

Cut 4
Fill 29

Exc = 4
Emb = 97

853.1
850. ~~850.~~ 56 ~~68~~
99+70.42
7252

Cut 2
Fill 102

Exc = 98
Emb = 10

852.1
851.98
107+00

Cut 50
Fill 8

Exc = 74
Emb = 20

852.1
851.29
106+50

Cut 30
Fill 14

Exc = 38
Emb = 31

851.8
850.61
106+00

Cut 11
Fill 20

Exc = 10
Emb = 112

849.8
852.92
105+50

Cut 0
Fill 101

Exc = 0
Emb = 264

849.5
853.24
105+00

Cut 0
Fill 184

Exc = 0
Emb = 311

849.0
853.55
104+50

Cut 0
Fill 152

Exc = 0
Emb = 252

850.1
853.37
104+00

Cut 0
Fill 120

Exc = 12
Emb = 156

852.4
850.19
103+50

Cut 13
Fill 48

PLATE 3 - CROSS SECTION
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S040(1)	1963	29	31

287
Exc = ~~366~~
Emb = 0

110+50
849.77

201
Exc = ~~286~~
Emb = 0

110+00
850.09

130
Exc = ~~132~~
Emb = 0

24
109+74.81 S.T.
850.26

152
Exc = ~~150~~
Emb = 0

50
109+32.81
850.52

116
Exc = 0
Emb = 0

75
108+92.81
850.72

105
Exc = 2
Emb =

108+82.81
851.88

94
Exc = 7
Emb =

108+82.81
851.27

85
Exc = 9
Emb =

51
107+74.81 C.S.
851.82

150
Exc = ~~45~~ 4
Emb =

107+50
851.66

Exc = 0
Emb = 160

Exc = 0
Emb = 154
Cut = ~~149~~
Fill = 0

Exc = 0
Emb = 125
Cut = ~~122~~
Fill = 0

Exc = 0
Emb = 80

Exc = 0
Emb = 77

Exc = 0
Emb = 65

Exc = 0
Emb = 62

Exc = 0
Emb = 53

Exc = 0
Emb = 56

Exc = 0
Emb = 90

114+50
847.25

Exc = 0
Emb = 95

114+00
847.56

25
Exc = ~~27~~
Emb = 36

113+50
847.88

88
Exc = ~~84~~
Emb = 6

113+00
848.19

166
Exc = ~~155~~
Emb = 0

112+50
848.51

207
Exc = ~~206~~
Emb = 0

112+00
848.83

214
Exc = ~~228~~
Emb = 0

111+50
849.14

246
Exc = ~~262~~
Emb = 0

Side Road Exc. = 263 c.y.
Sta. 111+28 Lt.

111+00
849.46

Cut = 0
Fill = 70

Cut = 0
Fill = 33

Cut = 27
Fill = ~~33~~ 6

Cut = 68
Fill = ~~64~~ 0

Cut = 111
Fill = ~~103~~ 0

Cut = 115
Fill = ~~120~~ 0

Cut = 116
Fill = ~~126~~ 0

Cut = 150
Fill = ~~164~~ 0

Exc = 0
Emb = 142

117+24.23 B.C.
845.53

Exc = 0
Emb = 387

116+74.23
845.83

Exc = 0
Emb = 593

116+24.23
846.13

Exc = 0
Emb = 632

115+74.23
846.46

Exc = 0
Emb = 472

115+24.23
846.78

Exc = 0
Emb = 303

114+74.23 T.S.
847.10

Cut = 0
Fill = 153

Cut = 0
Fill = 265

Cut = 0
Fill = 375

Cut = 0
Fill = 308

Cut = 0
Fill = 202

Cut = 0
Fill = 125

PLATE 3 - CROSS SECTION - A.P.R.A.R.E. STANDARD
SCHAFFEL & ESSLER CO., NEW YORK.
A.R.E. CO. NO. 340-2

29

FED ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0180(1)	1968	30	31

Exc = 0
Emb = 225
D. Ex = ~~13.2~~ 13.0



Exc = 0
Emb = 123
D = ~~9~~ 8

Exc = 0
Emb = 239
D. Ex = ~~17.6~~ 13.0



Exc = 0
Emb = 135
D = ~~10~~ 6

Exc = 0
Emb = 306
D. Ex = ~~15.7~~ 12.0



Exc = 0
Emb = 195
D = 7

Exc = 0
Emb = 339
D. Ex = 34.3

Exc = 0
Emb = 17.1
D = 30

Exc = 0
Emb = 143
D. Ex. = ~~16.5~~ 17.5



Exc = 0
Emb = 212
D = ~~13~~ 17

Exc = 0
Emb = 340
D. Ex = ~~6.0~~



(D=10 @ 117+86)

Exc = 0
Emb = 155

Exc = 0
Emb = 134
D. Ex = ~~12~~ 14.8



Exc = 0
Emb = 90
D = ~~6~~ 7

Exc = 0
Emb = 197
D. Ex. = 11.1



Exc = 0
Emb = 123
D = ~~6~~ 6

Exc = 0
Emb = 214
D. Exc = ~~11.1~~ 9.3



Exc = 0
Emb = 108
D = ~~6~~ 5

Exc = 0
Emb = 212
D. Ex. = ~~8.3~~ 9.3



Exc = 0
Emb = 121
D = ~~3~~ 5

Exc = 0
Emb = 118
D. Ex. = ~~3.8~~ 6.0



Exc = 0
Emb = 100
D = 4 6

Exc = 0
Emb = 204
D. Ex = ~~9.3~~ 11.1



Exc = 0
Emb = 180
D = 6

Exc = 226
Emb = 0
Side Road Exc. = 288
Sta. 126+00 Rt. & 126+30 Lt.



Exc = 121
Emb = 0

Exc = ~~227~~ 224
Emb = 0



Exc = 126
Emb = ~~42~~ 21
Emb = 0

Exc = 196
Emb = ~~92~~
Emb = 0



Exc = 86
Emb = 0

Exc = 210
Emb = ~~95~~
Emb = 0



Exc = 141
Emb = ~~25~~
Emb = 0

Exc = 191
Emb = ~~76~~
Emb = 0



Exc = 65
Emb = 0

Exc = 86
Emb = 9
D. Ex = 2.8 0.5

END DITCH D=0 @ 123+~~65~~ 72~~50~~



Exc = 28
Emb = 10
D = ~~10~~ 12

Exc = 26
Emb = 61
D. Ex = ~~15.7~~ 17.4



Exc = 0
Emb = 56
D = ~~7~~ 9

PLATE 3- CROSS SECTION U. F. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

31 (1)

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0480(1)	1965	31	31



Fill = 0
Cut = 0

Fill = 23 ~~22~~
Cut = 3

Fill = 40
Cut = 5

Fill = 101
Cut = 5

Fill = 69
Cut = 0

Fill = 133
Cut = 0

Fill = 75
Cut = 0

Fill = 172 ~~169~~
Cut = 0

Fill = 111 ~~108~~
Cut = 0

Fill = 217 ~~214~~
Cut = 0

Fill = 123
Cut = 0





Exc = .
Emb = 0

C = 0
F = 0

2 + 10



Exc = .
Emb = 0

C = 53
F = 0

1 + 60



Exc = 333.3
Emb = 0

C = 124
F = 0

1 + 00

Exc = .
Emb = 1.9

C = 276
F = 0

0 + 55

C = 155
F = 3

0 + 21

EARTHWORK SUMMARY

EXCAVATION	=	32,550 ~~32,665~~	c.y.
EMBANKMENT	=	24,892	c.y.

APPROACH @ STA. 76+50

FED. ROAD DIST. No.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	S-0480(1)	1965	31A	31



2+10



C=65
F=0

1+60

Exc- 267
Emb- 0



1+00

C=175
F=0

Exc- 514
Emb- 0



0+55

C=442
F=0

Exc- 371
Emb- 0



0+21

C=360
F=0

APPROACH @ STA. 76+25