# STATE OF HAWAII DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION

## **ADDENDUM NO. 2**

TO

## SPECIAL PROVISIONS, SPECIFICATIONS, AND PROPOSAL

For

## PAVEMENT REPAIRS AT VARIOUS LOCATIONS PROJECT NO. HWY-MM-2012-10

The following amendments shall be made to the bid documents:

## A. NOTICE TO BIDDERS

Replace NOTICE TO BIDDERS dated r3/12/13 with attached NOTICE TO BIDDERS dated r 3/21/13.

## B. SPECIFICATIONS

Replace Section 401 dated 1/22/04 with attached Section 401 dated r3/13/13.

## C. PROPOSAL

Replace Proposal Schedule Pages P10 through P13 dated r10/3/12 with attached Proposal Schedule Pages P10 through P13 dated r3/21/13.

## D. PRE-BID CONFERENCE

A pre-bid conference was convened at 11:00 A. M. on March 19, 2013 in the Maui District Office Conference Room.

- 1. Sign-in sheet (attached)
- 2. Pre- Bid Meeting minutes (attached)

Please acknowledge receipt of this Addendum No. 2 by recording the date of its receipt in the space provided on page P-4 of the Proposal.

GLENN M. OKIMOTO, Ph.D.
Director of Transportation

## **NOTICE TO BIDDERS**

The receiving of Sealed Bids for PAVEMENT REPAIRS AT VARIOUS LOCATIONS, PROJECT NO. HWY-MM-2012-10, ISLAND OF MAU!, scheduled for 2:00 P.M., March 14, 2013, at the Contracts Office, Department of Transportation, 869 Punchbowl Street, Honolulu, Hawaii 96813, and at the Office of the District Engineer — Maui, 650 Palapala Drive, Kahului, Hawaii 96732, is HEREBY POSTPONED UNTIL 2:00 P.M., April 4, 2013, at which time and place they will be publicly opened and read.

A pre-bid conference is set for 11:00 A.M., March 19, 2013, at the Office of the District Engineer, Maui, 650 Palapala Drive, Kahului, Hawaii 96732. All prospective bidders or their representative (employees) are encouraged to attend, but attendance is not mandatory.

Person needing special accommodations at the pre-bid conference due.

To a disability may contact Fred Gutierrez by phone at (808) 873-3390.

GLENN M. OKIMOTO, Ph.D.
Director of Transportation

Advertised:

| 1  |              | SECTION 401 - HOT MIX ASPHALT (HMA) PAVEMENT  |  |  |  |  |
|--|--------------|---|--|--|--|--|
| 2<br>3<br>4<br>5<br>6<br>7<br>8<br>9         | Make         | ake the following amendment to said Section:  |  |  |  |  |
|  | (I)<br>read: | Amend Subsection 401.04 - Measurement from lines 597 to 603 to  |  |  |  |  |
|  |              | <b>*401.04 Measurement.</b> The Engineer will measure asphalt concrete pavement per square yard."   |  |  |  |  |
| 10   | (II)         | Amend Subsection 401.05 – Payment from lines 605 to 615 to read:  |  |  |  |  |
| 11<br>12<br>13<br>14                         | ,            | "401.05 Payment. The Engineer will pay for the accepted asphalt concrete pavement at the contract unit price per square yard complete in place.   |  |  |  |  |
| 15<br>16<br>17<br>18<br>19<br>20<br>21<br>22 |              | The price includes full compensation for preparing the surface; cold planing; removing and disposing of all existing raised pavement markers and traffic tapes; furnishing the asphalt concrete pavement; spreading, furnishing, applying, and protecting the tack coat; compacting, and finishing the asphalt concrete pavement; sampling; protecting the pavement; installing temporary pavement markings; and furnishing the labor, materials, tools, equipment, and incidentals necessary to complete the work. |  |  |  |  |
| 23   |              | The Engineer will make payment under:   |  |  |  |  |
| 24   |              | Pay Item Pay Unit   |  |  |  |  |
| 25<br>26<br>27                               |              | HMA Pavement, Mix No. <u>V</u> Square Yard  |  |  |  |  |
| 28<br>29                                     |              | END OF SECTION 401  |  |  |  |  |

## Area 1 Island of Maui Project No. HWY-MM-2012-10

|   | PR                          | OPOSAL SCH                         | IEDULE            |               |               |
|---|-----------------------------|------------------------------------|-------------------|---------------|---------------|
| (l) 1                                   | -1/2" HOT MIX ASPI          | HALT PAVEMEN                       | Γ                 |               |               |
| ITEM<br>NO.                             | ITEM OF                     | WORK                               | QUANTITY          | UNIT          | UNIT<br>PRICE |
| 401.0400                                | HMA Pavemen                 | t, Mix No. V                       |                   |               |               |
| 401.0400 - a                            | Less Than 1,760             | Square Yards                       | 1,                | S.Y.          | \$            |
| 401.0400 - b                            | 1,761 - 5,280               | Square Yards                       | 1                 | S.Y.          | \$            |
| 401.0400 - c                            | 5,281 - 12,320              | Square Yards                       | 1 1               | S.Y.          | \$            |
| 401.0400 - d                            | Over 12,320                 | Square Yards                       | 1                 | S.Y.          | \$            |
|   |                             |                                    |                   |               |               |
| (II) F                                  | RECONSTRUCTION              | OF WEAKENED                        | PAVEMENT A        | REAS          |               |
| (II) F ITEM NO.                         | RECONSTRUCTION              |                                    | QUANTITY QUANTITY | UNIT          | UNIT<br>PRICE |
| ITEM                                    |                             | WORK                               |                   | * N. Carlot 1 |               |
| ITEM<br>NO.                             | ITEM OF                     | WORK                               |                   | * N. Carlot 1 |               |
| ITEM<br>NO.<br>414.0100                 | ITEM OF                     | WORK<br>Weakened Areas             | QUANTITY          | UNIT          |               |
| ITEM<br>NO.<br>414.0100<br>414.0100 - a | ITEM OF Reconstruction of N | WORK  Weakened Areas  Square Yards | QUANTITY          | UNIT<br>S.Y.  |               |

## Area 2

Island of Maul Project No. HWY-MM-2012-10

|   | PR                  | OPOSAL SCI                     | IEDULE        |              |               |
|---|---------------------|--------------------------------|---------------|--------------|---------------|
| (1) 1                                   | -1/2" HOT MIX ASPI  | HALT PAVEMEN                   | Г             |              |               |
| ITEM<br>NO.                             | ITEM OF WORK        |                                | QUANTITY      | UNIT         | UNIT<br>PRICE |
| 401.0400                                | HMA Pavemen         | t, Mix No. V                   |               |              |               |
| 401.0400 - a                            | Less Than 1,760     | Square Yards                   | 1             | S.Y,         | \$            |
| 401.0400 - b                            | 1,761 - 5,280       | Square Yards                   | 1             | S.Y.         | \$            |
| 401.0400 - c                            | 5,281 - 12,320      | Square Yards                   | 1             | S.Y.         | \$            |
| 401.0400 - d                            | Over 12,320         | Square Yards                   | 1             | S.Y.         | \$            |
| (11)                                    | RECONSTRUCTION      | OF WEAKENED                    | PAVEMENT A    | REAS         |               |
|   | ITEM OF WORK        |                                |               |              |               |
| ITEM<br>NO.                             | ITEM OF             | WORK                           | QUANTITY      | UNIT         | UNIT<br>PRICE |
| • | ITEM OF             |                                | QUANTITY      | UNIT         | ,             |
| NO.                                     |                     |                                | QUANTITY<br>1 | UNIT<br>S.Y. | ,             |
| NO.<br>414.0100                         | Reconstruction of \ | Weakened Areas                 |               |              | PRICE         |
| NO.<br>414.0100<br>414.0100 - a         | Reconstruction of N | Weakened Areas<br>Square Yards | 1             | s.y.         | PRICE         |

## Area 3

Island of Maui Project No. HWY-MM-2012-10

| · · ·        | PR                  | OPOSAL SCI       | EDULE       |      |               |
|--------------|---------------------|------------------|-------------|------|---------------|
| (i) 1-       | 1/2" HOT MIX ASP    | HALT PAVEMEN     | Γ           |      |               |
| ITEM<br>NO.  | ITEM OF             | WORK             | QUANTITY    | UNIT | UNIT<br>PRICE |
| 401.0400     | HMA Pavemen         | t, Mix No. V     |             |      |               |
| 401.0400 - a | Less Than 1,760     | Square Yards     | 1           | S.Y. | \$            |
| 401.0400 - b | 1,761 - 5,280       | Square Yards     | 1           | S.Y. | \$            |
| 401.0400 - c | 5,281 - 12,320      | Square Yards     | 1 1         | S.Y. | \$            |
| 401.0400 - d | Over 12,320         | Square Yards     | 1           | S.Y. | \$            |
| (II) R       | ECONSTRUCTION       | OF WEAKENED      | PAVEMENT A  | REAS | •             |
| ITEM<br>NO.  | ITEM OF             | WORK             | QUANTITY    | UNIT | UNIT<br>PRICE |
| 414.0100     | Reconstruction of \ | Weakened Areas   |             |      |               |
| 414.0100 - a | Less Than 250       | Square Yards     | 1 1         | S.Y. | \$            |
| 414.0100 - b | 251 - 500           | Square Yards     | 1           | S.Y. | \$            |
| 414.0100 - c | 501 - 750           | Square Yards     | 1 1         | S.Y. | \$            |
| 414.0100 - d | Over 750            | Square Yards     | 1 1         | S.Y. | \$            |
|              | SUM OF A            | ALL ITEMS - PROP | OSAL AREA 3 |      | \$            |

## Area 4

## Island of Maui Project No. HWY-MM-2012-10

|   | PR                  | OPOSAL SCH     | <b>IEDULE</b> |              |               |
|---|---------------------|----------------|---------------|--------------|---------------|
| (1) 1                                   | -1/2" HOT MIX ASP   | HALT PAVEMEN   | Γ             |              |               |
| ITEM<br>NO.                             | ITEM OF             | WORK           | QUANTITY      | UNIT         | UNIT<br>PRICE |
| 401.0400                                | HMA Pavemen         | t, Mix No. V   |               |              |               |
| 401.0400 - a                            | Less Than 1,760     | Square Yards   | 1             | S.Y.         | \$            |
| 401.0400 - b                            | 1,761 - 5,280       | Square Yards   | 1             | \$.Y.        | \$            |
| 401.0400 - c                            | 5,281 - 12,320      | Square Yards   | 1             | S.Y.         | \$            |
| 401.0400 - d                            | Over 12,320         | Square Yards   | 1             | S,Y.         | \$            |
| (H) I                                   | RECONSTRUCTION      | OF WEAKENED    | PAVEMENT A    | REAS         |               |
| ITEM<br>NO.                             | ITEM OF             | WORK .         | QUANTITY      | UNIT         | UNIT<br>PRICE |
| 414.0100                                | Reconstruction of t | Weakened Areas |               |              |               |
|   | Less Than 250       | Square Yards   | 1             | S.Y.         | \$            |
| 414.0100 - a                            | 2000 1              | Oquale raids   |               |              | 1             |
| 414.0100 - a<br>414.0100 - b            | 251 - 500           | Square Yards   | 1             | S.Y.         | \$            |
| .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |                     | ·              | 1             | S.Y.<br>S.Y. | \$<br>\$      |

## SUM OF ALL ITEMS FOR COMPARISON OF BIDS

| SUM OF ALL ITEMS - PROPOAL AREA 1 | \$ |
|-----------------------------------|----|
| SUM OF ALL ITEMS - PROPOAL AREA 2 | \$ |
| SUM OF ALL ITEMS - PROPOAL AREA 3 | \$ |
| SUM OF ALL ITEMS - PROPOAL AREA 4 | \$ |
| TOTAL FOR COMPARISON OF BIDS      | \$ |

## SIGN IN SHEET - PRE-BID MEETING

March 19, 2013 @ 11:00 A.M. Maui District Office

Pavement Repairs at Various Locations Project No. HWY-MM-2012-10

NAME

COMPANY

PH. NO./FAX

E-MAIL

1. Fred Gutierrez

DOT

873-3390/873-3544

fred,c,gutierrez@hawaii.gov

KAY DAVIS

Soring Vicks

877-7110/8714610 - beffice a) somy wider. cam

3.

4.

5.

## **Pre-Bid Conference Minutes**

Project: Payement Repairs at Various locations, Island of Maui

Project No.: Project No. HWY-MM-2012-10

#### A Introduction

Pre-bid conference was held on March 19, 2013 at 11:00 A.M at the Maui District Conference Room at 650 Palapala Drive, Kahului. The participants were: Kay Davis of Sonny Vicks, Ferdinand Cajigal and Fred Gutierrez of State Highways.

The purpose of the meeting was to discuss the scope of the project and also listen to and answer any questions or concerns that the contractors may have regarding the bid documents.

## B. Project Scope and Special Conditions

The project scope of work consists of pavement reconstruction, cold planning and resurfacing on the Island of Maui on an "as-needed" basis.

## C. Question

Ms. Davis asked if the excavation of 9 inches shown in the Typical Reconstruction Area, Figure 1 is correct.

YES

Meeting was adjourned at 11:20 AM.