



FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	30C-01-86M	1986	12	14




Pavement Symbols, Words, Arrows, and Legends for Bike Route as Required on Plans.

PASSING PERMITTED AND PASSING PROHIBITED



Pavement Symbols, Words, Arrows, and Legends for Bike Route as Required on Plans.


PASSING PROHIBITED ZONES




Pavement Symbols, Words, Arrows, and Legends for Bike Route as Required on Plans.

NOTE: Type H (Reflective Surface facing oncoming traffic)


Pavement Symbols, Words, Arrows, and Legends for Bike Route as Required on Plans.



DIVIDED HIGHWAY AND FREEWAY



CHANNELIZING LINES OR SOLID LANE LINES




MEDIAN NOSE DELINEATION

TWO - LANE


MULTI - LANE

DIVIDED HIGHWAY AND FREEWAY


MISCELLANEOUS




TYPE A
NON-REFLECTIVE WHITE MARKER




TYPE J
NON-REFLECTIVE YELLOW MARKER



TYPE C
RED-CLEAR REFLECTIVE MARKER



TYPE D
TWO-WAY YELLOW REFLECTIVE MARKER



TYPE H
ONE-WAY YELLOW REFLECTIVE MARKER

GENERAL NOTES

- Pavement marking and striping shall conform to the latest "Manual on Uniform Traffic Control Devices for Streets and Highways," and as amended.
- Layout and installation of pavement marking and striping shall be done by the Contractor. The Contractor shall check the layouts with the Engineer prior to performing work.
- Edge lines shall not be continued through intersections and shall not be broken for driveways unless otherwise shown or directed.

LEGEND

- Type A
- Type C
- Type D
- Type H
- Type J

APPROVAL RECOMMENDED:

Erich Tanaka
TRAFFIC ENGINEER

7/21/78
DATE

APPROVED:

Herbert J. Zaleski
ASSISTANT CHIEF, ENGINEERING

1/24/78
DATE

No.	REVISION	APPROVED BY	DATE
1	Supersedes DT 300 approved 11/18/71.	H.T.	1/24/78
2	Delete Type A Markers from Bike Route Delineation.	H.T.	10/15/79
3	Added General Note 3. Revised left edge stripe.	H.T.	9-28-83
4	Revised Channelizing Lines or Solid Lane Lines.	H.T.	9/18/85

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION


STANDARD DETAILS RAISED PAVEMENT MARKERS AND STRIPING

Not to Scale July 1978
SHEET No. 7 OF 3 SHEETS DT 300


FED. ROAD DIST. NO.	STATE	PROJ. NO.	FISCAL YEAR	SHEET NO.	TOTAL SHEETS
HAWAII	HAW.	30C-01-86M	1986	13	14

GENERAL NOTES:


1. Pavement marking and striping shall conform to the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways," by the FHWA, and as amended.
2. Layout of pavement markings and striping shall be done by the Contractor. The Contractor shall check layout of markings and striping with the Engineer prior to performing work.
3. For additional pavement marking details, see sheet DT 300.




4" GUIDE LINE




PAVEMENT DIAMOND




TRANSVERSE RIGHT SHOULDER MARKING




TRANSVERSE LEFT SHOULDER MARKING



TRANSVERSE MEDIAN MARKING




CHANNELIZING ISLAND



NOTE: Traffic Cone Usage Required.

MULTI-LANE REVERSIBLE LANES



MULTI-LANE LANE CHANGE RESTRICTION ZONES

APPROVAL RECOMMENDED: *Eishi Tanaka* 5/2/78
TRAFFIC ENGINEER DATE

APPROVED: *Herbert Z. Zakeish* 5/2/78
ASSISTANT CHIEF, ENGINEERING DATE

NO.	REVISION	APPROVED BY	DATE
1	Revised Transverse left Shoulder Marking, Channelizing Island & Lane Change Restriction Zones.	E.T.	5/2/85

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
STANDARD DETAILS
MISCELLANEOUS
PAVEMENT MARKINGS
Scale: Not to Scale Date: April, 1978
SHEET NO. 2 OF 3 SHEETS DT 302

SURVEY PLOTTED BY	DATE
DRAWN BY	
TRACED BY	
CHECKED BY	
NOTE BOOK	
NO.	

