

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.2000	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$ <u>25,000.00</u>
312.0100	Hot Mix Glassphalt Base Course	2,242	Ton	\$ _____	\$ _____
401.0400	Hot Mix Asphalt (HMA) Pavement, Mix No. IV	4,650	Ton	\$ _____	\$ _____
414.0100	Excavation of Weakened Pavement Areas	1,093	C.Y.	\$ _____	\$ _____
415.0100	Cold Planing	L.S.	L.S.	\$ L.S.	\$ _____
603.0100	Clean Existing Culverts	F.A.	F.A.	F.A.	\$ <u>5,000.00</u>
604.4400	Adjusting Sewer Manhole Cast Iron Frame and Cover	1	Each	\$ _____	\$ _____
604.4600	Adjusting Storm Drain Manhole Cast Iron Frame and Cover	3	Each	\$ _____	\$ _____
606.0400	Terminal Section, Type FLEAT 350	L.S.	L.S.	L.S.	\$ _____
606.0600	Reset Guardrail	L.S.	L.S.	L.S.	\$ _____
613.0100	Adjusting Centerline and Reference Survey Monument	24	Each	\$ _____	\$ _____
615.0100	Centerline Milled Rumble Strip	L.S.	L.S.	L.S.	\$ _____
615.0200	Edgeline Milled Rumble Strip	L.S.	L.S.	L.S.	\$ _____
615.0300	Shoulder Milled Rumble Strip	L.S.	L.S.	L.S.	\$ _____

STP-030-1(046)

4/8/2011

P-8

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
623.1000	Traffic Signal System	L.S.	L.S.	L.S.	\$ _____
629.1010	4-Inch Pavement Striping (White) (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1011	4-Inch Pavement Striping (Yellow) (Tape, Type II or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1012	8 - Inch Pavement Striping (Tape, Type II or Thermo- Extrusion) White	L.S.	L.S.	L.S.	\$ _____
629.1013	12-Inch Pavement Striping (White) or Thermoplastis Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1014	12 - Inch Pavement Striping (Tape, Type II or Thermoplastic plastic Extrusion) Yellow	L.S.	L.S.	L.S.	\$ _____
629.1015	4 - Inch Double Yellow Pavement Striping (Tape, Type I or Thermoplastis Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1016	Yield Markings (Shark's Teet Marking)	L.S.	L.S.	L.S.	\$ _____
629.1017	Crosswalk Markings (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1018	Pavement Arrow (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____

STP-030-1(046)

4/8/2011

P-9

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1019	Pavement Symbol (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1020	Pavement Word (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.2020	Type "A" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2030	Type "C" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2040	Type "D" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2060	Type "H" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2070	Type "J" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
630.0100	Panel for Destination Sign	21	Sq. Ft.	\$ _____	\$ _____
630.0200	4.00 lbs/ft. Flanged Channel Post for Destination Sign	L.S.	L.S.	L.S.	\$ _____
630.0300	Type "A" Route Marker Assembly With Post	L.S.	L.S.	L.S.	\$ _____
630.0400	Type "B" Route Marker Assembly With Post	L.S.	L.S.	L.S.	\$ _____
630.0500	Street Name Sign	L.S.	L.S.	L.S.	\$ _____
631.3100	Regulatory Sign (10 Sq. Ft. or less) With Post	L.S.	L.S.	L.S.	\$ _____
631.3200	Warning sign (10 Sq. Ft. or less) With Post	L.S.	L.S.	L.S.	\$ _____
632.4100	Reflector Markers (RM-5) on Existing Guardrails	L.S.	L.S.	L.S.	\$ _____
632.7610	Mile Post Marker and Supplemental Route Number Plate (Bi-Directional) With Post	L.S.	L.S.	L.S.	\$ _____

STP-030-1(046)

4/8/2011

P-10

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
643.0100	Maintenance of Existing Landscape Areas	F.A.	F.A.	F.A.	\$ <u>5,000.00</u>
645.0100	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.2100	Additional Police Officers, Additional Traffic Control Devices, And Advertisement	F.A.	F.A.	F.A.	\$ <u>50,000.00</u>
648.0100	Field-Posted Drawings	L.S.	L.S.	L.S.	\$ _____
696.0000	Field Office trailer (Not to Exceed \$32,000.00)	L.S.	L.S.	L.S.	\$ _____
696.2000	Maintenance of Trailers	F.A.	F.A.	F.A.	\$ <u>10,000.00</u>
699.1000	Mobilization (Not to exceed 10% of the Sum of all items excluding bid price of this item, and force account item)	L.S.	L.S.	L.S.	\$ _____
a. Sum of All Items					\$ _____
b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in "0") or Furnish Foreign Steel in Excess of Minimal Amount (Fill in "25% x a")					\$ _____
c. Amount for Comparison of Bids (a+b)					\$ _____
<p>* All Bidders must fill in b and Complete c.</p> <p>NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</p>					

STP-030-1(046)

4/8/2011

P-11

1 **PROPOSAL SCHEDULE**

2
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4
5 The bidder's attention is directed to Sections 696 - Field Office and
6 Project Site Laboratory and 699 - Mobilization for the limitation of the amount
7 bidders are allowed to bid.

8
9 If the bid price for any proposal item having a maximum allowable bid
10 indicated therefore in any of the contract documents is in excess of such a
11 maximum amount, the bid price for such proposal item shall be adjusted to
12 reflect the limitation thereon. The comparison of bids to determine the
13 successful bidder and the amount of contract to be awarded shall be determined
14 after such adjustments are made, and such adjustments shall be binding upon
15 the bidder.

16
17 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials
18 regarding recycling of waste glass.

19
20 **INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS**
21 **FOR FOREIGN STEEL**

22
23 Each bidder shall indicate its intention to furnish foreign steel on this
24 project by initialing after the AMOUNT for each of the items the bidder intends to
25 use such foreign steel including lump sum items. A bidder not indicating such
26 usage certifies that the bidder will furnish and use only domestic steel on this
27 project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS
28 if the bid submitted is based on furnishing foreign steel in excess of the minimal
29 use specified in Subsection 106.11 - Steel and Iron Construction Material.