

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION**

ADDENDUM NO. 1

FOR

**HONOAPIILANI HIGHWAY RESURFACING
HONOKAHUA TO HONOKOHAU
PROJECT NO. 30A-01-03M
DISTRICTS OF LAHAINA AND WAILUKU
ISLAND OF MAUI**

FY 2003

Amend the bid documents as follows:

A. TABLE OF CONTENTS

1. Replace pages 1, 2 and 3 dated 5/12/03 with the attached pages 1, 2 and 3 dated 5/25/03.

B. SPECIAL PROVISIONS

1. **Section 102 – Bidding Requirements and Conditions**

Replace page 102-7a dated 3/05/03 with the attached page 102-7a dated 6/20/03. Insert the attached form "Hawaii State Historic Preservation Division Approval of Archaeologist" to be part of the contract.

2. **Section 206 – Structure or Trench Excavation and Backfill.**

Add the attached page 206-1a dated 5/25/03.


C. PROPOSAL SCHEDULE

1. Replace pages P-9 and P-10 dated 12/20/02 with the attached pages P-9 and P-10 dated 6/16/03.

D. PLANS

1. Replace Plan Sheet No. 42 with the attached Plan Sheet No. ADD. 42.

Please acknowledge receipt of this Addendum No. 1 by recording the date of its receipt in the space provided on Page P-4 of the Proposal.

 H. Ho

RODNEY K. HARAGA
Director of Transportation

TABLE OF CONTENTS

Notice to Bidders

Instructions To Bidders

Instructions for Contractor's Licensing

Special Provisions Title Page

Special Provisions

| DIVISION 100 - GENERAL PROVISIONS | | |
|--|--|------------------|
| Section | Description | Pages |
| 101 | Definitions And Terms | 101-1a - 101-10a |
| 102 | Bidding Requirements and Conditions | 102-1a - 102-7a |
| 103 | Award And Execution Of Contract | 103-1a - 103-3a |
| 104 | Scope Of Work | 104-1a - 104-10a |
| 105 | Control Of Work | 105-1a - 105-3a |
| 106 | Control Of Material | 106-1a - 106-4a |
| 107 | Legal Relations and Responsibility To Public | 107-1a - 107-6a |
| 108 | Prosecution And Progress | 108-1a - 108-20a |
| 109 | Measurement And Payment | 109-1a - 109-15a |

| DIVISION 200 EARTHWORK | | |
|-------------------------------|---|-----------------|
| Section | Description | Pages |
| 201 | Clearing And Grubbing | 201-1a - 201-3a |
| 206 | Structure or Trench Excavation and Backfill | 206-1a |
| 209 | Water Pollution And Erosion Control | 209-1a - 209-6a |
| 210 | Dressing Of Shoulders | 210-1a |

| DIVISION 300 - BASES | | |
|-----------------------------|---|-----------------|
| Section | Description | Pages |
| 301 | Plant Mix Asphalt Concrete Base Course | 301-1a - 301-3a |
| 302 | Recycled Plant Mix Asphalt Concrete Base Course | 302-1a - 302-4a |
| 310 | Brooming Off | 310-1a |
| 312 | Plant Mix Glassphalt Concrete Base Course | 312-1a - 312-4a |

| DIVISION 400 - PAVEMENTS | | |
|---------------------------------|---------------------------|------------------|
| Section | Description | Pages |
| 401 | Asphalt Concrete Pavement | 401-1a - 401-24a |
| 407 | Bituminous Tack Coat | 407-1a - 407-2a |

| DIVISION 600 - INCIDENTAL CONSTRUCTION | | |
|---|---|------------------|
| Section | Description | Pages |
| 602 | Reinforcing Steel | 602-1a |
| 603 | Culverts and Storm Drains | 603-1a - |
| 604 | Manholes, Inlets And Catch Basins | 604-1a - 604-3a |
| 606 | Guardrail | 606-1a - 606-4a |
| 621 | Traffic Control Signs | 621-1a - 621-3a |
| 629 | Pavement Markings | 629-1a -629-10a |
| 636 | Field Office and Project Site Laboratory | 636-1a - 636-2a |
| 638 | Cellular Phone | 638-1a - 638-2a |
| 645 | Traffic Control Devices | 645-1a - 645-13a |
| 651 | Reconstruction Of Weakened Pavement Areas | 651-1a - 651-2a |
| 652 | Cold Planing For Transition At Structures | 652-1a – 652-2a |
| 699 | Mobilization | 699-1a - 699-2a |

| DIVISION 700 – MATERIALS | | |
|---------------------------------|--|------------------|
| Section | Description | Pages |
| 702 | Bituminous Materials | 702-1a |
| 703 | Aggregates | 703-1a - 703-10a |
| 710 | Fence and Guardrail | 710-1a |
| 712 | Miscellaneous | |
| | Frames, Grates, Covers And Ladder Rungs | 712.07-1a |
| | Reflective Thermoplastic Compound Pavement Markings | 712.55-1a |
| 713 | Structural Steel And Related Material | 713-1a - 713-3a |
| 717 | Cullet And Cullet-Made Materials | 717-1a 717-2a |

Requirements of Chapter 104, HRS
Wages and Hours of Employees on Public Works Law

Proposal Title Page

Proposal P-1
..... P-2 - P-5
..... P-6 - P-8

Proposal Schedule P- 9 - P- 11

Supplement to Proposal Schedule P- 12 - P- 15

Surety Bid Bond

Sample Form Title Page

Contract

Performance Bond (Surety)

Performance Bond

Labor and Material Payment Bond (Surety)

Labor and Material Payment Bond

Chapter 104, HRS Compliance Certificate

Various combinations of tax clearance certificates and 'special letters' are acceptable for this purpose as follows:

- (1) Tax clearance signed by both tax agencies;
- (2) Individual tax clearance certificates from each tax agency, respectively;
- (3) Tax clearance certificate from one tax agency and a 'special letter' from the other tax agency; or
- (4) 'Special letter' from both tax agencies."

102.21 Archaeologist. The low bidder shall submit the name of the archaeologist to be used to conduct archaeological assessment of the project area on the attached "Hawaii State Historic Preservation Division Approval of Archaeologist" form prior to award of contract. He will be also required to prepare, coordinate and obtain approval for a Burial Treatment Plan from the Maui/Lanai Islands Burial Council (MLIBC) prior to beginning excavation.

END OF SECTION

DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION, HONOLULU HAWAII

HAWAII STATE HISTORIC PRESERVATION DIVISION APPROVAL
601 Kamokila Boulevard, Room 555, Kapolei, Hawaii 96707 (telephone 692-8015)

of

ARCHAEOLOGIST

for

HONOAPIILANI HIGHWAY RESURFACING
HONOKAHUA TO HONOKOHAU
PROJECT NO. 30A-01-03M
DISTRICTS OF LAHAINA AND WAILUKU
ISLAND OF MAUI

The low bidder shall include, on the Subcontractor list, the name of a qualified person or firm to perform as an Archaeologist for the subject project. The Archaeologist shall conduct an archaeological assessment of the proposed project area, prepare and submit an acceptable Burial Treatment Plan for approval by the Maui/Lanai Islands Burial Council (MLIBC) prior to beginning excavation.

The low bidder shall obtain SHPD's approval for the named Archaeologist on this form and submit this form to the Contracts office prior to the award on contract.

ARCHAEOLOGIST

firm _____
address _____

signature _____
date _____
signer's name _____
signer's title _____
telephone _____

BIDDER

firm _____
address _____

signature _____
date _____
signer's name _____
signer's title _____
telephone _____

HAWAII STATE HISTORIC PRESERVATION DIVISION APPROVAL:

signature _____
signer's name _____
telephone # _____

date _____
signer's title _____

"SECTION 206 – STRUCTURE OR TRENCH EXCAVATION AND BACKFILL

Make the following amendments to the said Section:

Amend **206.01 Description** by adding the following:

"This work also includes services of an Archeologist who shall conform with the requirements of the Instruction to Bidder; Bidder's Qualification and Intent to Bid, Archaeologist; and Subsection 107.17 (D) Archaeological, Historical and Burial Findings"

Amend **206.04 Method of Measurement** by adding the following:

"Archaeologist. The Engineer will measure Archaeologist's services on a Force Account basis according to the contract and as specified by the Engineer."

Amend **206.05 Basis of Payment.**

"Archaeologist. The Engineer will pay for the accepted Archaeologist's Services on a Force Account Basis according to Subsection 109.04 – Extra and Force Account Work."

Add the following to the pay item list:

| Pay Item | Pay Unit |
|-----------------|-----------------|
| "Archaeologist | Force Account" |

PROPOSAL SCHEDULE

| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|----------|---|---------------------|-----------|---------------|--------------|
| 206.1000 | Archaeologist | F.A. | F.A. | F.A. | \$ 30,000.00 |
| 209.1000 | Water Pollution and Erosion Control | F.A. | F.A. | F.A. | \$ 20,000.00 |
| 312.0300 | Plant Mix Glassphalt Concrete Base Course | 524 | Ton | \$ _____ | \$ _____ |
| 401.0400 | Asphalt Concrete Pavement Mix No. IV | 10,800 | Ton | \$ _____ | \$ _____ |
| 401.0500 | Pavement Smoothness Incentive | Allowance | Allowance | Allowance | \$ 22,500.00 |
| 603.0100 | Cleaning of Culvert | F.A. | F.A. | F.A. | \$ 15,000.00 |
| 604.2400 | Type 61614 Grated Drop Inlet (3.00 ft to 3.99 Ft.) | 3 | Each | \$ _____ | \$ _____ |
| 606.3110 | Guardrail, Strong Post W-Beam | 3,360 | L.F. | \$ _____ | \$ _____ |
| 606.7000 | Terminal Section Type Modified G | 6 | Each | \$ _____ | \$ _____ |
| 606.7100 | Terminal Section Type FLEAT-350 | 1 | Each | \$ _____ | \$ _____ |
| 606.7110 | Terminal Section Type A | 1 | Each | \$ _____ | \$ _____ |
| 606.7200 | Reset Guardrail Post | 655 | Each | \$ _____ | \$ _____ |
| 621.4120 | Reflector Marker (RM-3) without Post | 28 | Each | \$ _____ | \$ _____ |
| 621.4125 | Reflector Marker (RM-3) with Flexible Post | 25 | Each | \$ _____ | \$ _____ |
| 621.4130 | Reflector Marker (RM-3) with Steel Post | 36 | Each | \$ _____ | \$ _____ |
| 621.4140 | Reflector Marker (RM-4) with Steel Post | 8 | Each | \$ _____ | \$ _____ |
| 621.4150 | Reflector Marker (RM-5) without Post | 663 | Each | \$ _____ | \$ _____ |
| 621.5100 | Regulatory and Warning Sign (10 Sq. Ft. or Less) | 40 | Each | \$ _____ | \$ _____ |
| 621.5100 | Regulatory and Warning Sign (10 Sq. Ft. or Less) with Post | 80 | Each | \$ _____ | \$ _____ |
| 621.5200 | Regulatory and Warning Sign (Greater than 10 Sq. Ft.) with Post | 3 | Each | \$ _____ | \$ _____ |
| 621.6100 | Type A State Route Marker with Post | 2 | Each | \$ _____ | \$ _____ |

30A-01-03M

6/16/03

P-9

PROPOSAL SCHEDULE

| ITEM NO. | ITEM | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|--|---|---------------------|---------|---------------|--------------|
| 621.7600 | Mile Post Marker Bi-directional with Post | 5 | Each | \$ _____ | \$ _____ |
| 621.7100 | Construction Sign with Two Posts | 4 | Each | \$ _____ | \$ _____ |
| 629.1011 | 4-Inch Pavement Striping (Thermoplastic Extrusion White) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1013 | 8-Inch Pavement Striping (Thermoplastic Extrusion White) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1016 | Double 4-Inch Pavement Striping (Thermoplastic Extrusion - Yellow) | L.S. | L.S. | L.S. | \$ _____ |
| 629.1017 | Yield Pavement Marking (Thermoplastic Extrusion) | 1 | Lane | \$ _____ | \$ _____ |
| 629.2031 | Type "C" Pavement Markers | L.S. | L.S. | L.S. | \$ _____ |
| 629.2032 | Type "D" Pavement Markers | L.S. | L.S. | L.S. | \$ _____ |
| 636.0100 | Maintenance of Field Office and Project Site Laboratory | F.A. | F.A. | F.A. | \$ 25,000.00 |
| 638.0100 | Cellular Phone (Not to Exceed \$2,700.00 for 3 phones) | L.S. | L.S. | L.S. | \$ _____ |
| 645.2000 | Additional Police Officers and/or Additional Traffic Control Devices | F.A. | F.A. | F.A. | \$ 12,000.00 |
| 651.0100 | Excavation for Reconstruction of Weakened Pavement Areas | 240 | C.Y. | \$ _____ | \$ _____ |
| 652.0100 | Cold Planing for Transition at Structures | 335 | Sq. Yd. | \$ _____ | \$ _____ |
| 699.1000 | Mobilization (Not to Exceed 10% of the Sum of All Items Excluding the Bid Price of this Item, Cellular Phone and Force Account Items) | L.S. | L.S. | L.S. | \$ _____ |
| Sum of All Items | | | | | \$ _____ |
| NOTE: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bids. | | | | | |