



GENERAL NOTES


- I. Type II Object Markers shall be of amber reflective sheeting material overlayed on 0.020" aluminum sheeting.
- 2. Type Π Object Markers shall be mounted on utility poles and trees, as shown on the plans, with 4d nails (4 ea.).
- 3. The Contractor shall prepare the surface (of the utility pole or the tree etc.), on which the Type Π Object Marker is to be placed to provide the most optimum reflecting surface to the motorist.
- 4. Branches of trees which will obscure the object markers shall be trimmed. (Payment shall be incidental to Contract Item No. 621.4800 Type II Object Markers.)
- 5. All objects (utility poles or trees) that are within the State highway right of way and within 30 feet of the roadway edge of pavement shall be marked.
- 6. All objects to be marked will be determined in the field by the Engineer.
- 7. Objects such as concrete posts, concrete or rock walls and boxes, metal posts (greater than 2 inches in diameter), or metal boxes shall be marked with post mounted object markers. Post mounted Type II Object Markers shall conform to the following requirements:
 - a. It shall consist of amber reflective sheeting material overlayed on 0.063 inch thick sheet aluminum backing of the dimensions shown on the plans.
 - b. It shall be mounted on $1\frac{1}{2}$ " x $1\frac{1}{2}$ ", 12-gage square tube posts with 1/4" x 2" galv. bolts, nuts, and washers. Galvanized flanged /s" x 31/16" channel posts, 2 lbs. per ft., may be used as an option.



TYPICAL TYPE I OBJECT MARKER DETAIL MOUNTING

Not To Scale





TYPE II POST MOUNTED OBJECT MARKER DETAIL Not To Scale

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION HIGHWAYS DIVISION TYPICAL DETAILS TYPE I OBJECT MARKERS

SCALE: AS SHOWN

DATE:

SHEET NO. 1 OF 1 SHEETS