

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
201.0100	Clearing and Grubbing	L.S.	L.S.	L.S.	\$_____
202.0100	Removal of Structures and Obstructions	L.S.	L.S.	L.S.	\$_____
203.0100	Roadway Excavation	3,000	C.Y.	\$_____	\$_____
203.0200	Borrow Excavated Material	1,700	C.Y.	\$_____	\$_____
205.1000	Structure Excavation for Initial and Final Wall Facing	L.S.	L.S.	L.S.	\$_____
206.1000	Excavation for Corrugated Metal Pipe Extension	44	C.Y.	\$_____	\$_____
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$_____
209.0200	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	<u>\$ 50,000.00</u>
301.0000	Hot Mix Asphalt Base Course	1,147	TON	\$_____	\$_____
305.0010	Aggregate Subbase Course	635	C.Y.	\$_____	\$_____
401.0100	HMA Pavement, Mix No. IV (PG 64-16)	233	TON	\$_____	\$_____
401.0200	PMA Pavement, Mix No. IV (PG 64E-22)	885	TON	\$_____	\$_____
415.0000	Cold Planing	5,623	S.Y.	\$_____	\$_____
503.1000	Concrete for Final Wall Facing (325 CY)	L.S.	L.S.	L.S.	\$_____
503.2000	Concrete for Wall Extension (90 CY)	L.S.	L.S.	L.S.	\$_____
503.3000	Concrete for Ditch "A" (125 CY)	L.S.	L.S.	L.S.	\$_____
511.0000	Drilled Shaft (Type II Traffic Signal Foundation)	26	L.F.	\$_____	\$_____
602.1000	Reinforcing Steel for Final Wall Facing (36,350 LBS)	L.S.	L.S.	L.S.	\$_____

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
602.2000	Reinforcing Steel for Wall Extension (18,600 LBS)	L.S.	L.S.	L.S.	\$_____
602.3000	Reinforcing Steel for Ditch "A" (9000 LBS)	L.S.	L.S.	L.S.	\$_____
603.0100	Bed Course Material for Culvert	12	C.Y.	\$_____	\$_____
603.0200	54-Inch Corrugated Metal Pipe	15	L.F.	\$_____	\$_____
603.0200	Clean Existing Culverts	F.A.	F.A.	F.A.	<u>\$ 10,000.00</u>
606.0040	Guardrail Type 3 (31" W-Beam with Standard 8" Offset Block)	897	L.F.	\$_____	\$_____
606.0041	Guardrail Type 3 (Rub Rail)	88	L.F.	\$_____	\$_____
606.0042	Terminal Section Type 3 (MSKT-SP-MGS or Approved Equal)	1	EA.	\$_____	\$_____
606.0043	Terminal Section Type 3 (MFLEAT or Approved Equal)	1	EA.	\$_____	\$_____
606.0044	Transition Section Type 3 (MGS Transition to Strong Post Guardrail)	2	EA.	\$_____	\$_____
612.1000	Grouted Rubble Paving	30	C.Y.	\$_____	\$_____
622.0100	Roadway Lighting System	L.S.	L.S.	L.S.	\$_____
623.0010	Type II Traffic Signal Standard with 25' Mast Arm	2	EA.	\$_____	\$_____
623.0020	Type II Traffic Signal Standard with 30' Mast Arm	2	EA.	\$_____	\$_____
623.0100	Foundation for Type II Traffic Signal Standard	4	EA.	\$_____	\$_____
623.0200	Traffic Signal Assembly (1-Way, 12-Inch, 1-3 Section Vertical with Mast Arm Mounting)	6	EA.	\$_____	\$_____
623.0220	Traffic Signal Assembly (2-Way, 12-Inch, 1-3 Section Vertical with Bracket Mounting)	8	EA.	\$_____	\$_____

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
623.0230	Pedestrian Signal Assembly (1-Way, 12-Inch, 1 Vertical with Bracket Mounting)	2	EA.	\$ _____	\$ _____
623.0240	Pedestrian Pushbutton w/ Instruction Sign	2	EA.	\$ _____	\$ _____
623.0600	Type A Pullbox	8	EA.	\$ _____	\$ _____
623.0610	Type B Pullbox	4	EA.	\$ _____	\$ _____
623.0620	Type C Pullbox	1	EA.	\$ _____	\$ _____
623.0700	Loop Detector Sensing Unit (6 Ft. x 6 Ft.), One Loop	6	EA.	\$ _____	\$ _____
623.0720	Loop Detector Sensing Unit (6 Ft. x 6 Ft.), Four Loops	2	EA.	\$ _____	\$ _____
623.0730	Loop Detector Sensing Unit (6 Ft. x 6 Ft.), Six Loops	2	EA.	\$ _____	\$ _____
623.1000	Traffic Signal Ductline, Nine 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	35	L.F.	\$ _____	\$ _____
623.1010	Traffic Signal Ductline, Six 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	110	L.F.	\$ _____	\$ _____
623.1020	Traffic Signal Ductline, Five 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	300	L.F.	\$ _____	\$ _____
623.1030	Traffic Signal Ductline, Four 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	150	L.F.	\$ _____	\$ _____
623.1040	Traffic Signal Ductline, One 2-Inch Conduit, Sch 40 Pvc, Concrete Encased	565	L.F.	\$ _____	\$ _____
623.1400	EVP Optical Receiver	4	EA.	\$ _____	\$ _____
623.1500	EVP Cable	545	L.F.	\$ _____	\$ _____
623.1510	No. 14, 26-Conductor Traffic Control Cable	485	L.F.	\$ _____	\$ _____

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
623.1520	No. 14, 2-Conductor Cable	1,335	L.F.	\$ _____	\$ _____
623.1530	No. 20, 3-Conductor Type 7 Cable	585	L.F.	\$ _____	\$ _____
623.1600	Video Detection Camera	4	EA.	\$ _____	\$ _____
623.1700	Controller Assembly with Software	1	EA.	\$ _____	\$ _____
623.1800	Service and Metering Equipment Assembly	1	EA.	\$ _____	\$ _____
623.1900	Secondary Electrical Ductline and Conductors	1	EA.	\$ _____	\$ _____
628.1000	Shotcrete Mobilization	L.S.	L.S.	L.S.	\$ _____
628.2000	Shotcrete for Initial Wall Facing	8,050	S.F.	\$ _____	\$ _____
629.0100	6-Inch White Edge Striping (Tape, Type I or Thermoplastic)	2,950	L.F.	\$ _____	\$ _____
629.0200	4-Inch Double Solid Yellow Striping (Tape, Type I or Thermoplastic)	2,000	L.F.	\$ _____	\$ _____
629.0300	8-Inch White Striping (Tape, Type I or Thermoplastic)	160	L.F.	\$ _____	\$ _____
629.0400	10' Long 4-Inch White Striping (Tape, Type I or Thermoplastic)	452	L.F.	\$ _____	\$ _____
629.0500	4-Inch White Guide Striping (Tape, Type I or Thermoplastic)	160	L.F.	\$ _____	\$ _____
629.0600	4-Inch Yellow Guide Striping (Tape, Type I or Thermoplastic)	160	L.F.	\$ _____	\$ _____
629.0700	12-Inch Transverse Yellow Median Marking (Tape, Type II or Thermoplastic)	195	L.F.	\$ _____	\$ _____
629.0800	Crosswalk Marking (Tape, Type III or Thermoplastic)	1	LANE	\$ _____	\$ _____
629.0900	12" White Stop Bar (Tape, Type III or Thermoplastic)	89	L.F.	\$ _____	\$ _____
629.2000	Type C Pavement Maker	97	EA.	\$ _____	\$ _____

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.2100	Type D Pavement Maker	62	EA.	\$ _____	\$ _____
629.2200	Type H Pavement Maker	134	EA.	\$ _____	\$ _____
629.3000	Pavement Arrow (Paint, Tape, Type I Tape or Thermoplastic)	12	EA.	\$ _____	\$ _____
629.3100	Pavement Word (Paint, Tape, Type I Tape or Thermoplastic)	4	EA.	\$ _____	\$ _____
631.1000	Regulatory Sign (10 Square Feet or Less) with New Post	13	EA.	\$ _____	\$ _____
631.2000	Warning Sign (10 Square Feet or Less) with New Post	6	EA.	\$ _____	\$ _____
631.3000	Regulatory Sign(s) on New Signal Mast Arm(s)	2	EA.	\$ _____	\$ _____
639.0000	Asphalt Gutter	734	L.F.	\$ _____	\$ _____
640.0000	Lined Drainage Ditch	734	L.F.	\$ _____	\$ _____
641.1000	Hydro-mulch Seeding	1,445	S.Y.	\$ _____	\$ _____
645.1000	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	<u>\$ 100,000.00</u>
657.1000	Furnishing Special Equipment	L.S.	L.S.	L.S.	\$ _____
657.2000	Production Soil Nails	1,980	L.F.	\$ _____	\$ _____
657.3000	Proof Test of Production Soil Nails	22	Each	\$ _____	\$ _____
657.4000	Pre-Production Soil Nail Installation and Testing	L.S.	L.S.	L.S.	\$ _____
663.0100	Erosion Control Matting	L.S.	L.S.	L.S.	\$ _____
671.1000	Protection of Endangered Species	F.A.	F.A.	F.A.	<u>\$ 25,000.00</u>

## PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
699.1000	Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item )	L.S.	L.S.	L.S.	\$ _____
<div style="display: flex; justify-content: space-between;"> <div style="width: 80%;"> <p>a. TOTAL AMOUNT FOR COMPARISON OF BIDS</p> <p>b. Either Furnish Foreign Steel Not to Exceed Minimal Amount (Fill in '0') or Furnish Foreign Steel in Excess of Minimal Amount (Fill in 25% x a)</p> <p>c. Amount for Comparison of Bids (a + b)</p> <p>All bidders must fill in b and complete c</p> </div> <div style="width: 15%; text-align: right;"> <p>\$ _____</p> <p>\$ _____</p> <p>\$ _____</p> </div> </div>					
<p>PROPOSAL SCHEDULE NOTES</p> <ol style="list-style-type: none"> <li>1. Bids shall include all Federal, State, County and other applicable taxes and fees.</li> <li>2. The TOTAL AMOUNT FOR COMPARISON OF BIDS shall be used to determine the lowest responsible bidder.</li> <li>3. Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.</li> <li>4. If a discrepancy occurs between unit bid price and the bid price, the unit bid price shall govern.</li> <li>5. <b>Bidders shall submit and upload the complete proposal to HlePRO prior to the bid opening date and time. Proposals received after said due date and time shall not be considered. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HlePRO. Bidders shall not include confidential and/or proprietary documents with the proposal. The record of each bidder and respective bid shall be open to public inspection. Original (wet ink, hard copy) proposal documents are not required to be submitted. Contract award shall be based on evaluation of proposals submitted and uploaded to HlePRO.</b></li> </ol> <p><b><u>FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO SHALL BE GROUNDS FOR REJECTION OF THE BID.</u></b></p> <p>If there is a conflict between the specification document and the HlePRO solicitation, the specifications shall govern and control, unless otherwise specified.</p>					

1 **PROPOSAL SCHEDULE**

2  
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4  
5 The bidder's attention is directed to Sections 696 - Field Office and Project  
6 Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are  
7 allowed to bid.

8  
9 If the bid price for any proposal item having a maximum allowable bid  
10 indicated therefore in any of the contract documents is in excess of such a  
11 maximum amount, the bid price for such proposal item shall be adjusted to reflect  
12 the limitation thereon. The comparison of bids to determine the successful  
13 bidder and the amount of contract to be awarded shall be determined after such  
14 adjustments are made, and such adjustments shall be binding upon the bidder.

15  
16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials  
17 regarding recycling of waste glass.  
18  
19