

PROPOSAL SCHEDULE

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
201.1000	Clearing and Grubbing	L.S.	L.S.	L.S.	\$ _____
202.0430	Removal of A.C. Pavement	L.S.	L.S.	L.S.	\$ _____
202.0441	Removal of Signs and Posts	L.S.	L.S.	L.S.	\$ _____
202.0442	Removal of Existing Drainage Culvert and Headwalls	L.S.	L.S.	L.S.	\$ _____
202.0443	Removal of Concrete Structures and Slabs	L.S.	L.S.	L.S.	\$ _____
202.0444	Septic System/Leach Field Closure	L.S.	L.S.	L.S.	\$ _____
203.0100	Roadway Excavation	35,000	C.Y.	\$ _____	\$ _____
203.0230	Borrow Excavated Material	115,000	C.Y.	\$ _____	\$ _____
206A.2040	Trench Excavation for Water System	L.S.	L.S.	L.S.	\$ _____
206B.4000	Structure Excavation for Box Culverts	L.S.	L.S.	L.S.	\$ _____
206B.5000	Structure Excavation for Box Culvert Wingwalls	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
206B.7250	Structure Backfill for Box Culvert Wingwalls	L.S.	L.S.	L.S.	\$ _____
206C.2025	Excavation for Pipe Culverts, Including Headwalls	L.S.	L.S.	L.S.	\$ _____
207.1000	Ditch and Channel Excavation	L.S.	L.S.	L.S.	\$ _____
209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	L.S.	L.S.	L.S.	\$ _____
209.2000	Additional Water Pollution, Dust, and Erosion Control	F.A.	F.A.	F.A.	\$50,000.00
304.1110	Aggregate Base	L.S.	L.S.	L.S.	\$ _____
305.1110	Aggregate Subbase	L.S.	L.S.	L.S.	\$ _____
306.1001	Untreated Permeable Base Course	L.S.	L.S.	L.S.	\$ _____
312.0100	Plant Mix Glassphalt Concrete Base Course	L.S.	L.S.	L.S.	\$ _____
401.0400	Asphalt Concrete Pavement, Mix IV	L.S.	L.S.	L.S.	\$ _____
401.0600	Pavement Smoothness Incentive	Allowance	Allow.	Allowance	\$40,000.00
411.1220	16-1/2 inch, Concrete Pavement	L.S.	L.S.	L.S.	\$ _____
503.0022	Concrete Headwall for 24-Inch Drainline	L.S.	L.S.	L.S.	\$ _____
503.0023	Concrete Headwall for Dual 24-Inch Drainline	L.S.	L.S.	L.S.	\$ _____
503.0024	Concrete Headwall for 3-24-Inch Drainline Inlet	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
503.0025	Concrete Headwall for 3-24-Inch Drainline Outlet	L.S.	L.S.	L.S.	\$ _____
503.0026	Concrete Headwall for 4-24-Inch Drainline Inlet	L.S.	L.S.	L.S.	\$ _____
503.0027	Concrete Headwall for 4-24-Inch Drainline Outlet	L.S.	L.S.	L.S.	\$ _____
503.1030	Concrete for Cast-In-Place Box Culverts, Including Cut-off Walls, Headwalls and Wingwalls	L.S.	L.S.	L.S.	\$ _____
507.1000	Metal Pedestrian Railing (1-Rail on Concrete Traffic Railing)	L.S.	L.S.	L.S.	\$ _____
507.1500	Metal Bicycle Railing (2-Rail on Culvert Headwall & Wingwall)	L.S.	L.S.	L.S.	\$ _____
507.7000	Concrete Traffic Railing	L.S.	L.S.	L.S.	\$ _____
509.1000	Precast Concrete Box Culverts (12 feet x 8 feet)	L.S.	L.S.	L.S.	\$ _____
602.0030	Reinforcing Steel for C.I.P.Concrete Box Culverts, Including Cut-off Walls,Headwalls and Wingwalls	L.S.	L.S.	L.S.	\$ _____
603.0010	Bed Course Material for Culvert	L.S.	L.S.	L.S.	\$ _____
603.6552	24-inch Reinforced Concrete Pipe, Class III, or 24-inch High Density Polyethylene Pipe, Type S	L.S.	L.S.	L.S.	\$ _____
604.0703	Type 61614 Grated Drop Inlet, 4.00 feet to 4.99 feet	4	EA.	\$ _____	\$ _____
604.0704	Type 61614 Grated Drop Inlet, 5.00 feet to 5.99 feet	1	EA.	\$ _____	\$ _____
604.0706	Type 61614 Grated Drop Inlet, 7.00 feet to 7.99 feet	1	EA.	\$ _____	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
604.0806	Type 61614P Steel Grates	6	EA.	\$ _____	\$ _____
605.0006	6-inch Underdrain Pipe	L.S.	L.S.	L.S.	\$ _____
605.2000	Cleanout	L.S.	L.S.	L.S.	\$ _____
605.3000	Underdrain Outlet	L.S.	L.S.	L.S.	\$ _____
606.0100	Guardrail Type 3 Strong Post W-Beam	L.S.	L.S.	L.S.	\$ _____
606.7000	Guardrail Type 3 Thrie Beam	L.S.	L.S.	L.S.	\$ _____
606.7200	Terminal Section Type ET-2000 Plus	L.S.	L.S.	L.S.	\$ _____
607.9130	Wire Fence	L.S.	L.S.	L.S.	\$ _____
611.0100	Hand-Laid Riprap	L.S.	L.S.	L.S.	\$ _____
612.0100	Grouted Rubble Paving at Box Culvert	L.S.	L.S.	L.S.	\$ _____
612.0100	Grouted Rubble Paving at Pipe Culvert Headwalls	L.S.	L.S.	L.S.	\$ _____
612.0100	Grouted Rubble Paving for Swales	L.S.	L.S.	L.S.	\$ _____
613.0100	Centerline and Reference Survey Monuments	L.S.	L.S.	L.S.	\$ _____
614.0100	Standard Street Survey Monuments	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
617.0100	Imported Planting Soil	L.S.	L.S.	L.S.	\$ _____
618.0100	Grassed Surfaces	L.S.	L.S.	L.S.	\$ _____
619.0100	Planting Tree (Erythrina sandwicensis), 8 feet Height, 4 feet Spread, 2-1/2 inch Caliper	L.S.	L.S.	L.S.	\$ _____
619.0200	Planting Tree (Calophyllum inophyllum), 8 feet Height, 4 feet Spread, 2-1/2 inch Caliper	L.S.	L.S.	L.S.	\$ _____
619.0300	Planting Tree (Pandanus tectorius), 8 feet Height, 4 feet Spread, 2-1/2 inch Caliper	L.S.	L.S.	L.S.	\$ _____
619.0400	Planting Trees (Hibiscus tiliaceus), 6 feet Height, 3 feet Spread, 1-1/2 inch Caliper	L.S.	L.S.	L.S.	\$ _____
619.0500	Planting Tree (Rauvolfia sandwicensis), 6 feet Height, 3 feet Spread, 1-1/2 inch Caliper	L.S.	L.S.	L.S.	\$ _____
619.0550	Planting Tree (Wikstroemia monticola), 5 feet Height, 3 feet Spread, 1-1/2 inch Caliper	L.S.	L.S.	L.S.	\$ _____
619.0600	Planting Palm (Pritchardia arecina), 3 feet BTH, 5 feet Spread	L.S.	L.S.	L.S.	\$ _____
619.0700	Planting Shrub, (Dodonaea viscosa), 18 inch Height, 8 inch Spread	L.S.	L.S.	L.S.	\$ _____
619.0800	Planting Shrub, (Hibiscus kokio), 18 inch Height, 8 inch Spread	L.S.	L.S.	L.S.	\$ _____
619.0900	Planting Shrub, (Myoporum sandwicense), 18 inch Height, 8 inch Spread	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
619.1000	Planting Shrub, (Psydrax odoratum), 18 inch Height, 8 inch Spread	L.S.	L.S.	L.S.	\$ _____
619.1100	Planting Shrub, (Wikstroemia uva-ursi), 12 inch Height, 8 inch Spread	L.S.	L.S.	L.S.	\$ _____
619.1200	Planting Groundcover (Sida fallax), 8 Inches Height, 8 inches Spread	L.S.	L.S.	L.S.	\$ _____
619.1300	Planting Groundcover (Heteropogon contortus), 8 inch Height, 8 inch Spread	L.S.	L.S.	L.S.	\$ _____
619.1400	6-inch PVC Sleeve	L.S.	L.S.	L.S.	\$ _____
619.1500	Root Barrier	L.S.	L.S.	L.S.	\$ _____
619.1600	Soil Amendments	L.S.	L.S.	L.S.	\$ _____
619.1700	Mulch	L.S.	L.S.	L.S.	\$ _____
619.1800	Moss Rock Boulders	L.S.	L.S.	L.S.	\$ _____
621A.7700	Type A Route Marker Assembly	L.S.	L.S.	L.S.	\$ _____
621A.8000	Relocation of Existing RC Flying Field Sign	L.S.	L.S.	L.S.	\$ _____
621A.9000	Relocation of Existing Adopt a Highway Sign and Post	L.S.	L.S.	L.S.	\$ _____
621B.5000	Regulatory Sign (10 Square Feet or Less)	L.S.	L.S.	L.S.	\$ _____
621B.6000	Warning Sign (10 Square Feet or Less)	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
621B.7000	Relocation of Existing Speed Limit Sign	L.S.	L.S.	L.S.	\$ _____
621C.7500	Mile Post Marker With Posts	L.S.	L.S.	L.S.	\$ _____
621C.7600	Reflector Marker with Post	L.S.	L.S.	L.S.	\$ _____
622.2000	Lighting and Electrical System	LS.	LS.	LS.	\$ _____
622.4816	Relocate Emergency Call Box	LS.	LS.	LS.	\$ _____
623.5001	Traffic Signal System	L.S.	L.S.	L.S.	\$ _____
624.1003	8-inch Ductile Iron Pipe (Class 52)	L.S.	L.S.	L.S.	\$ _____
624.1011	12-inch Ductile Iron Pipe (Class 52)	L.S.	L.S.	L.S.	\$ _____
624.1012	18-inch Ductile Iron Pipe (Class 52)	L.S.	L.S.	L.S.	\$ _____
624.1016	36-inch Ductile Iron Pipe (Class 52)	L.S.	L.S.	L.S.	\$ _____
624.1020	36-inch Concrete Cylinder Pipe (Class 250)	L.S.	L.S.	L.S.	\$ _____
624.1101	8-inch Gate Valve (Class 250), Including Sliding Valve Box	L.S.	L.S.	L.S.	\$ _____
624.1267	18-inch Resilient Seat Gate Valve (Class 250) including Sliding Valve Box or 18-inch Butterfly Valve (Class 250), Including Type "A" Manhole	L.S.	L.S.	L.S.	\$ _____
624.1268	36-inch Butterfly Valve (Class 250), Including Type "A" Manhole	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
624.1273	3/4-inch Air Relief Valve Assembly (Class 250), Including Type "F" Manhole	L.S.	L.S.	L.S.	\$ _____
624.1274	1-inch Air Relief Valve Assembly (Class 250), Including Type "F" Manhole	L.S.	L.S.	L.S.	\$ _____
624.1275	2-inch Air Relief Valve Assembly (Class 250) Including Type "D" Manhole	L.S.	L.S.	L.S.	\$ _____
624.1279	8-inch Flap Valve	L.S.	L.S.	L.S.	\$ _____
624.1640	Cast Iron Fittings	L.S.	L.S.	L.S.	\$ _____
624.1650	36-inch Concrete Cylinder to Ductile Iron Pipe Adapter (Class 250)	L.S.	L.S.	L.S.	\$ _____
624.1700	Reinforced Concrete Jacket for 12-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1701	Reinforced Concrete Jacket for 18-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1702	Reinforced Concrete Jacket for 36-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1800	Concrete Thrust Block for 8-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1801	Concrete Thrust Block for 12-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1802	Concrete Thrust Block for 18-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1803	Concrete Thrust Block for 36-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1804	Concrete Thrust Block for T.V. 12-inch Waterline	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
624.1805	Concrete Thrust Block for T.V. 18-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1806	Concrete Thrust Block for T.V. 36-inch Waterline	L.S.	L.S.	L.S.	\$ _____
624.1902	Access Hatch	L.S.	L.S.	L.S.	\$ _____
629.1012	4-Inch Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1013	Double 4-Inch Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1014	8-Inch Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1015	12-Inch Pavement Striping (Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1017	Crosswalk Marking (Tape, Type III, or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1018	Pavement Arrow (Tape, Type III, Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1019	Pavement Symbol (Paint, Tape, Type III, or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.1020	Pavement Word (Tape, Type III, or Thermoplastic Extrusion)	L.S.	L.S.	L.S.	\$ _____
629.2011	Type "A" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2031	Type "C" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
629.2041	Type "D" Pavement Marker	L.S.	L.S.	L.S.	\$ _____

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.2071	Type "H" Pavement Marker	L.S.	L.S.	L.S.	\$ _____
636.0100	Field Office Trailer (Not to Exceed \$32,000.00)	L.S.	L.S.	L.S.	\$ _____
636.0200	Project Site Laboratory Trailer (Not to Exceed \$22,000.00)	L.S.	L.S.	L.S.	\$ _____
636.0300	Maintenance of Trailers	F.A.	F.A.	F.A.	\$15,000.00
645.1000	Traffic Control	L.S.	L.S.	L.S.	\$ _____
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	F.A.	F.A.	F.A.	\$50,000.00
647.0100	Submain Irrigation Flushout	L.S.	L.S.	L.S.	\$ _____
647.0150	Mainline Irrigation Flushout	L.S.	L.S.	L.S.	\$ _____
647.0200	2-inch Tee Strainer Assembly	L.S.	L.S.	L.S.	\$ _____
647.0300	1-inch Submain with Laterals	L.S.	L.S.	L.S.	\$ _____
647.0400	2-Inch PVC Mainline (Class 125)	L.S.	L.S.	L.S.	\$ _____
647.0500	4-Inch PVC Mainline (Class 125)	L.S.	L.S.	L.S.	\$ _____
647.0700	12-Inch PVC Sleeve (Class 125)	L.S.	L.S.	L.S.	\$ _____
647.0800	Field Road	L.S.	L.S.	L.S.	\$ _____
656.1000	Unexploded Ordnance Clearance and Disposal	F.A.	F.A.	F.A.	\$20,000.00

ITEM NO.	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
657.1000	Substrates with Lead-Containing Paint Removal and Disposal	F.A.	F.A.	F.A.	\$15,000.00
659.1000	Well Abandonment/Sealing	L.S.	L.S.	L.S.	\$ _____
698.1000	Training (2 Trainees)	2,000	HOURS	\$0.80	\$1,600.00
699.1000	Mobilization (Not to Exceed 10% of the Sum of All Items Excluding the Bid Price of this Item, Field Office and Project Site Laboratories, Allowance, and Force Account Items)	L.S.	L.S.	L.S.	\$ _____

a. Sum of All Items

\$ _____

b. Either Furnish Foreign Steel Not To Exceed Minimal Amount (Insert "O") or
Furnish Foreign Steel in Excess of Minimal Amount (Insert 25% x a)

* \$ _____

c. Amount for Comparison of Bids (a+b)

* \$ _____

* All bidders must fill in b and complete c

NOTE: Bidders must complete all unit prices. Failure to do so may be grounds for rejection of bid.

PROPOSAL SCHEDULE

The bidder is directed to Subsection 108.01 - Subcontracts.

The bidder's attention is directed to Sections 636 - Field Office and Project Site Laboratory, and 699 - Mobilization for the limitation of the amount bidders are allowed to bid.

If the bid price for any proposal item having a maximum allowable bid indicated therefore in any of the contract documents is in excess of such a maximum amount, the bid price for such proposal item shall be adjusted to reflect the limitation thereon. The comparison of bids to determine the successful bidder and the amount of contract to be awarded shall be determined after such adjustments are made, and such adjustments shall be binding upon the bidder.

The bidder is directed to Subsections 106.12 - Recycling of Waste Glass.

INSTRUCTIONS TO COMPUTE THE AMOUNT FOR COMPARISON OF BIDS FOR FOREIGN STEEL

Each bidder shall indicate its intention to furnish foreign steel on this project by initialing after the AMOUNT for each of the items the bidder intends to use such foreign steel including lump sum items. A bidder not indicating such usage certifies that the bidder will furnish and use only domestic steel on this project. Also, the bidder shall add an additional 25% to the SUM OF ALL ITEMS if the bid submitted is based on furnishing foreign steel in excess of the minimal use specified in Subsection 106.11 - Domestic Materials.