


 ORIGINAL
 SURVEY PLOTTED BY
 DATE


 PLAN
 DRAWN BY
 "

 NOTE BOOK
 DESIGNED BY
 "

 QUANTITIES BY
 "
 "

 CHECKED BY
 "
 "





FED. ROAD DIST. NO.

HAW.

FISCAL YEAR

2014


360AB-01-09

SHEET NO.

26

AGGREGATE FILTER BAG

Not to Scale



Notes:

1. Actual layout determined in field.

2. The concrete washout sign shall be installed within 30 feet of the temporary concrete washout facility.

CONCRETE VEHICLE WASH AREA

(BELOW GRADE)

Notes:

1. Actual layout determined in field.

2. The concrete washout sign shall be installed within 30 feet of the temporary concrete washout facility.

CONCRETE VEHICLE WASH AREA (ABOVE GRADE)

WASHDOWN BASIN DETAIL

Not to Scale

<u>Notes:</u>


Dust screen barrier to be "geotextile" or "nursery shade".

2. Burlap is not acceptable as the dust screen barrier.

3. Cloth to have no horizontal seams.


4. Vertical seams to be made over uprights only.

5. All joints to be securely fastened by mechanical means.



TEMPORARY STABILIZED CONSTRUCTION INGRESS/EGRESS

Not to Scale



THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION.

APRIL 30, 2016
WILSON OKAMOTO CORPORATION LIC. EXP. DATE

DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
DEMOLITION AND EROSION

CONTROL PLANS
HANA HIGHWAY

IMPROVEMENTS, PHASE 2A

Huelo to Hana

Project No. 360AB-01-09

Scale: 1" = 20' Date: April 2014

SHEET No. DP-4 OF 4 SHEETS

