

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.1000	Installation, Maintenance, Monitoring, and Removal of BMP	LS	LS	LS	\$ _____
209.2000	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$20,000.00
402.0100	Superpave Asphalt Concrete Pavement	LS	LS	LS	\$ _____
603.0100	Clean Existing Culverts	FA	FA	FA	\$30,000.00
604.4010	Adjusting Manhole Frame and Cover	10	EACH	\$ _____	\$ _____
604.4020	Adjusting Pullbox Frame and Cover	6	EACH	\$ _____	\$ _____
605.0400	Cleanout	91	EACH	\$ _____	\$ _____
613.0300	Adjusting Centerline and Reference Survey Monuments	6	EACH	\$ _____	\$ _____
623.3900	Approach-Only Microwave Vehicle Detector	3	EACH	\$ _____	\$ _____
623.7051	Loop Detector Sensing Unit (6'x6') One Loop	9	EACH	\$ _____	\$ _____
623.7052	Loop Detector Sensing Unit (6'x6') Two Loops	12	EACH	\$ _____	\$ _____
623.7053	Loop Detector Sensing Unit (6'x6') Three Loops	2	EACH	\$ _____	\$ _____
623.7056	Loop Detector Sensing Unit (6'x6') Six Loops	2	EACH	\$ _____	\$ _____
629.1010	4-Inch Pavement Striping - Tape, Type I or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1011	4-Inch Pavement Striping - Tape, Type II or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1012	4-Inch Pavement Striping - Tape, Type III or Thermoplastic Extrusion	LS	LS	LS	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1013	8-Inch Pavement Striping - Tape, Type I or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1014	8-Inch Pavement Striping - Tape, Type II or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1015	12-Inch Pavement Striping - Tape, Type II or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1016	12-Inch Pavement Striping - Tape, Type III or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1020	Double 4-Inch Pavement Striping - Tape, Type I or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1021	Double 4-Inch Pavement Striping - Tape, Type II or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1030	Crosswalk Markings - Tape, Type III or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.1040	Pavement Arrow - Tape, Type III or Thermoplastic Extrusion (Traffic Lane)	LS	LS	LS	\$ _____
629.1050	Pavement Word - Tape, Type III or Thermoplastic Extrusion (Traffic Lane)	LS	LS	LS	\$ _____
629.1060	Pavement Symbol (Yield Line Marking) - Tape, Type III or Thermoplastic Extrusion	LS	LS	LS	\$ _____
629.2030	Type A Pavement Marker	LS	LS	LS	\$ _____
629.2040	Type C Pavement Marker	LS	LS	LS	\$ _____
629.2050	Type D Pavement Marker	LS	LS	LS	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.2060	Type H Pavement Marker	LS	LS	LS	\$ _____
636.0100	Field Office Trailer (Not to Exceed \$32,000.00)	LS	LS	LS	\$ _____
645.0100	Traffic Control	LS	LS	LS	\$ _____
645.0200	Additional Police Officers, Additional Traffic Control Devices, and Advertisement	FA	FA	FA	\$50,000.00
648.0100	Field-Posted Drawings	LS	LS	LS	\$ _____
652.1000	Cold Planing	LS	LS	LS	\$ _____
656.0100	Maintenance of Existing Landscape Areas	FA	FA	FA	\$20,000.00
699.1000	Mobilization (Not to exceed 10% of the sum of all items excluding the bid price of this item, field office and force account items)	LS	LS	LS	\$ _____
	SUM OF ALL ITEMS				\$ _____
<p>Note: Bidders must complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.</p>					

1 **PROPOSAL SCHEDULE**

2
3 The bidder is directed to Subsection 108.01 – Subcontracts.

4
5 The bidder's attention is directed to Section 699 - Mobilization for the
6 limitation of the amount bidders are allowed to bid.

7
8 If the bid price for any proposal item having a maximum allowable bid
9 indicated therefore in any of the contract documents is in excess of such a
10 maximum amount, the bid price for such proposal item shall be adjusted to
11 reflect the limitation thereon. The comparison of bids to determine the
12 successful bidder and the amount of contract to be awarded shall be determined
13 after such adjustments are made, and such adjustments shall be binding upon
14 the bidder.

15
16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials
17 regarding recycling of waste glass.