

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3510	W-Beam Guardrail			
606.3510 - a	less than 250 Lin Ft	1	Lin Ft	\$ _____
606.3510 - b	251 - 500 Lin Ft	1	Lin Ft	\$ _____
606.3510 - c	501 - 750 Lin Ft	1	Lin Ft	\$ _____
606.3510 - d	over 750 Lin Ft	1	Lin Ft	\$ _____
606.3520	Spacer Block for W-Beam Guardrail			
606.3520 - a	less than 125 Each	1	Each	\$ _____
606.3520 - b	126 - 250 Each	1	Each	\$ _____
606.3520 - c	251 - 375 Each	1	Each	\$ _____
606.3520 - d	over 375 Each	1	Each	\$ _____
606.3530	Thrie Beam Guardrail			
606.3530 - a	less than 250 Lin Ft	1	Lin Ft	\$ _____
606.3530 - b	251 - 500 Lin Ft	1	Lin Ft	\$ _____
606.3530 - c	501 - 750 Lin Ft	1	Lin Ft	\$ _____
606.3530 - d	over 750 Lin Ft	1	Lin Ft	\$ _____
606.3540	Spacer Block for Thrie Beam Guardrail			
606.3540 - a	less than 125 Each	1	Each	\$ _____
606.3540 - b	126 - 250 Each	1	Each	\$ _____
606.3540 - c	251 - 375 Each	1	Each	\$ _____
606.3540 - d	over 375 Each	1	Each	\$ _____
606.3550	6-Foot W6x8.5 Post for Guardrail			
606.3550 - a	less than 125 Each	1	Each	\$ _____
606.3550 - b	126 - 250 Each	1	Each	\$ _____
606.3550 - c	251 - 375 Each	1	Each	\$ _____
606.3550 - d	over 375 Each	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3560	6.5-Foot W6x8.5 Post for Guardrail			
606.3560 - a	less than 125 Each	1	Each	\$ _____
606.3560 - b	126 - 250 Each	1	Each	\$ _____
606.3560 - c	251 - 375 Each	1	Each	\$ _____
606.3560 - d	over 375 Each	1	Each	\$ _____
606.3570	6.75-Foot W6x8.5 Post for Guardrail			
606.3570 - a	less than 125 Each	1	Each	\$ _____
606.3570 - b	126 - 250 Each	1	Each	\$ _____
606.3570 - c	251 - 375 Each	1	Each	\$ _____
606.3570 - d	over 375 Each	1	Each	\$ _____
606.3580	8-Foot W6x8.5 Post for Guardrail			
606.3580 - a	less than 125 Each	1	Each	\$ _____
606.3580 - b	126 - 250 Each	1	Each	\$ _____
606.3580 - c	251 - 375 Each	1	Each	\$ _____
606.3580 - d	over 375 Each	1	Each	\$ _____
606.3590	Deck-Mounted Bridge Post			
606.3590 - a	less than 50 Each	1	Each	\$ _____
606.3590 - b	51 - 100 Each	1	Each	\$ _____
606.3590 - c	101 - 150 Each	1	Each	\$ _____
606.3590 - d	over 150 Each	1	Each	\$ _____
606.3610	Type G Anchor Block Assembly	1	Each	\$ _____
606.7100	Terminal Section			
606.7100 - a	Type FLEAT-350	1	Each	\$ _____
606.7100 - b	Type ET-2000	1	Each	\$ _____
606.7100 - c	Type SKT-350	1	Each	\$ _____
606.7200	W-Beam End Section (Rounded RWE03a)	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.7300	Thrie Beam to W-Beam Transition Section	1	Each	\$ _____
645.1000	Electronic Message Board	1	Each	\$ _____
693.1000	QuadGuard System - Spare Parts			
693.1000 - a	Type I Cartridge	1	Each	\$ _____
693.1000 - b	Type II Cartridge	1	Each	\$ _____
693.1000 - c	Quad to Safety Shape Barrier Transition Panel	1	Each	\$ _____
693.1000 - d	Quad to Thrie Transition Panel	1	Each	\$ _____
693.1000 - e	Quad to W Transition Panel	1	Each	\$ _____
693.1000 - f	Quad End Shoe Transition Panel	1	Each	\$ _____
693.1000 - g	Quad Beam Fender Panel	1	Each	\$ _____
693.1000 - h	Mushroom Washer Assembly	1	Each	\$ _____
693.1000 - i	Nose Cover Assembly	1	Each	\$ _____
693.1000 - j	First Diaphragm	1	Each	\$ _____
693.1000 - k	Diaphragm	1	Each	\$ _____
693.1000 - l	Backup - Tension Strut	1	Each	\$ _____
693.1000 - m	MP-3 Anchor Kit	1	Each	\$ _____
693.1000 - n	Monorail Assembly	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.2000	QuadGuard LMC System - Spare Parts			
693.2000 - a	Cylinder Assembly Type 2Q	1	Each	\$ _____
693.2000 - b	Cylinder Assembly Type 3Q	1	Each	\$ _____
693.2000 - c	Cylinder Assembly Type 4Q	1	Each	\$ _____
693.2000 - d	Cylinder Assembly Type 5Q	1	Each	\$ _____
693.2000 - e	Diaphragm Assembly	1	Each	\$ _____
693.2000 - f	Nose Assembly	1	Each	\$ _____
693.2000 - g	Fender Panel Assembly	1	Each	\$ _____
693.2000 - h	Backup Assembly	1	Each	\$ _____
693.2000 - i	Monorail Assembly	1	Each	\$ _____
693.2000 - j	Bay Assembly	1	Each	\$ _____
693.2000 - k	Chain Assembly	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.3000	TAU-II Crash Cushion System			
693.3000 - a	Front Support	1	Each	\$ _____
693.3000 - b	Middle Support Diaphragm	1	Each	\$ _____
693.3000 - c	Compact Backstop	1	Each	\$ _____
693.3000 - d	Energy Absorbing Cartridge, Type A	1	Each	\$ _____
693.3000 - e	Energy Absorbing Cartridge, Type B	1	Each	\$ _____
693.3000 - f	Anchoring Package, Compact Backstop	1	Each	\$ _____
693.3000 - g	Front Support Leg	1	Each	\$ _____
693.3000 - h	Compact Cable	1	Each	\$ _____
693.3000 - i	Cable Guide Assembly	1	Each	\$ _____
693.3000 - j	Sliding Panel	1	Each	\$ _____
693.3000 - k	Sliding Bolt	1	Each	\$ _____
693.3000 - l	End Panel	1	Each	\$ _____
693.3000 - m	Pipe Panel Mount	1	Each	\$ _____
693.3000 - n	End Panel Cross Piece	1	Each	\$ _____
693.3000 - o	Front Cable Anchor	1	Each	\$ _____
693.3000 - p	Nose Piece	1	Each	\$ _____
693.3000 - q	Extra Thick Flat Washer, SS	1	Each	\$ _____
693.3000 - r	Hex Bolt, SS-20MM x 50MM	1	Each	\$ _____
693.3000 - s	Washer, SS	1	Each	\$ _____
693.3000 - t	Hex Nut, SS-20MM	1	Each	\$ _____
693.3000 - u	Fender Washer, SS-20M x 50MM	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
694.1000	Inertial Barrier System			
694.1000 - a	module - 200 lbs.	1	Each	\$ _____
694.1000 - b	module - 400 lbs.	1	Each	\$ _____
694.1000 - c	module - 700 lbs.	1	Each	\$ _____
694.1000 - d	module - 1400 lbs.	1	Each	\$ _____
694.1000 - e	module - 2100 lbs.	1	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 1				\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3510	W-Beam Guardrail			
606.3510 - a	less than 250 Lin Ft	1	Lin Ft	\$ _____
606.3510 - b	251 - 500 Lin Ft	1	Lin Ft	\$ _____
606.3510 - c	501 - 750 Lin Ft	1	Lin Ft	\$ _____
606.3510 - d	over 750 Lin Ft	1	Lin Ft	\$ _____
606.3520	Spacer Block for W-Beam Guardrail			
606.3520 - a	less than 125 Each	1	Each	\$ _____
606.3520 - b	126 - 250 Each	1	Each	\$ _____
606.3520 - c	251 - 375 Each	1	Each	\$ _____
606.3520 - d	over 375 Each	1	Each	\$ _____
606.3530	Thrie Beam Guardrail			
606.3530 - a	less than 250 Lin Ft	1	Lin Ft	\$ _____
606.3530 - b	251 - 500 Lin Ft	1	Lin Ft	\$ _____
606.3530 - c	501 - 750 Lin Ft	1	Lin Ft	\$ _____
606.3530 - d	over 750 Lin Ft	1	Lin Ft	\$ _____
606.3540	Spacer Block for Thrie Beam Guardrail			
606.3540 - a	less than 125 Each	1	Each	\$ _____
606.3540 - b	126 - 250 Each	1	Each	\$ _____
606.3540 - c	251 - 375 Each	1	Each	\$ _____
606.3540 - d	over 375 Each	1	Each	\$ _____
606.3550	6-Foot W6x8.5 Post for Guardrail			
606.3550 - a	less than 125 Each	1	Each	\$ _____
606.3550 - b	126 - 250 Each	1	Each	\$ _____
606.3550 - c	251 - 375 Each	1	Each	\$ _____
606.3550 - d	over 375 Each	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3560	6.5-Foot W6x8.5 Post for Guardrail			
606.3560 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3560 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3560 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3560 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3570	6.75-Foot W6x8.5 Post for Guardrail			
606.3570 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3570 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3570 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3570 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3580	8-Foot W6x8.5 Post for Guardrail			
606.3580 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3580 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3580 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3580 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3590	Deck-Mounted Bridge Post			
606.3590 - a	less than 50 Each	<u>1</u>	Each	\$ _____
606.3590 - b	51 - 100 Each	<u>1</u>	Each	\$ _____
606.3590 - c	101 - 150 Each	<u>1</u>	Each	\$ _____
606.3590 - d	over 150 Each	<u>1</u>	Each	\$ _____
606.3610	Type G Anchor Block Assembly	<u>1</u>	Each	\$ _____
606.7100	Terminal Section			
606.7100 - a	Type FLEAT-350	<u>1</u>	Each	\$ _____
606.7100 - b	Type ET-2000	<u>1</u>	Each	\$ _____
606.7100 - c	Type SKT-350	<u>1</u>	Each	\$ _____
606.7200	W-Beam End Section (Rounded RWE03a)	<u>1</u>	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.7300	Thrie Beam to W-Beam Transition Section	1	Each	\$ _____
645.1000	Electronic Message Board	1	Each	\$ _____
693.1000	QuadGuard System - Spare Parts			
693.1000 - a	Type I Cartridge	1	Each	\$ _____
693.1000 - b	Type II Cartridge	1	Each	\$ _____
693.1000 - c	Quad to Safety Shape Barrier Transition Panel	1	Each	\$ _____
693.1000 - d	Quad to Thrie Transition Panel	1	Each	\$ _____
693.1000 - e	Quad to W Transition Panel	1	Each	\$ _____
693.1000 - f	Quad End Shoe Transition Panel	1	Each	\$ _____
693.1000 - g	Quad Beam Fender Panel	1	Each	\$ _____
693.1000 - h	Mushroom Washer Assembly	1	Each	\$ _____
693.1000 - i	Nose Cover Assembly	1	Each	\$ _____
693.1000 - j	First Diaphragm	1	Each	\$ _____
693.1000 - k	Diaphragm	1	Each	\$ _____
693.1000 - l	Backup - Tension Strut	1	Each	\$ _____
693.1000 - m	MP-3 Anchor Kit	1	Each	\$ _____
693.1000 - n	Monorail Assembly	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.2000	QuadGuard LMC System - Spare Parts			
693.2000 - a	Cylinder Assembly Type 2Q	1	Each	\$ _____
693.2000 - b	Cylinder Assembly Type 3Q	1	Each	\$ _____
693.2000 - c	Cylinder Assembly Type 4Q	1	Each	\$ _____
693.2000 - d	Cylinder Assembly Type 5Q	1	Each	\$ _____
693.2000 - e	Diaphragm Assembly	1	Each	\$ _____
693.2000 - f	Nose Assembly	1	Each	\$ _____
693.2000 - g	Fender Panel Assembly	1	Each	\$ _____
693.2000 - h	Backup Assembly	1	Each	\$ _____
693.2000 - i	Monorail Assembly	1	Each	\$ _____
693.2000 - j	Bay Assembly	1	Each	\$ _____
693.2000 - k	Chain Assembly	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.3000	TAU-II Crash Cushion System			
693.3000 - a	Front Support	1	Each	\$ _____
693.3000 - b	Middle Support Diaphragm	1	Each	\$ _____
693.3000 - c	Compact Backstop	1	Each	\$ _____
693.3000 - d	Energy Absorbing Cartridge, Type A	1	Each	\$ _____
693.3000 - e	Energy Absorbing Cartridge, Type B	1	Each	\$ _____
693.3000 - f	Anchoring Package, Compact Backstop	1	Each	\$ _____
693.3000 - g	Front Support Leg	1	Each	\$ _____
693.3000 - h	Compact Cable	1	Each	\$ _____
693.3000 - i	Cable Guide Assembly	1	Each	\$ _____
693.3000 - j	Sliding Panel	1	Each	\$ _____
693.3000 - k	Sliding Bolt	1	Each	\$ _____
693.3000 - l	End Panel	1	Each	\$ _____
693.3000 - m	Pipe Panel Mount	1	Each	\$ _____
693.3000 - n	End Panel Cross Piece	1	Each	\$ _____
693.3000 - o	Front Cable Anchor	1	Each	\$ _____
693.3000 - p	Nose Piece	1	Each	\$ _____
693.3000 - q	Extra Thick Flat Washer, SS	1	Each	\$ _____
693.3000 - r	Hex Bolt, SS-20MM x 50MM	1	Each	\$ _____
693.3000 - s	Washer, SS	1	Each	\$ _____
693.3000 - t	Hex Nut, SS-20MM	1	Each	\$ _____
693.3000 - u	Fender Washer, SS-20M x 50MM	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
694.1000	Inertial Barrier System			
694.1000 - a	module - 200 lbs.	<u>1</u>	Each	\$ <u> </u>
694.1000 - b	module - 400 lbs.	<u>1</u>	Each	\$ <u> </u>
694.1000 - c	module - 700 lbs.	<u>1</u>	Each	\$ <u> </u>
694.1000 - d	module - 1400 lbs.	<u>1</u>	Each	\$ <u> </u>
694.1000 - e	module - 2100 lbs.	<u>1</u>	Each	\$ <u> </u>
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 2				\$ <u> </u>

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3510	W-Beam Guardrail			
606.3510 - a	less than 250 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3510 - b	251 - 500 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3510 - c	501 - 750 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3510 - d	over 750 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3520	Spacer Block for W-Beam Guardrail			
606.3520 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3520 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3520 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3520 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3530	Thrie Beam Guardrail			
606.3530 - a	less than 250 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3530 - b	251 - 500 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3530 - c	501 - 750 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3530 - d	over 750 Lin Ft	<u>1</u>	Lin Ft	\$ _____
606.3540	Spacer Block for Thrie Beam Guardrail			
606.3540 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3540 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3540 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3540 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3550	6-Foot W6x8.5 Post for Guardrail			
606.3550 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3550 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3550 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3550 - d	over 375 Each	<u>1</u>	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3560	6.5-Foot W6x8.5 Post for Guardrail			
606.3560 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3560 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3560 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3560 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3570	6.75-Foot W6x8.5 Post for Guardrail			
606.3570 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3570 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3570 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3570 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3580	8-Foot W6x8.5 Post for Guardrail			
606.3580 - a	less than 125 Each	<u>1</u>	Each	\$ _____
606.3580 - b	126 - 250 Each	<u>1</u>	Each	\$ _____
606.3580 - c	251 - 375 Each	<u>1</u>	Each	\$ _____
606.3580 - d	over 375 Each	<u>1</u>	Each	\$ _____
606.3590	Deck-Mounted Bridge Post			
606.3590 - a	less than 50 Each	<u>1</u>	Each	\$ _____
606.3590 - b	51 - 100 Each	<u>1</u>	Each	\$ _____
606.3590 - c	101 - 150 Each	<u>1</u>	Each	\$ _____
606.3590 - d	over 150 Each	<u>1</u>	Each	\$ _____
606.3610	Type G Anchor Block Assembly	<u>1</u>	Each	\$ _____
606.7100	Terminal Section			
606.7100 - a	Type FLEAT-350	<u>1</u>	Each	\$ _____
606.7100 - b	Type ET-2000	<u>1</u>	Each	\$ _____
606.7100 - c	Type SKT-350	<u>1</u>	Each	\$ _____
606.7200	W-Beam End Section (Rounded RWE03a)	<u>1</u>	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.7300	Thrie Beam to W-Beam Transition Section	1	Each	\$ _____
645.1000	Electronic Message Board	1	Each	\$ _____
693.1000	QuadGuard System - Spare Parts			
693.1000 - a	Type I Cartridge	1	Each	\$ _____
693.1000 - b	Type II Cartridge	1	Each	\$ _____
693.1000 - c	Quad to Safety Shape Barrier Transition Panel	1	Each	\$ _____
693.1000 - d	Quad to Thrie Transition Panel	1	Each	\$ _____
693.1000 - e	Quad to W Transition Panel	1	Each	\$ _____
693.1000 - f	Quad End Shoe Transition Panel	1	Each	\$ _____
693.1000 - g	Quad Beam Fender Panel	1	Each	\$ _____
693.1000 - h	Mushroom Washer Assembly	1	Each	\$ _____
693.1000 - i	Nose Cover Assembly	1	Each	\$ _____
693.1000 - j	First Diaphragm	1	Each	\$ _____
693.1000 - k	Diaphragm	1	Each	\$ _____
693.1000 - l	Backup - Tension Strut	1	Each	\$ _____
693.1000 - m	MP-3 Anchor Kit	1	Each	\$ _____
693.1000 - n	Monorail Assembly	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.2000	QuadGuard LMC System - Spare Parts			
693.2000 - a	Cylinder Assembly Type 2Q	1	Each	\$ _____
693.2000 - b	Cylinder Assembly Type 3Q	1	Each	\$ _____
693.2000 - c	Cylinder Assembly Type 4Q	1	Each	\$ _____
693.2000 - d	Cylinder Assembly Type 5Q	1	Each	\$ _____
693.2000 - e	Diaphragm Assembly	1	Each	\$ _____
693.2000 - f	Nose Assembly	1	Each	\$ _____
693.2000 - g	Fender Panel Assembly	1	Each	\$ _____
693.2000 - h	Backup Assembly	1	Each	\$ _____
693.2000 - i	Monorail Assembly	1	Each	\$ _____
693.2000 - j	Bay Assembly	1	Each	\$ _____
693.2000 - k	Chain Assembly	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.3000	TAU-II Crash Cushion System			
693.3000 - a	Front Support	1	Each	\$ _____
693.3000 - b	Middle Support Diaphragm	1	Each	\$ _____
693.3000 - c	Compact Backstop	1	Each	\$ _____
693.3000 - d	Energy Absorbing Cartridge, Type A	1	Each	\$ _____
693.3000 - e	Energy Absorbing Cartridge, Type B	1	Each	\$ _____
693.3000 - f	Anchoring Package, Compact Backstop	1	Each	\$ _____
693.3000 - g	Front Support Leg	1	Each	\$ _____
693.3000 - h	Compact Cable	1	Each	\$ _____
693.3000 - i	Cable Guide Assembly	1	Each	\$ _____
693.3000 - j	Sliding Panel	1	Each	\$ _____
693.3000 - k	Sliding Bolt	1	Each	\$ _____
693.3000 - l	End Panel	1	Each	\$ _____
693.3000 - m	Pipe Panel Mount	1	Each	\$ _____
693.3000 - n	End Panel Cross Piece	1	Each	\$ _____
693.3000 - o	Front Cable Anchor	1	Each	\$ _____
693.3000 - p	Nose Piece	1	Each	\$ _____
693.3000 - q	Extra Thick Flat Washer, SS	1	Each	\$ _____
693.3000 - r	Hex Bolt, SS-20MM x 50MM	1	Each	\$ _____
693.3000 - s	Washer, SS	1	Each	\$ _____
693.3000 - t	Hex Nut, SS-20MM	1	Each	\$ _____
693.3000 - u	Fender Washer, SS-20M x 50MM	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
694.1000	Inertial Barrier System			
694.1000 - a	module - 200 lbs.	1	Each	\$ _____
694.1000 - b	module - 400 lbs.	1	Each	\$ _____
694.1000 - c	module - 700 lbs.	1	Each	\$ _____
694.1000 - d	module - 1400 lbs.	1	Each	\$ _____
694.1000 - e	module - 2100 lbs.	1	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 3				\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3510	W-Beam Guardrail			
606.3510 - a	less than 250 Lin Ft	1	Lin Ft	\$ _____
606.3510 - b	251 - 500 Lin Ft	1	Lin Ft	\$ _____
606.3510 - c	501 - 750 Lin Ft	1	Lin Ft	\$ _____
606.3510 - d	over 750 Lin Ft	1	Lin Ft	\$ _____
606.3520	Spacer Block for W-Beam Guardrail			
606.3520 - a	less than 125 Each	1	Each	\$ _____
606.3520 - b	126 - 250 Each	1	Each	\$ _____
606.3520 - c	251 - 375 Each	1	Each	\$ _____
606.3520 - d	over 375 Each	1	Each	\$ _____
606.3530	Thrie Beam Guardrail			
606.3530 - a	less than 250 Lin Ft	1	Lin Ft	\$ _____
606.3530 - b	251 - 500 Lin Ft	1	Lin Ft	\$ _____
606.3530 - c	501 - 750 Lin Ft	1	Lin Ft	\$ _____
606.3530 - d	over 750 Lin Ft	1	Lin Ft	\$ _____
606.3540	Spacer Block for Thrie Beam Guardrail			
606.3540 - a	less than 125 Each	1	Each	\$ _____
606.3540 - b	126 - 250 Each	1	Each	\$ _____
606.3540 - c	251 - 375 Each	1	Each	\$ _____
606.3540 - d	over 375 Each	1	Each	\$ _____
606.3550	6-Foot W6x8.5 Post for Guardrail			
606.3550 - a	less than 125 Each	1	Each	\$ _____
606.3550 - b	126 - 250 Each	1	Each	\$ _____
606.3550 - c	251 - 375 Each	1	Each	\$ _____
606.3550 - d	over 375 Each	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.3560	6.5-Foot W6x8.5 Post for Guardrail			
606.3560 - a	less than 125 Each	1	Each	\$ _____
606.3560 - b	126 - 250 Each	1	Each	\$ _____
606.3560 - c	251 - 375 Each	1	Each	\$ _____
606.3560 - d	over 375 Each	1	Each	\$ _____
606.3570	6.75-Foot W6x8.5 Post for Guardrail			
606.3570 - a	less than 125 Each	1	Each	\$ _____
606.3570 - b	126 - 250 Each	1	Each	\$ _____
606.3570 - c	251 - 375 Each	1	Each	\$ _____
606.3570 - d	over 375 Each	1	Each	\$ _____
606.3580	8-Foot W6x8.5 Post for Guardrail			
606.3580 - a	less than 125 Each	1	Each	\$ _____
606.3580 - b	126 - 250 Each	1	Each	\$ _____
606.3580 - c	251 - 375 Each	1	Each	\$ _____
606.3580 - d	over 375 Each	1	Each	\$ _____
606.3590	Deck-Mounted Bridge Post			
606.3590 - a	less than 50 Each	1	Each	\$ _____
606.3590 - b	51 - 100 Each	1	Each	\$ _____
606.3590 - c	101 - 150 Each	1	Each	\$ _____
606.3590 - d	over 150 Each	1	Each	\$ _____
606.3610	Type G Anchor Block Assembly	1	Each	\$ _____
606.7100	Terminal Section			
606.7100 - a	Type FLEAT-350	1	Each	\$ _____
606.7100 - b	Type ET-2000	1	Each	\$ _____
606.7100 - c	Type SKT-350	1	Each	\$ _____
606.7200	W-Beam End Section (Rounded RWE03a)	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
606.7300	Thrie Beam to W-Beam Transition Section	1	Each	\$ _____
645.1000	Electronic Message Board	1	Each	\$ _____
693.1000	QuadGuard System - Spare Parts			
693.1000 - a	Type I Cartridge	1	Each	\$ _____
693.1000 - b	Type II Cartridge	1	Each	\$ _____
693.1000 - c	Quad to Safety Shape Barrier Transition Panel	1	Each	\$ _____
693.1000 - d	Quad to Thrie Transition Panel	1	Each	\$ _____
693.1000 - e	Quad to W Transition Panel	1	Each	\$ _____
693.1000 - f	Quad End Shoe Transition Panel	1	Each	\$ _____
693.1000 - g	Quad Beam Fender Panel	1	Each	\$ _____
693.1000 - h	Mushroom Washer Assembly	1	Each	\$ _____
693.1000 - i	Nose Cover Assembly	1	Each	\$ _____
693.1000 - j	First Diaphragm	1	Each	\$ _____
693.1000 - k	Diaphragm	1	Each	\$ _____
693.1000 - l	Backup - Tension Strut	1	Each	\$ _____
693.1000 - m	MP-3 Anchor Kit	1	Each	\$ _____
693.1000 - n	Monorail Assembly	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.2000	QuadGuard LMC System - Spare Parts			
693.2000 - a	Cylinder Assembly Type 2Q	1	Each	\$ _____
693.2000 - b	Cylinder Assembly Type 3Q	1	Each	\$ _____
693.2000 - c	Cylinder Assembly Type 4Q	1	Each	\$ _____
693.2000 - d	Cylinder Assembly Type 5Q	1	Each	\$ _____
693.2000 - e	Diaphragm Assembly	1	Each	\$ _____
693.2000 - f	Nose Assembly	1	Each	\$ _____
693.2000 - g	Fender Panel Assembly	1	Each	\$ _____
693.2000 - h	Backup Assembly	1	Each	\$ _____
693.2000 - i	Monorail Assembly	1	Each	\$ _____
693.2000 - j	Bay Assembly	1	Each	\$ _____
693.2000 - k	Chain Assembly	1	Each	\$ _____

**GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
693.3000	TAU-II Crash Cushion System			
693.3000 - a	Front Support	1	Each	\$ _____
693.3000 - b	Middle Support Diaphragm	1	Each	\$ _____
693.3000 - c	Compact Backstop	1	Each	\$ _____
693.3000 - d	Energy Absorbing Cartridge, Type A	1	Each	\$ _____
693.3000 - e	Energy Absorbing Cartridge, Type B	1	Each	\$ _____
693.3000 - f	Anchoring Package, Compact Backstop	1	Each	\$ _____
693.3000 - g	Front Support Leg	1	Each	\$ _____
693.3000 - h	Compact Cable	1	Each	\$ _____
693.3000 - i	Cable Guide Assembly	1	Each	\$ _____
693.3000 - j	Sliding Panel	1	Each	\$ _____
693.3000 - k	Sliding Bolt	1	Each	\$ _____
693.3000 - l	End Panel	1	Each	\$ _____
693.3000 - m	Pipe Panel Mount	1	Each	\$ _____
693.3000 - n	End Panel Cross Piece	1	Each	\$ _____
693.3000 - o	Front Cable Anchor	1	Each	\$ _____
693.3000 - p	Nose Piece	1	Each	\$ _____
693.3000 - q	Extra Thick Flat Washer, SS	1	Each	\$ _____
693.3000 - r	Hex Bolt, SS-20MM x 50MM	1	Each	\$ _____
693.3000 - s	Washer, SS	1	Each	\$ _____
693.3000 - t	Hex Nut, SS-20MM	1	Each	\$ _____
693.3000 - u	Fender Washer, SS-20M x 50MM	1	Each	\$ _____

GUARDRAIL REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-35

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
694.1000	Inertial Barrier System			
694.1000 - a	module - 200 lbs.	<u>1</u>	Each	\$ _____
694.1000 - b	module - 400 lbs.	<u>1</u>	Each	\$ _____
694.1000 - c	module - 700 lbs.	<u>1</u>	Each	\$ _____
694.1000 - d	module - 1400 lbs.	<u>1</u>	Each	\$ _____
694.1000 - e	module - 2100 lbs.	<u>1</u>	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 4				\$ _____

The "SUM OF ALL ITEMS FOR COMPARISON OF BIDS" will determine the lowest responsible bidder.

Notes:

1. Bid prices are for travel time, mileage and furnishing all labor, tools, traffic controls, all, applicable taxes, fees and equipment necessary for all work shown and called for in accordance with the true intent and meaning of the specifications.
2. Bidder may bid on any or all groups. To be considered, bidder must submit a bid for all items within a group.
3. Any contract which is awarded shall be an open-ended contract since the exact value of work to be performed during the contract period cannot be determined beforehand. The unit price for each item of work on any particular work order shall be that which corresponds to the quantity of work for that item actually performed for each work order.
4. As indicated in the Proposal Schedules, all bid items are divided into payment categories, depending upon the quantities of work. The payment category for each bid item shall be based upon the sum total of all work and materials required to perform the required repairs which are issued on a "single work order." A single work order shall be a work order submitted by the Contractor for work that can be performed by the Contractor without relocating a distance of more than 3,000 feet between any two adjacent repair locations.