

**FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.0100	Fence Fabric			
607.0100 - a	6-Ft High Fence	1	Lin Ft	\$ _____
607.0100 - b	5-Ft High Fence	1	Lin Ft	\$ _____
607.0100 - c	4-Ft High Fence	1	Lin Ft	\$ _____
607.1000	Line Post			
607.1000 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1000 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1000 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1010	End Post			
607.1010 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1010 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1010 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1020	Corner Post			
607.1020 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1020 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1020 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1030	Pull Post			
607.1030 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1030 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1030 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1040	Gate Post			
607.1040 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1040 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1040 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.3000	Top Rail	1	Each	\$ _____
607.3010	Remove Top Rail	1	Each	\$ _____

FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 1 (AREA 1)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.4000	Gate			
607.4000 - a	4-Ft Wide or Less	<u>1</u>	Each	\$ _____
607.4000 - b	4-Ft to 6-Ft Wide	<u>1</u>	Each	\$ _____
607.4000 - c	Double Gates	<u>1</u>	Each	\$ _____
645.1000	Electronic Message Board	<u>1</u>	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 1				\$ _____

**FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.0100	Fence Fabric			
607.0100 - a	6-Ft High Fence	1	Lin Ft	\$ _____
607.0100 - b	5-Ft High Fence	1	Lin Ft	\$ _____
607.0100 - c	4-Ft High Fence	1	Lin Ft	\$ _____
607.1000	Line Post			
607.1000 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1000 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1000 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1010	End Post			
607.1010 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1010 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1010 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1020	Corner Post			
607.1020 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1020 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1020 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1030	Pull Post			
607.1030 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1030 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1030 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.1040	Gate Post			
607.1040 - a	6-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1040 - b	5-Ft High Fence w/ 3-Ft Embedment	1	Each	\$ _____
607.1040 - c	4-Ft High Fence, w/ 3-Ft Embedment	1	Each	\$ _____
607.3000	Top Rail	1	Each	\$ _____
607.3010	Remove Top Rail	1	Each	\$ _____

FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 2 (AREA 2)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.4000	Gate			
607.4000 - a	4-Ft Wide or Less	<u>1</u>	Each	\$ _____
607.4000 - b	4-Ft to 6-Ft Wide	<u>1</u>	Each	\$ _____
607.4000 - c	Double Gates	<u>1</u>	Each	\$ _____
645.1000	Electronic Message Board	<u>1</u>	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 2				\$ _____

**FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.0100	Fence Fabric			
607.0100 - a	6-Ft High Fence	<u>1</u>	Lin Ft	\$ _____
607.0100 - b	5-Ft High Fence	<u>1</u>	Lin Ft	\$ _____
607.0100 - c	4-Ft High Fence	<u>1</u>	Lin Ft	\$ _____
607.1000	Line Post			
607.1000 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1000 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1000 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1010	End Post			
607.1010 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1010 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1010 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1020	Corner Post			
607.1020 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1020 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1020 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1030	Pull Post			
607.1030 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1030 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1030 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1040	Gate Post			
607.1040 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1040 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1040 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.3000	Top Rail	<u>1</u>	Each	\$ _____
607.3010	Remove Top Rail	<u>1</u>	Each	\$ _____

FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 3 (AREA 3)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.4000	Gate			
607.4000 - a	4-Ft Wide or Less	<u>1</u>	Each	\$ _____
607.4000 - b	4-Ft to 6-Ft Wide	<u>1</u>	Each	\$ _____
607.4000 - c	Double Gates	<u>1</u>	Each	\$ _____
645.1000	Electronic Message Board	<u>1</u>	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 3				\$ _____

**FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39**

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.0100	Fence Fabric			
607.0100 - a	6-Ft High Fence	<u>1</u>	Lin Ft	\$ _____
607.0100 - b	5-Ft High Fence	<u>1</u>	Lin Ft	\$ _____
607.0100 - c	4-Ft High Fence	<u>1</u>	Lin Ft	\$ _____
607.1000	Line Post			
607.1000 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1000 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1000 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1010	End Post			
607.1010 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1010 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1010 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1020	Corner Post			
607.1020 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1020 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1020 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1030	Pull Post			
607.1030 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1030 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1030 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1040	Gate Post			
607.1040 - a	6-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1040 - b	5-Ft High Fence w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.1040 - c	4-Ft High Fence, w/ 3-Ft Embedment	<u>1</u>	Each	\$ _____
607.3000	Top Rail	<u>1</u>	Each	\$ _____
607.3010	Remove Top Rail	<u>1</u>	Each	\$ _____

FENCING REPAIRS AT VARIOUS LOCATIONS
GROUP 4 (AREA 4)
ISLAND OF OAHU
PROJECT NO. HWY-OM-2007-39

PROPOSAL SCHEDULE				
ITEM NO.	ITEM OF WORK	QUANTITY	UNIT	UNIT PRICE
607.4000	Gate			
607.4000 - a	4-Ft Wide or Less	<u>1</u>	Each	\$ _____
607.4000 - b	4-Ft to 6-Ft Wide	<u>1</u>	Each	\$ _____
607.4000 - c	Double Gates	<u>1</u>	Each	\$ _____
645.1000	Electronic Message Board	<u>1</u>	Each	\$ _____
SUM OF ALL ITEMS FOR COMPARISON OF BIDS - AREA 4				\$ _____

The "SUM OF ALL ITEMS FOR COMPARISON OF BIDS" will determine the lowest responsible bidder.

Notes:

1. Bid prices are for travel time, mileage and furnishing all labor, tools, traffic controls, all applicable taxes, fees and equipment necessary for all work shown and called for in accordance with the true intent and meaning of the specifications.
2. Bidder may bid on any or all groups. To be considered, bidder must submit a bid for all items within a group.
3. Any contract which is awarded shall be an open-ended contract since the exact value of work to be performed during the contract period cannot be determined beforehand. The unit price for each item of work on any particular work order shall be that which corresponds to the quantity of work for that item actually performed for each work order.
4. As indicated in the Proposal Schedules, all bid items are divided into payment categories, depending upon the quantities of work. The payment category for each bid item shall be based upon the sum of all work and materials required to perform the required repairs which are issued on a "single work order." A single work order shall be a work order submitted by the Contractor for work that can be performed by the Contractor without relocating a distance of more than 3,000 feet between any two adjacent repair locations.
5. All intermediate posts shall measure 1-1/2 inches to 2 inches in diameter. All end posts and gate posts shall measure 2 inches to 2-1/2 inches in diameter.
6. For Items 607.2000 - 607.2040, reuse existing foundation. Remove and replace damaged portion of post.
7. Remove all top rails within clear zone, as instructed by the Engineer.